



Commercial
Vehicles

Amarok Specifications



Amarok Single Cab Specification



Commercial
Vehicles

*Local specification differs from model shown

Amarok Single Cab Specification	2.0 TDI 125kW Amarok Single Cab	2.0 TDI 125kW 4Motion Amarok Single Cab
Engine		
Cylinders	4	4
Cylinder Bore (mm) x Cylinder Stroke (mm)	84.01 x 90.00	84.01 x 90.00
Capacity (cm3)	1996	1996
Compression ratio	15.8:1	15.8:1
Output (kW @ r/min)	125 @ 3,500	125 @ 3,500
Torque (Nm @ r/min)	405 @ 1,750-2,500	405 @ 1,750-2,500
CO2 emissions (g/km)	181	187
Transmission		
5-speed manual	-	-
6-speed manual	X	X
Performance		
Top speed (km/h)	180	180
Fuel consumption (NEDC 1999/100/EC)		
Combined	6,9	7,1
Running Gear		
Rear-wheel drive	X	-
4MOTION®, selectable four wheel drive (part-time only) with low-range transfer case: 2H, 4H and 4L	-	X
Electromechanical power steering	X	X
Drive profile selection: Normal, Eco and Slippery	X	X
Electronic rear differential locking axle	X	X
Mechanical parking brake	X	X
Front disc/Rear drum brakes	X	X
Front suspension: Independent double wishbone with front stabilisers	X	X
Rear suspension: Leaf springs	X	X

Brakes		
ABS (Anti-locking Brake System)	X	X
EBD (Electronic Brake pressure Distribution)	X	X
ESP (Electronic Stability Programme)	X	X
TCS (Traction Control System)	X	X
Hill Descent Control	-	X
Wheelrims / Tyres		
Steel wheel covers 6.5J x 16" (215/70 R 16)	-	-
"Combra" Alloys 7.5J x 17" (255/70 R 17)	X	X
Full-sized spare wheel (steel)	X	X
Anti-theft wheel bolts	X	X
Tool kit and jack ~ located under rear bench seat in cabin	X	X
Dimensions / Capacities		
Fuel tank (l)	80	80
Wading depth (mm)	800	800
Length (mm)	5 350	5 350
Height (mm)	1 884	1 884
Width (mm) excluding side mirrors	1 910	1 910
Wheelbase (mm)	3 270	3 270
Turning circle (m)	12,93	12,93
Ground clearance (mm) - measured under the front axle	237	237
Approach / Departure angle (°) (excl. trailer hitch)	29 / 26	29 / 26
Ramp angle (°)	21	21
Load compartment length (mm)	2332	2332
Load compartment width between wheelhouses (mm)	1227	1227
Load compartment height of the side walls (mm)	529	529
Weights		
Roof load limit (kg) (Moving/Static)	85 / 350	85 / 350
Axle load limit front / rear (kg)	1 400/1 900	1 450/1 959
Kerb Mass (minimum) without driver and with fuel (kg)	1 859	1 947
Maximum payload capacity (kg) ~ based on minimum kerb mass	1 201	1 243
Gross Vehicle Mass (GVM) (kg)	3 060	3 190

Towing capacity: unbraked (kg)	750	750
Towing capacity: braked (kg)	3 500	3 500
Gross Combined Mass (GCM) (kg)	6 150	6 150
Audio & Communication		
10" diagonal TFT/LCD colour touch-screen infotainment screen with radio, 2 speakers and Bluetooth	X	X
Partial Active Info Display: 8" TFT/LCD multi-function display	X	X
Smartphone connectivity: App-Connect with USB interfaces (1 x type A/1 x type C)	X	X
Voice control	X	X
Safety		
LED Headlights, with LED Daytime Running Lights	X	X
Without front fog lights	X	X
Halogen taillights	X	X
Without rear fog lights	X	X
Manual headlight range adjustment	X	X
Automatic headlights on/off (dusk sensor)	X	X
Driver's and front passenger's airbags with passenger airbag deactivation	X	X
Side airbags for front seats and curtain airbag system	X	X
Two 3-point inertia-reel seat belts in the front without height adjustment	X	X
Warning signal and icon when front seat belts are not fastened	X	X
Door open warning icon and light	X	X
Tailgate mounted stop light	X	X
Manual tailgate lock	X	X
Security		
Anti-theft alarm system with interior monitoring	X	X
Immobiliser	X	X
Remote central locking	X	X

Seats		
Driver Seat: 6-Way Manual (track, backrest recline and height adjustment)	X	X
Front Passenger Seat: 4-Way Manual (track and backrest recline)	X	X
Number of seats	2	2
Height adjustable head rests for front seats	X	X
Seat material: cloth with "woven" inserts	X	X
Mirrors		
Exterior mirrors moulded in black	X	X
Electric / foldable side mirrors with auto-dimming rear-view mirror	X	X
Windows		
Front electric windows	X	X
Heated rear window	X	X
Wiper System		
Variable speed windshield wiper with rain sensor	X	X
Interior Features		
Steering wheel reach and height adjustable	X	X
Front centre armrest	X	X
Front cupholders integrated into centre console	X	X
Inside door handles in black	X	X
Multifunction steering wheel	X	X
Manual air-conditioner	X	X
Vinyl floor covering in the interior cabin	X	X
Headliner in "Stone Grey" colour	X	X
12V socket integrated into centre console	X	X
Exterior Features		
Front and rear bumper moulded in black	X	X
Door handles moulded in black	X	X
Black front grille with upper bright accent strip	X	X
Rear bumper with integrated step, black	X	X
Load box with 6 tie-down hooks and integrated cargo lights on the sides	X	X

Front and rear splash/mud guards	X	X
Without trailer hitch preparation	-	-
Fixed trailer hitch incl. 7-pin socket	X	X
Front towing hook	1	1
Guarantees		
5-year / 150,000 km manufacturer warranty	X	X
3-year / 60,000 km Genuine Easy Drive service plan	X	X
15,000 km service intervals	X	X
6-year anti-corrosion warranty	X	X
Disclaimer		
Fuel consumption measurements is in accordance with the NEDC/1999/100/EC. Dimensions, capacities and abilities apply to standard vehicles. Actual consumption will vary with vehicle loading, driving style, climatic and road conditions. The above information is effective as at February 2025 and is subject to change.		

Amarok Double Cab Specification



Commercial
Vehicles

Amarok Double Cab Specification	2.0 TDI 125kW Amarok Double Cab	2.0 TDI 125kW 4Motion Amarok Double Cab
Engine		
Cylinders	4	4
Cylinder Bore (mm) x Cylinder Stroke (mm)	84.01 x 90.00	84.01 x 90.00
Capacity (cm3)	1996	1996
Compression ratio	15.8:1	15.8:1
Output (kW @ r/min)	125 @ 3,500	125 @ 3,500
Torque (Nm @ r/min)	405 @ 1,750-2,500	405 @ 1,750-2,500
CO2 emissions (g/km)	181	187
Transmission		
5-speed manual	-	-
6-speed manual	X	X
Performance		
Top speed (km/h)	180	180
Fuel consumption (NEDC 1999/100/EC)		
Combined	6,9	7,1
Running Gear		
Rear-wheel drive	X	-
4MOTION®, selectable four wheel drive (part-time only) with low-range transfer case: 2H, 4H and 4L	-	X
Electromechanical power steering	X	X
Drive profile selection: Normal, Eco and Slippery	X	X
Electronic rear differential locking axle	X	X
Mechanical parking brake	X	X
Front disc/Rear drum brakes	X	X
Front suspension: Independent double wishbone with front stabilisers	X	X
Rear suspension: Leaf springs	X	X

Brakes		
ABS (Anti-locking Brake System)	X	X
EBD (Electronic Brake pressure Distribution)	X	X
ESP (Electronic Stability Programme)	X	X
TCS (Traction Control System)	X	X
Hill Descent Control	-	X
Wheelrims / Tyres		
Steel wheel covers 6.5J x 16" (215/70 R 16)	-	-
"Combra" Alloys 7.5J x 17" (255/70 R 17)	X	-
"Combra" Alloys 7.5J x 17" (255/70 R 17) incl. all-terrain tyres	-	X
Full-sized spare wheel (steel)	X	X
Anti-theft wheel bolts	X	X
Tool kit and jack ~ located under rear bench seat in cabin	X	X
Dimensions / Capacities		
Fuel tank (l)	80	80
Wading depth (mm)	800	800
Length (mm)	5 350	5 350
Height (mm)	1 884	1 884
Width (mm) excluding side mirrors	1 910	1 910
Wheelbase (mm)	3 270	3 270
Turning circle (m)	12,93	12,93
Ground clearance (mm) - measured under the front axle	237	237
Approach / Departure angle (°) (excl. trailer hitch)	30 / 26	30 / 26
Ramp angle (°)	21	21
Load compartment length (mm)	1624	1624
Load compartment width between wheelhouses (mm)	1227	1227
Load compartment height of the side walls (mm)	529	529
Weights		
Roof load limit (kg) (Moving/Static)	85 / 350	85 / 350
Axle load limit front / rear (kg)	1 400/1 900	1 450/1 959
Kerb Mass (minimum) without driver and with fuel (kg)	1 935	2 023

Maximum payload capacity (kg) ~ based on minimum kerb mass	1 125	1 167
Gross Vehicle Mass (GVM) (kg)	3 060	3 190
Towing capacity: unbraked (kg)	750	750
Towing capacity: braked (kg)	3 500	3 500
Gross Combined Mass (GCM) (kg)	6 150	6 150
Audio & Communication		
10" diagonal TFT/LCD colour touch-screen infotainment screen with radio, 2 speakers and Bluetooth	X	X
Partial Active Info Display: 8" TFT/LCD multi-function display	X	X
Smartphone connectivity: App-Connect with USB interfaces (1 x type A/1 x type C)	X	X
Voice control	X	X
2 extra speakers	X	X
Safety		
Park distance control (rear only)	X	X
Fixed rear-view camera	X	X
LED Headlights, with LED Daytime Running Lights	X	X
Without front fog lights	X	X
Halogen taillights	X	X
Without rear fog lights	-	-
Rear fog lights	X	X
Manual headlight range adjustment	X	X
Automatic headlights on/off (dusk sensor)	X	X
Driver's and front passenger's airbags with passenger airbag deactivation	X	X
Side airbags for front seats and curtain airbag system	X	X
Driver knee airbag	X	X
Two 3-point inertia-reel seat belts in the front without height adjustment	X	X
Two outboard 3-point and one centre 3-point inertia-reel seat belts without height adjustment in the second seat row	X	X
ISOFIX child-seat locating points - outside rear seats with i-size	X	X
Child proof rear door locks	X	X
Warning signal and icon when front seat belts are not fastened	X	X
Door open warning icon and light	X	X

Tailgate mounted stop light	X	X
Manual tailgate lock	X	X
Security		
Anti-theft alarm system with interior monitoring	X	X
Immobiliser	X	X
Remote central locking	X	X
Seats		
Driver Seat: 6-Way Manual (track, backrest recline and height adjustment)	X	X
Front Passenger Seat: 4-Way Manual (track and backrest recline)	X	X
Number of seats	5	5
Height adjustable head rests for front and rear seats	X	X
Folding 3-seater rear bench seat	X	X
Seat material: cloth with "woven" inserts	X	X
Mirrors		
Exterior mirrors moulded in black	X	X
Electric / foldable side mirrors with auto-dimming rear-view mirror	X	X
Windows		
Front electric windows	X	X
Rear electric windows	X	X
Heated rear window	X	X
Wiper System		
Variable speed windshield wiper with rain sensor	X	X
Interior Features		
Steering wheel reach and height adjustable	X	X
Front centre armrest	X	X
Rear centre armrest	X	X
Front cupholders integrated into centre console	X	X
Rear cupholders integrated into centre armrest	X	X
Inside door handles in black	X	X
Cruise control without speed limiter	X	X
Multifunction steering wheel	X	X
Manual air-conditioner	X	X

Vinyl floor covering in the interior cabin	X	X
Headliner in "Stone Grey" colour	X	X
2 x 12V sockets integrated into centre console and front centre armrest	X	X
Exterior Features		
Front and rear bumper moulded in black	X	X
Door handles moulded in black	X	X
Black front grille with upper bright accent strip	X	X
Rear bumper with integrated step, black	X	X
Load box with 6 tie-down hooks and integrated cargo lights on the sides	X	X
Side steps (plastic without chrome inserts)	-	X
Front and rear splash/mud guards	X	X
Without trailer hitch preparation	-	-
Fixed trailer hitch incl. 7-pin socket	X	X
Front towing hook	1	1
Guarantees		
5-year / 150,000 km manufacturer warranty	X	X
5-year / 100,000 km Genuine Easy Drive maintenance plan	X	X
15,000 km service intervals	X	X
6-year anti-corrosion warranty	X	X
Disclaimer		
Fuel consumption measurements is in accordance with the NEDC/1999/100/EC. Dimensions, capacities and abilities apply to standard vehicles. Actual consumption will vary with vehicle loading, driving style, climatic and road conditions. The above information is effective as at February 2025 and is subject to change.		

Amarok Life Specification



Commercial
Vehicles

Amarok Life Specification	2.0 TDI 125kW Life Automatic	2.0 TDI 125kW 4Motion Life	2.0 TDI 125kW 4Motion Life Automatic	2.0 BiTDI 154kW 4Motion Life Automatic
Engine				
Cylinders	4	4	4	4
Cylinder Bore (mm) x Cylinder Stroke (mm)	84.01 x 90.00	84.01 x 90.00	84.01 x 90.00	84.01 x 90.03
Capacity (cm3)	1996	1996	1996	1996
Compression ratio	15.8:1	15.8:1	15.8:1	16:1
Output (kW @ r/min)	125 @ 3,500	125 @ 3,500	125 @ 3,500	154 @ 3,750
Torque (Nm @ r/min)	405 @ 1,750-2,500	405 @ 1,750-2,500	405 @ 1,750-2,500	500 @ 1,750-2,000
CO2 emissions (g/km)	181	187	203	195
Transmission				
6-speed manual	-	X	-	-
6-speed automatic	X	-	X	-
10-speed automatic (shift by wire)	-	-	-	X
Performance				
Top speed (km/h)	180	180	180	180
Fuel consumption (NEDC 1999/100/EC)				
Combined	6,9	7,1	7,7	7,5
Running Gear				
Rear-wheel drive	X	-	-	-
4MOTION®, selectable four wheel drive (part-time only) with low-range transfer case: 2H, 4H and 4L	-	X	X	X
Electromechanical power steering	X	X	X	X
Drive profile selection: Normal, Eco and Slippery	X	X	X	X
Electronic rear differential locking axle	X	X	X	X
Electromechanical parking brake with auto-hold function	X	X	X	X
Front and rear disc brakes	X	X	X	X
Front suspension: Independent double wishbone with front stabilisers	X	X	X	X
Rear suspension: Leaf springs	X	X	X	X

Brakes				
ABS (Anti-locking Brake System)	X	X	X	X
EBD (Electronic Brake pressure Distribution)	X	X	X	X
ESP (Electronic Stability Programme)	X	X	X	X
TCS (Traction Control System)	X	X	X	X
Hill Descent Control	-	X	X	X
Wheelrims / Tyres				
"Combra" Alloys 7.5J x 17" (255/70 R 17)	X	-	-	-
"Combra" Alloys 7.5J x 17" (255/70 R 17) incl. all-terrain tyres	-	X	X	-
"Amadora" Alloys 7.5J x 18" (255/65 R 18) incl. all-terrain tyres	-	-	-	X
Full-sized spare wheel (steel)	X	X	X	-
Full-sized spare wheel (alloy)	-	-	-	X
Anti-theft wheel bolts	X	X	X	X
Tool kit and jack ~ located under rear bench seat in cabin	X	X	X	X
Dimensions / Capacities				
Fuel tank (l)	80	80	80	80
Wading depth (mm)	800	800	800	800
Length (mm)	5,350	5 350	5 350	5 350
Height (mm)	1,884	1 884	1 884	1 884
Width (mm)	1,910	1 910	1 910	1 910
Wheelbase (mm)	3,270	3 270	3 270	3 270
Turning circle (m)	12.93	12,93	12,93	12,93
Ground clearance (mm) - measured under the front axle	237	237	237	237
Approach / Departure angle (°) (excl. trailer hitch)	30 / 26	30 / 26	30 / 26	30 / 26
Ramp angle (°)	21	21	21	21
Load compartment length (mm)	1,624	1 624	1 624	1 624
Load compartment width between wheelhouses (mm)	1,227	1 227	1 227	1 227
Load compartment height of the side walls (mm)	529	529	529	529
Weights				
Roof load limit (kg) (Moving/Static)	85 / 350	85 / 350	85 / 350	85 / 350
Axle load limit front / rear (kg)	1,400/1,900	1,450/ 1,959	1,450/ 1,959	1,450/ 1,959

Kerb Mass (minimum) without driver and with fuel (kg)	1 980	2 069	2 092	2 106
Maximum payload capacity (kg) ~ based on minimum kerb mass	1 080	1 162	1 138	1 124
Gross Vehicle Mass (GVM) (kg)	3 060	3 230	3 230	3 230
Towing capacity: unbraked (kg)	750	750	750	750
Towing capacity: braked (kg)	3 500	3 500	3 500	3 500
Gross Combined Mass (GCM) (kg)	6 150	6 150	6 300	6 500
Audio & Communication				
10" diagonal TFT/LCD colour touch-screen infotainment screen with radio, 6 speakers and Bluetooth	X	X	X	X
Partial Active Info Display: 8" TFT/LCD multi-function display	X	X	X	X
Smartphone connectivity: App-Connect with USB interfaces (1 x type A/1 x type C)	X	X	X	X
Voice control	X	X	X	X
Safety				
Park distance control (front and rear)	X	X	X	X
Fixed rear-view camera	X	X	X	X
LED Headlights, with LED Daytime Running Lights	X	X	X	X
LED front fog lights	X	X	X	X
Halogen taillights	X	X	X	X
Rear fog lights	X	X	X	X
Manual headlight range adjustment	X	X	X	X
Automatic headlights on/off (dusk sensor)	X	X	X	X
Driver's and front passenger's airbags with passenger airbag deactivation	X	X	X	X
Side airbags for front seats and curtain airbag system	X	X	X	X
Driver knee airbag	X	X	X	X
Two 3-point inertia-reel seat belts in the front without height adjustment	X	X	X	X
Two outboard 3-point and one centre 3-point inertia-reel seat belts without height adjustment in the second seat row	X	X	X	X
ISOFIX child-seat locating points - outside rear seats with i-size	X	X	X	X
Child proof rear door locks	X	X	X	X

Warning signal and icon when front seat belts are not fastened	X	X	X	X
Door open warning icon and light	X	X	X	X
Tailgate mounted stop light	X	X	X	X
Power tailgate lock	X	X	X	X
Security				
Anti-theft alarm system with interior monitoring	X	X	X	X
Immobiliser	X	X	X	X
Remote central locking	X	X	X	X
Seats				
Driver Seat: 8-Way Manual (track, backrest recline, height adjustment and lumbar adjustment)	X	X	X	X
Front Passenger Seat: 8-Way Manual (track, backrest recline, height adjustment and lumbar adjustment)	X	X	X	X
Heated front seats	-	-	-	X
Number of seats	5	5	5	5
Height adjustable head rests for front and rear seats	X	X	X	X
Folding 3-seater rear bench seat	X	X	X	X
Seat material: cloth - embossed fabric inserts	X	X	X	X
Mirrors				
Colour-coded exterior mirrors	X	X	X	X
Electric / foldable side mirrors with auto-dimming rear-view mirror	X	X	X	X
Windows				
Front electric windows	X	X	X	X
Rear electric windows	X	X	X	X
Tinted windows: privacy glass	X	X	X	X
Heated rear window	X	X	X	X
Wiper System				
Variable speed windshield wiper with rain sensor	X	X	X	X
Interior Features				
Steering wheel reach and height adjustable	X	X	X	X
Front centre armrest	X	X	X	X
Rear centre armrest	X	X	X	X

Front cupholders integrated into centre console	X	X	X	X
Rear cupholders integrated into centre armrest	X	X	X	X
Inside door handles in black	X	X	X	X
Cruise control incl. speed limiter	X	X	X	X
Leather wrapped multifunction steering wheel	X	X	X	X
Manual air-conditioner	X	X	X	X
Carpet floor covering in the interior cabin	X	X	X	X
Rubber floor mats (front and rear passengers)	X	X	X	X
Headliner in "Stone Grey" colour	X	X	X	X
2 x 12V sockets integrated into centre console and front centre armrest	X	X	X	X
Exterior Features				
Coloured-coded front and rear bumper in body colour	X	X	X	X
Colour-coded door handles in body colour	X	X	X	X
Black front grille with upper bright accent strip	X	X	X	X
Rear bumper with integrated step, black	X	X	X	X
Load box with 6 tie-down hooks and integrated cargo lights on the sides	X	X	X	X
Assisted tailgate for easy opening and closing	X	X	X	X
Side steps (plastic without chrome inserts)	-	X	X	X
Front and rear splash/mud guards	X	X	X	X
Fixed trailer hitch incl. 7-pin socket	X	X	X	X
Front towing hooks	2	2	2	2
Guarantees				
5-year / 150,000 km manufacturer warranty	X	X	X	X
5-year / 100,000 km Genuine Easy Drive maintenance plan	X	X	X	X
15,000 km service intervals	X	X	X	X
6-year anti-corrosion warranty	X	X	X	X
Disclaimer				
Fuel consumption measurements is in accordance with the NEDC/1999/100/EC. Dimensions, capacities and abilities apply to standard vehicles. Actual consumption will vary with vehicle loading, driving style, climatic and road conditions. The above information is effective as at February 2025 and is subject to change.				

Amarok Style Specification



Commercial
Vehicles

Amarok Style Specification

X = standard O = optional - = not available

Amarok Style Specification	2.0 BiTDI 154kW 4Motion Style Automatic	2.0 BiTDI 154kW 4Motion Style Automatic (incl. Comfort Pack)	3.0 TDI V6 184kW 4Motion Style Automatic	3.0 TDI V6 184kW 4Motion Style Automatic (incl. Comfort Pack)
Engine				
Cylinders	4	4	6	6
Cylinder Bore (mm) x Cylinder Stroke (mm)	84.01 x 90.03	84.01 x 90.03	84.01 x 90.03	84.01 x 90.03
Capacity (cm3)	1996	1996	2996	2996
Compression ratio	16:1	16:1	16:1	16:1
Output (kW @ r/min)	154 @ 3,750	154 @ 3,750	184 @ 3,250	184 @ 3,250
Torque (Nm @ r/min)	500 @ 1,750-2,000	500 @ 1,750-2,000	600 @ 1,750-2,250	600 @ 1,750-2,250
CO2 emissions (g/km)	195	195	222	222
Transmission				
10-speed automatic (shift by wire)	X	X	X	X
Performance				
Top speed (km/h)	180	180	180	180
Fuel consumption (NEDC 1999/100/EC)				
Combined	7,5	7,5	8,4	8,4
Running Gear				
4MOTION®, selectable four wheel drive (part-time only) with low-range transfer case: 2H, 4H and 4L	X	X	-	-
4MOTION®, selectable four wheel drive (incl. full-time 4-wheel drive) with low-range transfer case: 2H, 4A, 4H and 4L	-	-	X	X
Electromechanical power steering	X	X	X	X
Drive profile selection: Normal, Eco and Slippery	X	X	X	X
Electronic rear differential locking axle	X	X	X	X
Electromechanical parking brake with auto-hold function	X	X	X	X
Front and rear disc brakes	X	X	X	X
Front suspension: Independent double wishbone with front stabilisers	X	X	X	X
Rear suspension: Leaf springs	X	X	X	X

Brakes				
ABS (Anti-locking Brake System)	X	X	X	X
EBD (Electronic Brake pressure Distribution)	X	X	X	X
ESP (Electronic Stability Programme)	X	X	X	X
TCS (Traction Control System)	X	X	X	X
Multicollision brake system	X	X	X	X
Pre-Collision Assist: Forward Collision Warning with Autonomous Emergency Braking (incl. Pedestrian and Cyclist monitoring)	X	X	X	X
Hill Descent Control	X	X	X	X
Wheelrims / Tyres				
"Amadora" Alloys 7.5J x 18" (255/65 R 18) incl. all-terrain tyres	X	-	X	-
"Bendigo" Alloys 8J x 20" (255/55 R 20)	-	X	-	X
Full-sized spare wheel (alloy)	X	X	X	X
Anti-theft wheel bolts	X	X	X	X
Tool kit and jack ~ located under rear bench seat in cabin	X	X	X	X
Tyre pressure monitor system	X	X	X	X
Dimensions / Capacities				
Fuel tank (l)	80	80	80	80
Wading depth (mm)	800	800	800	800
Length (mm)	5 350	5 350	5 350	5 350
Height (mm)	1 884	1 884	1 884	1 884
Width (mm)	1 910	1 910	1 910	1 910
Wheelbase (mm)	3 270	3 270	3 270	3 270
Turning circle (m)	12,93	12,93	12,93	12,93
Ground clearance (mm) - measured under the front axle	235	235	235	235
Approach / Departure angle (°) (excl. trailer hitch)	30 / 26	30 / 26	30 / 26	30 / 26
Ramp angle (°)	21	21	21	21
Load compartment length (mm)	1 624	1 624	1 624	1 624
Load compartment width between wheelhouses (mm)	1 227	1 227	1 227	1 227
Load compartment height of the side walls (mm)	529	529	529	529

Weights				
Roof load limit (kg) (Moving/Static)	85 / 350	85 / 350	85 / 350	85 / 350
Axle load limit front / rear (kg)	1 490/ 1 959	1,490/ 1,900	1,490/ 1,959	1,490/ 1,900
Kerb Mass (minimum) without driver and with fuel (kg)	2 132	2 132	2 192	2 192
Maximum payload capacity (kg) ~ based on minimum kerb mass	1 148	1 098	1 158	1 108
Gross Vehicle Mass (GVM) (kg)	3 280	3 230	3 350	3 300
Towing capacity: unbraked (kg)	750	750	750	750
Towing capacity: braked (kg)	3 500	3 500	3 500	3 500
Gross Combined Mass (GCM) (kg)	6 500	6 500	6 500	6 500
Audio & Communication				
12" diagonal TFT/LCD colour touch-screen infotainment screen with radio, 6 speakers and Bluetooth	X	X	X	X
Active Info Display: 12" TFT/LCD multi-function display	X	X	X	X
Smartphone connectivity: App-Connect with USB interfaces (1 x type A/1 x type C)	X	X	X	X
USB charging port (A-type) integrated into rear-view mirror housing (power supply only)	X	X	X	X
Voice control	X	X	X	X
Inductive charging system in the centre console	X	X	X	X
Safety				
Park distance control (front and rear)	X	X	X	X
Fixed rear-view camera	X	X	X	X
LED Headlights, with LED Daytime Running Lights	X	X	X	X
LED front fog lights	X	X	X	X
Halogen taillights	X	X	X	X
Rear fog lights	X	X	X	X
Manual headlight range adjustment	X	X	X	X
Light Assist high-beam control incl. automatic headlights on/off (dusk sensor)	X	X	X	X
Driver's and front passenger's airbags with passenger airbag deactivation	X	X	X	X
Side airbags for front seats and curtain airbag system	X	X	X	X
Driver knee airbag	X	X	X	X

Two 3-point inertia-reel seat belts in the front without height adjustment	X	X	X	X
Two outboard 3-point and one centre 3-point inertia-reel seat belts without height adjustment in the second seat row	X	X	X	X
ISOFIX child-seat locating points - outside rear seats with i-size	X	X	X	X
Child proof rear door locks	X	X	X	X
Warning signal and icon when front seat belts are not fastened	X	X	X	X
Door open warning icon and light	X	X	X	X
Tailgate mounted stop light	X	X	X	X
Power tailgate lock	X	X	X	X
Lane Assist: Lane keep system with alert function via steering wheel vibrations and corrective torque steering aid (only occurs when deviating from road markings)	X	X	X	X
Security				
Anti-theft alarm system with interior monitoring	X	X	X	X
Immobiliser	X	X	X	X
Keyless entry: Access, locking and starting system	X	X	X	X
Seats				
Driver Seat: 10-Way Electric (track, backrest recline, height adjustment, lumbar adjustment and tilt function)	X	X	X	X
Front Passenger Seat: 10-Way Electric (track, backrest recline, height adjustment, lumbar adjustment and tilt function)	X	X	X	X
Heated front seats	X	X	X	X
Number of seats	5	5	5	5
Height adjustable head rests for front and rear seats	X	X	X	X
Folding 3-seater rear bench seat	X	X	X	X
Seat material: "Savona" leather (perforated) seat upholstery	X	X	X	X
Mirrors				
Colour-coded exterior mirrors	X	X	X	X
Electric / foldable / heated side mirrors with auto-dimming rear-view mirror with puddle lights	X	X	X	X

Windows				
Front electric windows	X	X	X	X
Rear electric windows	X	X	X	X
Tinted windows: privacy glass	X	X	X	X
Heated rear window	X	X	X	X
Wiper System				
Variable speed windshield wiper with rain sensor	X	X	X	X
Interior Features				
Steering wheel reach and height adjustable	X	X	X	X
Front centre armrest	X	X	X	X
Rear centre armrest	X	X	X	X
Front cupholders integrated into centre console	X	X	X	X
Rear cupholders integrated into centre armrest	X	X	X	X
Inside door handles in black with chrome inserts	X	X	X	X
Cruise control incl. speed limiter	X	X	X	X
Leather wrapped multifunction steering wheel	X	X	X	X
Dual-zone automatic air-conditioning system	X	X	X	X
Carpet floor covering in the interior cabin	X	X	X	X
Carpet floor mats (front and rear passengers)	X	X	X	X
Headliner in "Stone Grey" colour	X	X	X	X
2 x 12V sockets integrated into centre console and front centre armrest	X	X	X	X
Power inverter: 230 V socket integrated into the front centre armrest	X	X	X	X
Ambient lighting in front door panels	X	X	X	X
Exterior Features				
Coloured-coded front and rear bumper in body colour	X	X	X	X
Colour-coded door handles in body colour	X	X	X	X
Black front grille with two bright accents above and below the headlights	X	X	X	X
Rear bumper with integrated step, black with chrome inserts	X	X	X	X
Load box with 6 tie-down hooks and integrated cargo lights on the sides	X	X	X	X

Assisted tailgate for easy opening and closing	X	X	X	X
Side steps (plastic with chrome inserts)	X	X	X	X
Front and rear splash/mud guards	X	X	X	X
Fixed trailer hitch incl. 7-pin socket	X	X	X	X
Front towing hooks	2	2	2	2
Tubular styling bar in chrome finish	X	X	X	X
Cargo management system for load box	-	X	-	X
Load box bedliner incl. integrated 12V socket on the side	-	X	-	X
Tonneau cover	-	X	-	X
Guarantees				
5-year / 150,000 km manufacturer warranty	X	X	X	X
5-year / 100,000 km Genuine Easy Drive maintenance plan	X	X	X	X
15,000 km service intervals	X	X	X	X
6-year anti-corrosion warranty	X	X	X	X
Disclaimer				
Fuel consumption measurements is in accordance with the NEDC/1999/100/EC. Dimensions, capacities and abilities apply to standard vehicles. Actual consumption will vary with vehicle loading, driving style, climatic and road conditions. The above information is effective as at February 2025 and is subject to change.				

Amarok PanAmericana Specification



Commercial
Vehicles

Amarok PanAmericana Specification

X = standard O = optional - = not available

Amarok PanAmericana Specification	2.0 BiTDI 154kW 4Motion PanAmericana Automatic	2.0 BiTDI 154kW 4Motion PanAmericana Automatic (incl. Comfort Pack)	3.0 TDI V6 184kW 4Motion PanAmericana Automatic	3.0 TDI V6 184kW 4Motion PanAmericana Automatic (incl. Comfort Pack)
Engine				
Cylinders	4	4	6	6
Cylinder Bore (mm) x Cylinder Stroke (mm)	84.01 x 90.03	84.01 x 90.03	84.01 x 90.03	84.01 x 90.03
Capacity (cm3)	1995	1995	2996	2996
Compression ratio	16:1	16:1	16:1	16:1
Output (kW @ r/min)	154 @ 3,750	154 @ 3,750	184 @ 3,250	184 @ 3,250
Torque (Nm @ r/min)	500 @ 1,750-2,000	500 @ 1,750-2,000	600 @ 1,750-2,250	600 @ 1,750-2,250
CO2 emissions (g/km)	195	195	222	222
Transmission				
10-speed automatic (shift by wire)	X	X	X	X
Performance				
Top speed (km/h)	180	180	180	180
Fuel consumption (NEDC 1999/100/EC)				
Combined	7,5	7,5	8,4	8,4
Running Gear				
4MOTION®, selectable four wheel drive (part-time only) with low-range transfer case: 2H, 4H and 4L	X	X	-	-
4MOTION®, selectable four wheel drive (incl. full-time 4-wheel drive) with low-range transfer case: 2H, 4A, 4H and 4L	-	-	X	X
Electromechanical power steering	X	X	X	X
Drive profile selection: Normal, Eco, Tow/Haul, Slippery, Mud/Ruts and Deep Snow/Sand	X	X	X	X
Electronic rear differential locking axle	X	X	X	X
Electromechanical parking brake with auto-hold function	X	X	X	X
Front and rear disc brakes	X	X	X	X
Front suspension: Independent double wishbone with front stabilisers	X	X	X	X
Rear suspension: Leaf springs	X	X	X	X

Optimised suspension for softer ride	X	X	X	X
Brakes				
ABS (Anti-locking Brake System)	X	X	X	X
EBD (Electronic Brake pressure Distribution)	X	X	X	X
ESP (Electronic Stability Programme) incl. electromechanical brake booster	X	X	X	X
TCS (Traction Control System)	X	X	X	X
EBA (Emergency Brake Assist)	X	X	X	X
Multicollision brake system	X	X	X	X
Front Assist radar/camera with Forward Collison Warning, Autonomous Emergency Braking (incl. Pedestrian and Cyclist monitoring) and Evasive Steering Assist	X	X	X	X
Hill Descent Control	X	X	X	X
Wheelrims / Tyres				
"Amadora" Alloys 7.5J x 18" (255/65 R 18) incl. all-terrain tyres (black painted alloys)	X	-	X	-
"Bendigo" Alloys 8J x 20" (255/55 R 20)	-	X	-	X
Full-sized spare wheel (alloy)	X	X	X	X
Anti-theft wheel bolts	X	X	X	X
Tool kit and jack ~ located under rear bench seat in cabin	X	X	X	X
Tyre pressure monitor system	X	X	X	X
Dimensions / Capacities				
Fuel tank (l)	80	80	80	80
Wading depth (mm)	800	800	800	800
Length (mm)	5 350	5 350	5 350	5 350
Height (mm)	1 884	1 884	1 884	1 884
Width (mm)	1 910	1 910	1 910	1 910
Wheelbase (mm)	3 270	3 270	3 270	3 270
Turning circle (m)	12,93	12,93	12,93	12,93
Ground clearance (mm) - measured under the front axle	235	235	235	235
Approach / Departure angle (°) (excl. trailer hitch)	30 / 26	30 / 26	30 / 26	30 / 26
Ramp angle (°)	21	21	21	21
Load compartment length (mm)	1 624	1 624	1 624	1 624

Load compartment width between wheelhouses (mm)	1 227	1 227	1 227	1 227
Load compartment height of the side walls (mm)	529	529	529	529
Weights				
Roof load limit (kg) (Moving/Static)	85 / 350	85 / 350	85 / 350	85 / 350
Axle load limit front / rear (kg)	1 490/ 1 959	1 490/ 1 900	1 490/ 1 959	1 490/ 1 900
Kerb Mass (minimum) without driver and with fuel (kg)	2 175	2 175	2 236	2 236
Maximum payload capacity (kg) ~ based on minimum kerb mass	1 105	1 055	1 114	1 064
Gross Vehicle Mass (GVM) (kg)	3 280	3 230	3 350	3 300
Towing capacity: unbraked (kg)	750	750	750	750
Towing capacity: braked (kg)	3 500	3 500	3 500	3 500
Gross Combined Mass (GCM) (kg)	6 500	6 500	6 500	6 500
Audio & Communication				
12" diagonal TFT/LCD colour touch-screen infotainment screen with radio, navigation system, Harman Kardon sound system with 8 speakers and Bluetooth	X	X	X	X
Active Info Display: 12" TFT/LCD multi-function display	X	X	X	X
Smartphone connectivity: App-Connect with USB interfaces (1 x type A/1 x type C)	X	X	X	X
USB charging port (A-type) integrated into rear-view mirror housing (power supply only)	X	X	X	X
Voice control	X	X	X	X
Inductive charging system in the centre console	X	X	X	X
Safety				
Park distance control (front and rear)	X	X	X	X
"Area View" with Rear-View Camera (offers front, side and rear images to help spot obstacles)	X	X	X	X
IQ Light LED headlights for low/high beam, with LED daytime running lights	X	X	X	X
LED front fog lights	X	X	X	X
LED rear combination lamps	X	X	X	X
Rear fog lights	X	X	X	X
Automatic headlight range adjustment	X	X	X	X
Light Assist high-beam control incl. automatic headlights on/off (dusk sensor)	X	X	X	X

Driver's and front passenger's airbags with passenger airbag deactivation	X	X	X	X
Side airbags for front seats and curtain airbag system	X	X	X	X
Driver knee airbag	X	X	X	X
Two 3-point inertia-reel seat belts in the front without height adjustment	X	X	X	X
Two outboard 3-point and one centre 3-point inertia-reel seat belts without height adjustment in the second seat row	X	X	X	X
ISOFIX child-seat locating points - outside rear seats with i-size	X	X	X	X
Child proof rear door locks	X	X	X	X
Warning signal and icon when front seat belts are not fastened	X	X	X	X
Door open warning icon and light	X	X	X	X
Tailgate mounted stop light	X	X	X	X
Power tailgate lock	X	X	X	X
Lane Assist: Lane keep system with alert function via steering wheel vibrations and corrective torque steering aid (only occurs when deviating from road markings)	X	X	X	X
Fatigue detection (Rest Assist)	X	X	X	X
Blind Spot Monitoring with Rear Traffic Alert (Reverse Brake Assist)	X	X	X	X
Security				
Anti-theft alarm system with interior monitoring	X	X	X	X
Immobiliser	X	X	X	X
Keyless entry: Access, locking and starting system	X	X	X	X
Seats				
Driver Seat: 10-Way Electric (track, backrest recline, height adjustment, lumbar adjustment and tilt function)	X	X	X	X
Front Passenger Seat: 10-Way Electric (track, backrest recline, height adjustment, lumbar adjustment and tilt function)	X	X	X	X
Heated front seats	X	X	X	X
Number of seats	5	5	5	5
Height adjustable head rests for front and rear seats	X	X	X	X
Folding 3-seater rear bench seat	X	X	X	X

Seat material: "Cricket" leather seat upholstery	X	X	X	X
Mirrors				
Exterior mirrors in "Dark Matte Grey"	X	X	X	X
Electric / foldable / heated side mirrors with auto-dimming rear-view mirror with puddle lights	X	X	X	X
Windows				
Front electric windows	X	X	X	X
Rear electric windows	X	X	X	X
Tinted windows: privacy glass	X	X	X	X
Heated rear window	X	X	X	X
Wiper System				
Variable speed windshield wiper with rain sensor	X	X	X	X
Interior Features				
Steering wheel reach and height adjustable	X	X	X	X
Front centre armrest	X	X	X	X
Rear centre armrest	X	X	X	X
Front cupholders integrated into centre console	X	X	X	X
Rear cupholders integrated into centre armrest	X	X	X	X
Inside door handles in black with chrome inserts	X	X	X	X
Adaptive Cruise Control with Traffic Jam Assist	X	X	X	X
Leather wrapped multifunction steering wheel	X	X	X	X
Dual-zone automatic air-conditioning system	X	X	X	X
Carpet floor covering in the interior cabin	X	X	X	X
Rubber floor mats (front and rear passengers)	X	X	X	X
Headliner in "Ebony Black" colour	X	X	X	X
2 x 12V sockets integrated into centre console and front centre armrest	X	X	X	X
Power inverter: 230 V socket integrated into the front centre armrest	X	X	X	X
Ambient lighting in front door panels	X	X	X	X
Exterior Features				
Front bumper with X-design combining body colour with "Dark Matte Grey"	X	X	X	X

Black front grille with two bright accents above and below the headlights	X	X	X	X
Door handles in "Dark Matte Grey"	X	X	X	X
Rear bumper with integrated step, black with "Dark Matte Grey" inserts	X	X	X	X
Load box with 6 tie-down hooks and integrated cargo lights on the sides	X	X	X	X
Assisted tailgate for easy opening and closing	X	X	X	X
"PanAmericana" lettering on the bottom part of the doors	X	X	X	X
Side steps (plastic without chrome inserts)	X	X	X	X
Front and rear splash/mud guards	X	X	X	X
Fixed trailer hitch incl. 7-pin socket	X	X	X	X
Front towing hooks	2	2	2	2
Tubular styling bar in black paint (powder coated)	X	X	X	X
Silver roof rails	X	X	X	X
Metal underbody protection	X	X	X	X
Load box bedliner incl. integrated 12V socket on the side	X	X	X	X
Cargo management system for load box	-	X	-	X
Power roller shutter for load box (open/close function from remote, inside the cabin as well with button in the load box)	-	X	-	X
Guarantees				
5-year / 150,000 km manufacturer warranty	X	X	X	X
5-year / 100,000 km Genuine Easy Drive maintenance plan	X	X	X	X
15,000 km service intervals	X	X	X	X
6-year anti-corrosion warranty	X	X	X	X
Disclaimer				
Fuel consumption measurements is in accordance with the NEDC/1999/100/EC. Dimensions, capacities and abilities apply to standard vehicles. Actual consumption will vary with vehicle loading, driving style, climatic and road conditions. The above information is effective as at February 2025 and is subject to change.				

Amarok Aventura Specification



Commercial
Vehicles

Amarok Aventura Specification	3.0 TDI V6 184kW 4Motion Aventura Automatic
Engine	
Cylinders	6
Cylinder Bore (mm) x Cylinder Stroke (mm)	84.01 x 90.03
Capacity (cm3)	2996
Compression ratio	16:1
Output (kW @ r/min)	184 @ 3,250
Torque (Nm @ r/min)	600 @ 1,750-2,250
CO2 emissions (g/km)	222
Transmission	
10-speed automatic (shift by wire)	X
Performance	
Top speed (km/h)	180
Fuel consumption (NEDC 1999/100/EC)	
Combined	8,4
Running Gear	
4MOTION®, selectable four wheel drive (incl. full-time 4-wheel drive) with low-range transfer case: 2H, 4A, 4H and 4L	X
Electromechanical power steering	X
Drive profile selection: Normal, Eco, Tow/Haul, Slippery, Mud/Ruts and Deep Snow/Sand	X
Electronic rear differential locking axle	X
Electromechanical parking brake with auto-hold function	X
Front and rear disc brakes	X
Front suspension: Independent double wishbone with front stabilisers	X
Rear suspension: Leaf springs	X
Optimised suspension for softer ride	X
Brakes	
ABS (Anti-locking Brake System)	X
EBD (Electronic Brake pressure Distribution)	X

ESP (Electronic Stability Programme) incl. electromechanical brake booster	X
TCS (Traction Control System)	X
EBA (Emergency Brake Assist)	X
Multicollision brake system	X
Front Assist radar/camera with Forward Collison Warning, Autonomous Emergency Braking (incl. Pedestrian and Cyclist monitoring) and Evasive Steering Assist	X
Hill Descent Control	X
Wheelrims / Tyres	
"Varberg" Alloys 8.5J x 21" (275/45 R 21)	X
Full-sized spare wheel (alloy)	X
Anti-theft wheel bolts	X
Tool kit and jack ~ located under rear bench seat in cabin	X
Tyre pressure monitor system	X
Dimensions / Capacities	
Fuel tank (l)	80
Wading depth (mm)	800
Length (mm)	5 350
Height (mm)	1 884
Width (mm)	1 910
Wheelbase (mm)	3 270
Turning circle (m)	12,93
Ground clearance (mm) - measured under the front axle	234
Approach / Departure angle (°) (excl. trailer hitch)	30 / 26
Ramp angle (°)	21
Load compartment length (mm)	1 624
Load compartment width between wheelhouses (mm)	1 227
Load compartment height of the side walls (mm)	529
Weights	
Roof load limit (kg) (Moving/Static)	85 / 350
Axle load limit front / rear (kg)	1 490/ 1 785
Kerb Mass (minimum) without driver and with fuel (kg)	2 248
Maximum payload capacity (kg) ~ based on minimum kerb mass	942

Gross Vehicle Mass (GVM) (kg)	3 190
Towing capacity: unbraked (kg)	750
Towing capacity: braked (kg)	3 500
Gross Combined Mass (GCM) (kg)	6 400
Audio & Communication	
12" diagonal TFT/LCD colour touch-screen infotainment screen with radio, navigation system, Harman Kardon sound system with 8 speakers and Bluetooth	X
Active Info Display: 12" TFT/LCD multi-function display	X
Smartphone connectivity: App-Connect with USB interfaces (1 x type A/1 x type C)	X
USB charging port (A-type) integrated into rear-view mirror housing (power supply only)	X
Voice control	X
Inductive charging system in the centre console	X
Safety	
Park distance control (front and rear)	X
"Area View" with Rear-View Camera (offers front, side and rear images to help spot obstacles)	X
IQ Light LED headlights for low/high beam, with LED daytime running lights	X
LED front fog lights	X
LED rear combination lamps	X
Rear fog lights	X
Automatic headlight range adjustment	X
Light Assist high-beam control incl. automatic headlights on/off (dusk sensor)	X
Driver's and front passenger's airbags with passenger airbag deactivation	X
Side airbags for front seats and curtain airbag system	X
Driver knee airbag	X
Two 3-point inertia-reel seat belts in the front without height adjustment	X
Two outboard 3-point and one centre 3-point inertia-reel seat belts without height adjustment in the second seat row	X
ISOFIX child-seat locating points - outside rear seats with i-size	X
Child proof rear door locks	X
Warning signal and icon when front seat belts are not fastened	X
Door open warning icon and light	X
Tailgate mounted stop light	X

Power tailgate lock	X
Lane Assist: Lane keep system with alert function via steering wheel vibrations and corrective torque steering aid (only occurs when deviating from road markings)	X
Fatigue detection (Rest Assist)	X
Blind Spot Monitoring with Rear Traffic Alert (Reverse Brake Assist)	X
Security	
Anti-theft alarm system with interior monitoring	X
Immobiliser	X
Keyless entry: Access, locking and starting system	X
Seats	
Driver Seat: 10-Way Electric (track, backrest recline, height adjustment, lumbar adjustment and tilt function)	X
Front Passenger Seat: 10-Way Electric (track, backrest recline, height adjustment, lumbar adjustment and tilt function)	X
Heated front seats	X
Number of seats	5
Height adjustable head rests for front and rear seats	X
Folding 3-seater rear bench seat	X
Seat material: "Cricket" leather seat upholstery	X
Seat material: "Savona" leather (perforated) seat upholstery	X
Mirrors	
Exterior mirrors in chrome finish	X
Electric / foldable / heated side mirrors with auto-dimming rear-view mirror with puddle lights	X
Windows	
Front electric windows	X
Rear electric windows	X
Tinted windows: privacy glass	X
Heated rear window	X
Wiper System	
Variable speed windshield wiper with rain sensor	X

Interior Features	
Steering wheel reach and height adjustable	X
Front centre armrest	X
Rear centre armrest	X
Front cupholders integrated into centre console	X
Rear cupholders integrated into centre armrest	X
Inside door handles in black with chrome inserts	X
Adaptive Cruise Control with Traffic Jam Assist	X
Leather wrapped multifunction steering wheel	X
Dual-zone automatic air-conditioning system	X
Carpet floor covering in the interior cabin	X
Premium carpet floor mats with "Aventura" lettering (front and rear passengers)	X
Headliner in "Ebony Black" colour	X
2 x 12V sockets integrated into centre console and front centre armrest	X
Power inverter: 230 V socket integrated into the front centre armrest	X
Ambient lighting in front door panels	X
Exterior Features	
Front bumper with X-design combining body colour with bright accents	X
Black front grille with two bright accents above and below the headlights	X
Door handles in chrome finish	X
Rear bumper with integrated step, black with chrome inserts	X
Load box with 6 tie-down hooks and integrated cargo lights on the sides	X
Assisted tailgate for easy opening and closing	X
Side steps (plastic with chrome inserts)	X
Front and rear splash/mud guards	X
Fixed trailer hitch incl. 7-pin socket	X
Front towing hooks	2
Plastic Sports bar in body color with "Aventura" logo on the sides	X
Silver roof rails	X
Metal underbody protection	X
Load box bedliner incl. integrated 12V socket on the side	X

Cargo management system for load box	X
Power roller shutter for load box (open/close function from remote, inside the cabin as well with button in the load box)	X
Guarantees	
5-year / 150,000 km manufacturer warranty	X
5-year / 100,000 km Genuine Easy Drive maintenance plan	X
15,000 km service intervals	X
6-year anti-corrosion warranty	X
Disclaimer	
Fuel consumption measurements is in accordance with the NEDC/1999/100/EC. Dimensions, capacities and abilities apply to standard vehicles. Actual consumption will vary with vehicle loading, driving style, climatic and road conditions. The above information is effective as at February 2025 and is subject to change.	



Commercial
Vehicles