Commercial Vehicles

Amarok Specifications

*Local specification may differ from model shown

Amarok Single Cab Specification

Commercial Vehicles

*Local specification differs from model shown

Amarok Single Cab Specification

X = standard O = optional - = not available

Amarok Single Cab Specification	2.0 TDI 125kW Single Cab	2.0 TDI 125kW 4Motion Single Cab
Engine		
Cylinders	4	4
Cylinder Bore (mm) x Cylinder Stroke (mm)	84.01 x 90.00	84.01 x 90.00
Capacity (cm3)	1996	1996
Compression ratio	15.8:1	15.8:1
Output (kW @ r/min)	125 @ 3,500	125 @ 3,500
Torque (Nm @ r/min)	405 @ 1,750-2,500	405 @ 1,750-2,500
CO2 emissions (g/km)	186	186
Transmission		
6-speed manual	X	X
10-speed automatic	-	-
Performance		
Top speed (km/h)	180	180
Fuel consumption (NEDC 1999/100/EC)		
Combined	7,1	7,1
Running Gear		
Rear-wheel drive	-	-
4MOTION®, selectable four wheel drive (part-time only) with low-range transfer case: 2H, 4H and 4L	X	X
Electromechanical power steering	X	X
Drive profile selection: Normal, Eco and Slippery	X	X
Electronic rear differential locking axle	X	X
Mechanical parking brake	X	X
Front disc/Rear drum brakes	X	X
Front suspension: Independent double wishbone with front stabilisers	X	X
Rear suspension: Leaf springs	X	X

Brakes		
ABS (Anti-locking Brake System)	X	X
EBD (Electronic Brake pressure Distribution)	X	X
ESP (Electronic Stability Programme)	X	X
TCS (Traction Control System)	X	X
Hill Descent Control	X	X
Wheelrims / Tyres		
"Combra" Alloys 7.5J x 17" (255/70 R 17)	X	X
Full-sized spare wheel (steel)	X	X
Anti-theft wheel bolts	X	X
Tool kit and jack ~ located under rear bench seat in cabin	X	X
Dimensions / Capacities		
Fuel tank (l)	80	80
Wading depth (mm)	800	800
Length (mm)	5 350	5 350
Height (mm)	1 884	1 884
Width (mm) excluding side mirrors	1 910	1 910
Wheelbase (mm)	3 270	3 270
Turning circle (m)	12,93	12,93
Ground clearance (mm) - measured under the front axle	237	237
Approach / Departure angle (°) (excl. trailer hitch)	30 / 26	29 / 26
Ramp angle (°)	21	21
Load compartment length (mm)	1624	2332
Load compartment width between wheelhouses (mm)	1227	1227
Load compartment height of the side walls (mm)	529	529
Weights		
Roof load limit (kg) (Moving/Static)	85 / 350	85 / 350
Axle load limit front / rear (kg)	1,400/1,900	1,450/1,959
Kerb Mass (minimum) without driver and with fuel (kg)	1 859	1 947
Maximum payload capacity (kg) ~ based on minimum kerb mass	1 201	1 243

Gross Vehicle Mass (GVM) (kg)	3 190	3 190
Towing capacity: unbraked (kg)	750	750
Towing capacity: braked (kg)	2 500	2 500
Gross Combined Mass (GCM) (kg)	5 100	5 100
Audio & Communication		
12" diagonal TFT/LCD colour touch-screen infotainment screen with radio, 2 speakers and Bluetooth	X	X
12" diagonal TFT/LCD colour touch-screen infotainment screen with radio, 4 speakers and Bluetooth	-	-
Partial Active Info Display: 8" TFT/LCD multi-function display	X	X
Smartphone connectivity: App-Connect with USB interfaces (1 x type A/1 x type C)	X	X
Voice control	X	X
Safety		
Fixed rear-view camera	-	-
LED Headlights, with LED Daytime Running Lights	X	X
Without front fog lights	X	X
Halogen taillights	X	X
Without rear fog lights	X	X
Rear fog lights	-	-
Manual headlight range adjustment	X	X
Automatic headlights on/off (dusk sensor)	X	X
Driver's and front passenger's airbags with passenger airbag deactivation	X	X
Side airbags for front seats and curtain airbag system	X	X
Driver knee airbag	-	-
Two 3-point inertia-reel seat belts in the front without height adjustment	X	X
Two outboard 3-point and one centre 3-point inertia-reel seat belts without height adjustment in the second seat row	-	-
ISOFIX child-seat locating points - outside rear seats with i-size	-	-
Child proof rear door locks	-	-
Warning signal and icon when front seat belts are not fastened	X	X
Door open warning icon and light	X	X
Tailgate mounted stop light	X	X
Manual tailgate lock	X	X

Security		
Anti-theft alarm system with interior monitoring, backup horn and towing protection	X	X
Immobiliser	X	X
Remote central locking	X	X
Seats		
Driver Seat: 6-Way Manual (track, backrest recline and height adjustment)	X	X
Front Passenger Seat: 4-Way Manual (track and backrest recline)	X	X
Number of seats	2	2
Height adjustable head rests for front seats	X	X
Height adjustable head rests for front and rear seats	-	-
Folding 3-seater rear bench seat	-	-
Seat material: cloth with "woven" inserts	X	X
Seat trim covers in fabric Life	-	-
Mirrors		
Exterior mirrors moulded in black	X	X
Electric / foldable side mirrors with auto-dimming rear-view mirror	X	X
Windows		
Front electric windows	X	X
Rear electric windows	-	-
Heated rear window	X	X
Wiper System		
Variable speed windshield wiper with rain sensor	X	X
Interior Features		
Steering wheel reach and height adjustable	X	X
Front centre armrest	X	X
Rear centre armrest	-	-
Front cupholders integrated into centre console	X	X
Rear cupholders integrated into centre armrest	-	-
Inside door handles in black	X	X
without Cruise control	X	X
Cruise control with speed limiter	-	-
Multifunction steering wheel	X	X

2-zone Climatronic air conditioning system	X	X
Rubber floor covering in cab	X	X
Vinyl floor covering in the interior cabin	-	-
Headliner in "Stone Grey" colour	X	X
12V socket integrated into centre console	X	X
2 x 12V sockets integrated into centre console and front centre armrest	-	-
Exterior Features		
Front and rear bumper moulded in black	X	X
Door handles moulded in black	X	X
Black front grille with upper bright accent strip	X	X
Rear bumper with integrated step, black	X	X
Load box with 6 tie-down hooks and integrated cargo lights on the sides	X	X
Side steps (plastic without chrome inserts)	-	-
Front and rear splash/mud guards	X	X
Without trailer hitch preparation	-	-
Fixed trailer hitch incl. 7-pin socket	X	X
Front towing hook	1	1
Guarantees		
5-year / 150,000 km manufacturer warranty	X	X
3-year / 60,000 km EasyDrive service plan	X	X
5-year / 100,000 km EasyDrive maintenance plan	-	-
15,000 km service intervals	X	X
6-year anti-corrosion warranty	X	X
Disclaimer		
Fuel consumption measurements is in accordance with the NEDC/1999/100/EC. Dimensions, capacities and abilities apply to standard vehicles. Actual consumption will vary with vehicle loading, driving style, climatic and road conditions. The above information is effective as at Mar 2026 and is subject to change.		

Amarok Double Cab Specification

Commercial Vehicles

*Local specification may differ from model shown

Amarok Double Cab Specification

X = standard O = optional - = not available

Amarok Double Cab Specification	2.0 TDI 125kW Double Cab	2.0 TDI 125kW 4Motion Double Cab	2.0 TDI 125kW 4Motion Automatic Double Cab	2.0 TDI 125kW Automatic Double Cab
Engine				
Cylinders	4	4	4	4
Cylinder Bore (mm) x Cylinder Stroke (mm)	84.01 x 90.00	84.01 x 90.00	84.01 x 90.00	84.01 x 90.00
Capacity (cm3)	1996	1996	1996	1996
Compression ratio	15.8:1	15.8:1	15.8:1	15.8:1
Output (kW @ r/min)	125 @ 3,500	125 @ 3,500	125 @ 3,500	125 @ 3,500
Torque (Nm @ r/min)	405 @ 1,750-2,500	405 @ 1,750-2,500	405 @ 1,750-2,500	405 @ 1,750-2,500
CO2 emissions (g/km)	186	187	202	202
Transmission				
6-speed manual	X	X	-	-
10-speed automatic	-	-	X	X
Performance				
Top speed (km/h)	180	180	180	180
Fuel consumption (NEDC 1999/100/EC)				
Combined	7,1	7,1	7,7	7,7
Running Gear				
Rear-wheel drive	X	-	-	X
4MOTION®, selectable four wheel drive (part-time only) with low-range transfer case: 2H, 4H and 4L	-	X	X	-
Electromechanical power steering	X	X	X	X
Drive profile selection: Normal, Eco and Slippery	X	X	X	X
Electronic rear differential locking axle	X	X	X	X
Mechanical parking brake	X	X	X	X
Front disc/Rear drum brakes	X	X	X	X
Front suspension: Independent double wishbone with front stabilisers	X	X	X	X
Rear suspension: Leaf springs	X	X	X	X

Brakes				
ABS (Anti-locking Brake System)	X	X	X	X
EBD (Electronic Brake pressure Distribution)	X	X	X	X
ESP (Electronic Stability Programme)	X	X	X	X
TCS (Traction Control System)	X	X	X	X
Hill Descent Control	-	X	X	X
Wheelrims / Tyres				
"Combra" Alloys 7.5J x 17" (255/70 R 17)	X	X	X	X
Full-sized spare wheel (steel)	X	X	X	X
Anti-theft wheel bolts	X	X	X	X
Tool kit and jack ~ located under rear bench seat in cabin	X	X	X	X
Dimensions / Capacities				
Fuel tank (l)	80	80	80	80
Wading depth (mm)	800	800	800	800
Length (mm)	5 350	5 350	5 350	5 350
Height (mm)	1 884	1 884	1 884	1 884
Width (mm) excluding side mirrors	1 910	1 910	1 910	1 910
Wheelbase (mm)	3 270	3 270	3 270	3 270
Turning circle (m)	12,93	12,93	12,93	12,93
Ground clearance (mm) - measured under the front axle	237	237	237	237
Approach / Departure angle (°) (excl. trailer hitch)	30 / 26	30 / 26	30 / 26	30 / 26
Ramp angle (°)	21	21	21	21
Load compartment length (mm)	1624	1624	1624	1624
Load compartment width between wheelhouses (mm)	1227	1227	1227	1227
Load compartment height of the side walls (mm)	529	529	529	529
Weights				
Roof load limit (kg) (Moving/Static)	85 / 350	85 / 350	85 / 350	85 / 350
Axle load limit front / rear (kg)	1,400/1,900	1,450/1,959	1,450/1,959	1,450/1,959
Kerb Mass (minimum) without driver and with fuel (kg)	1 935	2 023	2 023	1 935
Maximum payload capacity (kg) ~ based on minimum kerb mass	1 125	1 167	1 167	1 125

Gross Vehicle Mass (GVM) (kg)	3 060	3 190	3 190	3 190
Towing capacity: unbraked (kg)	750	750	750	750
Towing capacity: braked (kg)	3 500	3 500	3 500	3 500
Gross Combined Mass (GCM) (kg)	6 150	6 150	6 150	6 150
Audio & Communication				
12" diagonal TFT/LCD colour touch-screen infotainment screen with radio, 2 speakers and Bluetooth	X	X	-	-
12" diagonal TFT/LCD colour touch-screen infotainment screen with radio, 4 speakers and Bluetooth	X	X	X	X
Partial Active Info Display: 8" TFT/LCD multi-function display	X	X	X	X
Smartphone connectivity: App-Connect with USB interfaces (1 x type A/1 x type C)	X	X	X	X
Voice control	X	X	X	X
Safety				
Fixed rear-view camera	-	-	X	X
LED Headlights, with LED Daytime Running Lights	X	X	X	X
Without front fog lights	X	X	X	X
Halogen taillights	X	X	X	X
Without rear fog lights	X	X	-	-
Rear fog lights	-	-	X	X
Manual headlight range adjustment	X	X	X	X
Automatic headlights on/off (dusk sensor)	X	X	X	X
Driver's and front passenger's airbags with passenger airbag deactivation	X	X	X	X
Side airbags for front seats and curtain airbag system	X	X	X	X
Driver knee airbag	X	X	X	X
Two 3-point inertia-reel seat belts in the front without height adjustment	X	X	X	X
Two outboard 3-point and one centre 3-point inertia-reel seat belts without height adjustment in the second seat row	X	X	X	X
ISOFIX child-seat locating points - outside rear seats with i-size	X	X	X	X
Child proof rear door locks	X	X	X	X
Warning signal and icon when front seat belts are not fastened	X	X	X	X

Door open warning icon and light	X	X	X	X
Tailgate mounted stop light	X	X	X	X
Manual tailgate lock	X	X	X	X
Security				
Anti-theft alarm system with interior monitoring, backup horn and towing protection	X	X	X	X
Immobiliser	X	X	X	X
Remote central locking	X	X	X	X
Seats				
Driver Seat: 6-Way Manual (track, backrest recline and height adjustment)	X	X	X	X
Front Passenger Seat: 4-Way Manual (track and backrest recline)	X	X	X	X
Number of seats	5	5	5	5
Height adjustable head rests for front seats	-	-	-	-
Height adjustable head rests for front and rear seats	X	X	X	X
Folding 3-seater rear bench seat	X	X	X	X
Seat material: cloth with "woven" inserts	X	X	X	X
Seat trim covers in fabric Life	X	X	X	X
Mirrors				
Exterior mirrors moulded in black	X	X	X	X
Electric / foldable side mirrors with auto-dimming rear-view mirror	X	X	X	X
Windows				
Front electric windows	X	X	X	X
Rear electric windows	X	X	X	X
Heated rear window	X	X	X	X
Wiper System				
Variable speed windshield wiper with rain sensor	X	X	X	X
Interior Features				
Steering wheel reach and height adjustable	X	X	X	X
Front centre armrest	X	X	X	X
Rear centre armrest	X	X	X	X
Front cupholders integrated into centre console	X	X	X	X

Rear cupholders integrated into centre armrest	X	X	X	X
Inside door handles in black	X	X	X	X
without Cruise control	X	X	-	-
Cruise control with speed limiter	-	-	X	X
Multifunction steering wheel	X	X	X	X
2-zone Climatronic air conditioning system	X	X	X	X
Rubber floor covering in cab	-	-	X	X
Vinyl floor covering in the interior cabin	X	X	-	-
Headliner in "Stone Grey" colour	X	X	X	X
12V socket integrated into centre console	-	-	-	-
2 x 12V sockets integrated into centre console and front centre armrest	X	X	X	X
Exterior Features				
Front and rear bumper moulded in black	X	X	X	X
Door handles moulded in black	X	X	X	X
Black front grille with upper bright accent strip	X	X	X	X
Rear bumper with integrated step, black	X	X	X	X
Load box with 6 tie-down hooks and integrated cargo lights on the sides	X	X	X	X
Side steps (plastic without chrome inserts)	-	X	X	-
Front and rear splash/mud guards	X	X	X	X
Without trailer hitch preparation	-	-	-	-
Fixed trailer hitch incl. 7-pin socket	X	X	X	X
Front towing hook	1	1	1	1
Guarantees				
5-year / 150,000 km manufacturer warranty	X	X	X	X
3-year / 60,000 km EasyDrive service plan	-	-	-	-
5-year / 100,000 km EasyDrive maintenance plan	X	X	X	X
15,000 km service intervals	X	X	X	X
6-year anti-corrosion warranty	X	X	X	X

Disclaimer

Fuel consumption measurements is in accordance with the NEDC/1999/100/EC.
Dimensions, capacities and abilities apply to standard vehicles.
Actual consumption will vary with vehicle loading, driving style, climatic and road conditions.
The above information is effective as at Mar 2026 and is subject to change.

Amarok Life Specification

Commercial Vehicles

*Local specification may differ from model shown

Amarok Life Specification

X = standard O = optional - = not available

Amarok Life Specification	2.0 TDI 125kW 4Motion Life Automatic	2.0 TDI 125kW Life Automatic
Engine		
Cylinders	4	4
Cylinder Bore (mm) x Cylinder Stroke (mm)	84.01 x 90.00	84.01 x 90.03
Capacity (cm3)	1996	1996
Compression ratio	15.8:1	15.8:1
Output (kW @ r/min)	125 @ 3,500	125 @ 3,500
Torque (Nm @ r/min)	405 @ 1,750-2,500	405 @ 1,750-2,500
CO2 emissions (g/km)	202	202
Transmission		
6-speed manual	-	-
10-speed automatic (shift by wire)	X	X
Performance		
Top speed (km/h)	180	180
Fuel consumption (NEDC 1999/100/EC)		
Combined	7,7	7,7
Running Gear		
Rear-wheel drive	-	X
4MOTION®, selectable four wheel drive (part-time only) with low-range transfer case: 2H, 4H and 4L	X	-
Electromechanical power steering	X	X
Drive profile selection: Normal, Eco and Slippery	X	X
Electronic rear differential locking axle	X	X
Electromechancial parking brake with auto-hold function	X	X
Front and rear disc brakes	X	X
Front suspension: Independent double wishbone with front stabilisers	X	X
Rear suspension: Leaf springs	X	X

Brakes		
ABS (Anti-locking Brake System)	X	X
EBD (Electronic Brake pressure Distribution)	X	X
ESP (Electronic Stability Programme)	X	X
TCS (Traction Control System)	X	X
Hill Descent Control	X	X
Wheelrims / Tyres		
"Combra" Alloys 7.5J x 17" (255/70 R 17)	-	X
"Amadora" Alloys 7.5J x 18" (255/65 R 18)	X	-
Full-sized spare wheel (steel)	-	X
Full-sized spare wheel (alloy)	X	-
Anti-theft wheel bolts	X	X
Tool kit and jack ~ located under rear bench seat in cabin	X	X
Dimensions / Capacities		
Fuel tank (l)	80	80
Wading depth (mm)	800	800
Length (mm)	5 350	5 350
Height (mm)	1 884	1 884
Width (mm)	1 910	1 910
Wheelbase (mm)	3 270	3 270
Turning circle (m)	12,93	12,93
Ground clearance (mm) - measured under the front axle	237	237
Approach / Departure angle (°) (excl. trailer hitch)	30 / 26	30 / 26
Ramp angle (°)	21	21
Load compartment length (mm)	1 624	1 624
Load compartment width between wheelhouses (mm)	1 227	1 227
Load compartment height of the side walls (mm)	529	529
Weights		
Roof load limit (kg) (Moving/Static)	85 / 350	85 / 350
Axle load limit front / rear (kg)	1,450/ 1,959	1,450/ 1,959
Kerb Mass (minimum) without driver and with fuel (kg)	2 092	1 980
Maximum payload capacity (kg) ~ based on minimum kerb mass	1 138	1 080

Gross Vehicle Mass (GVM) (kg)	3 230	3 230
Towing capacity: unbraked (kg)	750	750
Towing capacity: braked (kg)	3 500	3 500
Gross Combined Mass (GCM) (kg)	6 300	6 500
Audio & Communication		
12" diagonal TFT/LCD colour touch-screen infotainment screen with radio, 6 speakers and Bluetooth	X	X
Partial Active Info Display: 8" TFT/LCD multi-function display	X	X
Smartphone connectivity: App-Connect with USB interfaces (1 x type A/1 x type C)	X	X
Voice control	X	X
Safety		
Park distance control (front and rear)	X	X
Fixed rear-view camera	X	X
LED Headlights, with LED Daytime Running Lights	X	X
LED front fog lights	X	X
Halogen taillights	X	X
Rear fog lights	X	X
Manual headlight range adjustment	X	X
Automatic headlights on/off (dusk sensor)	X	X
Driver's and front passenger's airbags with passenger airbag deactivation	X	X
Side airbags for front seats and curtain airbag system	X	X
Driver knee airbag	X	X
Two 3-point inertia-reel seat belts in the front without height adjustment	X	X
Two outboard 3-point and one centre 3-point inertia-reel seat belts without height adjustment in the second seat row	X	X
ISOFIX child-seat locating points - outside rear seats with i-size	X	X
Child proof rear door locks	X	X
Warning signal and icon when front seat belts are not fastened	X	X
Door open warning icon and light	X	X
Tailgate mounted stop light	X	X
Power tailgate lock	X	X

Security		
Anti-theft alarm system with interior monitoring	X	X
Immobiliser	X	X
Remote central locking	X	X
Seats		
Driver Seat: 8-Way Manual (track, backrest recline, height adjustment and lumbar adjustment)	X	X
Front Passenger Seat: 8-Way Manual (track, backrest recline, height adjustment and lumbar adjustment)	X	X
Heated front seats	-	-
Number of seats	5	5
Height adjustable head rests for front and rear seats	X	X
Folding 3-seater rear bench seat	X	X
Seat material: fabric Life	X	X
Mirrors		
Colour-coded exterior mirrors	X	X
Electric / foldable side mirrors with auto-dimming rear-view mirror	X	X
Windows		
Front electric windows	X	X
Rear electric windows	X	X
Tinted windows: privacy glass	X	X
Heated rear window	X	X
Wiper System		
Variable speed windshield wiper with rain sensor	X	X
Interior Features		
Steering wheel reach and height adjustable	X	X
Front centre armrest	X	X
Rear centre armrest	X	X
Front cupholders integrated into centre console	X	X
Rear cupholders integrated into centre armrest	X	X
Inside door handles in black	X	X
Cruise control incl. speed limiter	X	X
Leather wrapped multifunction steering wheel	X	X
2-zone Climatronic air conditioning system	X	X

Carpet floor covering in the interior cabin	X	X
Rubber floor mats (front and rear passengers)	X	X
Headliner in "Stone Grey" colour	X	X
2 x 12V sockets integrated into centre console and front centre armrest	X	X
Exterior Features		
Coloured-coded front and rear bumper in body colour	X	X
Colour-coded door handles in body colour	X	X
Black front grille with upper bright accent strip	X	X
Rear bumper with integrated step, black	X	X
Load box with 6 tie-down hooks and integrated cargo lights on the sides	X	X
Assisted tailgate for easy opening and closing	X	X
Side steps (plastic without chrome inserts)	X	X
Front and rear splash/mud guards	X	X
Fixed trailer hitch incl. 7-pin socket	X	X
Front towing hooks	2	2
Guarantees		
5-year / 150,000 km manufacturer warranty	X	X
5-year / 100,000 km EasyDrive maintenance plan	X	X
15,000 km service intervals	X	X
6-year anti-corrosion warranty	X	X

Disclaimer

Fuel consumption measurements is in accordance with the NEDC/1999/100/EC.
Dimensions, capacities and abilities apply to standard vehicles.
Actual consumption will vary with vehicle loading, driving style, climatic and road conditions.
The above information is effective as at Mar 2026 and is subject to change.

Amarok Style Specification

Commercial Vehicles

*Local specification may differ from model shown

Amarok Style Specification

X = standard O = optional - = not available

Amarok Style Specification	2.0 125kW 4Motion Style Automatic	2.0 125kW 4Motion Style Automatic Comfort Pack	2.0 125kW 4Motion Style Automatic Dark Label	3.0 TDI V6 184kW 4Motion Style Automatic	3.0 TDI V6 184kW 4Motion Style Automatic Comfort Pack	3.0 TDI V6 184kW 4Motion Style Automatic Dark Label
Engine						
Cylinders	4	4	4	6	6	4
Cylinder Bore (mm) x Cylinder Stroke (mm)	84.01 x 90.03	84.01 x 90.03	84.01 x 90.03	84.01 x 90.03	84.01 x 90.03	84.01 x 90.03
Capacity (cm3)	1996	1996	1996	2996	2996	2996
Compression ratio	16:1	16:1	16:1	16:1	16:1	16:1
Output (kW @ r/min)	125 @ 3,500	125 @ 3,500	125 @ 3,500	184 @ 3,250	184 @ 3,250	184 @ 3,250
Torque (Nm @ r/min)	405 @ 1,750-2,500	405 @ 1,750-2,500	405 @ 1,750-2,500	600 @ 1,750-2,250	600 @ 1,750-2,250	600 @ 1,750-2,250
CO2 emissions (g/km)	202	202	202	222	222	222
Transmission						
10-speed automatic (shift by wire)	X	X	X	X	X	X
Performance						
Top speed (km/h)	180	180	180	180	180	180
Fuel consumption (NEDC 1999/100/EC)						
Combined	7,7	7,7	7,7	8,4	8,4	8,4
Running Gear						
4MOTION®, selectable four wheel drive (part-time only) with low-range transfer case: 2H, 4H and 4L	X	X	X	-	-	-
4MOTION®, selectable four wheel drive (incl. full-time 4-wheel drive) with low-range transfer case: 2H, 4A, 4H and 4L	-	-	-	X	X	X
Electromechanical power steering	X	X	X	X	X	X
Drive profile selection: Normal, Eco and Slippery	X	X	X	X	X	X
Electronic rear differential locking axle	X	X	X	X	X	X
Electromechancial parking brake with auto-hold function	X	X	X	X	X	X
Front and rear disc brakes	X	X	X	X	X	X

Front suspension: Independent double wishbone with front stabilisers	X	X	X	X	X	X
Rear suspension: Leaf springs	X	X	X	X	X	X
Brakes						
ABS (Anti-locking Brake System)	X	X	X	X	X	X
EBD (Electronic Brake pressure Distribution)	X	X	X	X	X	X
ESP (Electronic Stability Programme)	X	X	X	X	X	X
TCS (Traction Control System)	X	X	X	X	X	X
Multicollision brake system	X	X	X	X	X	X
Pre-Collision Assist: Forward Collision Warning with Autonomous Emergency Braking (incl. Pedestrian and Cyclist monitoring)	X	X	X	X	X	X
Hill Descent Control	X	X	X	X	X	X
Wheelrims / Tyres						
"Amadora" Alloys 7.5J x 18" (255/65 R 18) incl. all-terrain tyres	X	-	-	X	-	-
"Bendigo"Painted Matte Black Alloys 8J x 20" (255/55 R 20)	-	X	X	-	X	X
Full-sized spare wheel (alloy)	X	X	X	X	X	X
Anti-theft wheel bolts	X	X	X	X	X	X
Tool kit and jack ~ located under rear bench seat in cabin	X	X	X	X	X	X
Tyre pressure monitor system	X	X	X	X	X	X
Dimensions / Capacities						
Fuel tank (l)	80	80	80	80	80	80
Wading depth (mm)	800	800	800	800	800	800
Length (mm)	5 350	5 350	5 350	5 350	5 350	5 350
Height (mm)	1 884	1 884	1 884	1 884	1 884	1 884
Width (mm)	1 910	1 910	1 910	1 910	1 910	1 910
Wheelbase (mm)	3 270	3 270	3 270	3 270	3 270	3 270
Turning circle (m)	12,93	12,93	12,93	12,93	12,93	12,93
Ground clearance (mm) - measured under the front axle	235	235	235	235	235	235

Approach / Departure angle (°) (excl. trailer hitch)	30 / 26	30 / 26	30 / 26	30 / 26	30 / 26	30 / 26
Ramp angle (°)	21	21	21	21	21	21
Load compartment length (mm)	1 624	1 624	1 624	1 624	1 624	1 624
Load compartment width between wheel-houses (mm)	1 227	1 227	1 227	1 227	1 227	1 227
Load compartment height of the side walls (mm)	529	529	529	529	529	529
Weights						
Roof load limit (kg) (Moving/Static)	85 / 350	85 / 350	85 / 350	85 / 350	85 / 350	85 / 350
Axle load limit front / rear (kg)	1,490/ 1,959	1,490/ 1,959	1,490/ 1,900	1,490/ 1,959	1,490/ 1,959	1,490/ 1,900
Kerb Mass (minimum) without driver and with fuel (kg)	2 132	2 132	2 132	2 192	2 192	2 192
Maximum payload capacity (kg) ~ based on minimum kerb mass	1 148	1 148	1 098	1 158	1 158	1 158
Gross Vehicle Mass (GVM) (kg)	3 280	3 280	3 230	3 350	3 350	3 350
Towing capacity: unbraked (kg)	750	750	750	750	750	750
Towing capacity: braked (kg)	3 500	3 500	3 500	3 500	3 500	3 500
Gross Combined Mass (GCM) (kg)	6 500	6 500	6 500	6 500	6 500	6 500
Audio & Communication						
12" diagonal TFT/LCD colour touch-screen infotainment screen with radio, 6 speakers and Bluetooth	X	X	X	X	X	X
Active Info Display: 12.3" TFT/LCD multi-function display	X	X	X	X	X	X
Smartphone connectivity: App-Connect with USB interfaces (1 x type A/1 x type C)	X	X	X	X	X	X
USB charging port (A-type) integrated into rear-view mirror housing (power supply only)	X	X	X	X	X	X
Voice control	X	X	X	X	X	X
Inductive charging system in the centre console	X	X	X	X	X	X
Safety						
Park Distance Control in front and rear including Rear Traffic Alert	X	X	X	X	X	X
Rear-view camera,digital	X	X	X	X	X	X
IQ.LIGHT LED matrix headlamps	-	-	X	-	-	X

LED Headlights, with LED Daytime Running Lights	X	X	X	X	X	X
LED front fog lights	X	X	X	X	X	X
Halogen taillights	X	X	X	X	X	X
Rear fog lights	X	X	X	X	X	X
Manual headlight range adjustment	X	X	-	X	X	-
Dynamic headlight range control	-	-	X	-	-	X
Light Assist high-beam control incl. automatic headlights on/off (dusk sensor)	X	X	X	X	X	X
Advanced high-beam control Dynamic Light Assist for IQ.Light LED matrix headlamps	-	-	X	-	-	X
Driver's and front passenger's airbags with passenger airbag deactivation	X	X	X	X	X	X
Side airbags for front seats and curtain airbag system	X	X	X	X	X	X
Driver knee airbag	X	X	X	X	X	X
Two 3-point inertia-reel seat belts in the front without height adjustment	X	X	X	X	X	X
Two outboard 3-point and one centre 3-point inertia-reel seat belts without height adjustment in the second seat row	X	X	X	X	X	X
ISOFIX child-seat locating points - outside rear seats with i-size	X	X	X	X	X	X
Child proof rear door locks	X	X	X	X	X	X
Warning signal and icon when front seat belts are not fastened	X	X	X	X	X	X
Door open warning icon and light	X	X	X	X	X	X
Tailgate mounted stop light	X	X	X	X	X	X
Power tailgate lock	X	X	X	X	X	X
Lane keeping system Lane Assist and lane change system Side Assist	X	X	X	-	-	-
Lane Assist: Lane keep system with alert function via steering wheel vibrations and corrective torque steering aid (only occurs when deviating from road markings)	-	-	-	X	X	X
Security						
Anti-theft alarm system with interior monitoring	X	X	X	X	X	X
Immobiliser	X	X	X	X	X	X
Keyless entry: Access, locking and starting system	X	X	X	X	X	X

Seats						
Driver Seat: 10-Way Electric (track, back-rest recline, height adjustment, lumbar adjustment and tilt function)	X	X	-	X	X	-
Front Passenger Seat: 10-Way Electric (track, backrest recline, height adjustment, lumbar adjustment and tilt function)	X	X	-	X	X	-
Driver Seat: 10-Way Electric (track, back-rest recline, height adjustment, lumbar adjustment and tilt function)	-	-	X	-	-	X
Front Passenger Seat: 8-Way Electric (track, backrest recline, height adjustment, lumbar adjustment and tilt function)	-	-	X	-	-	X
Heated front seats	X	X	X	X	X	X
Number of seats	5	5	5	5	5	5
Height adjustable head rests for front and rear seats	X	X	X	X	X	X
Folding 3-seater rear bench seat	X	X	X	X	X	X
Seat material: "Savona" leather (perforat-ed) seat upholstery	X	X	-	X	X	-
Seat material: "Artvelours"microfleece inserts	-	-	X	-	-	X
Mirrors						
Colour-coded exterior mirrors	X	X	X	X	X	X
Electric / foldable / heated side mirrors with auto-dimming rear-view mirror with puddle lights	X	X	X	X	X	X
Windows						
Front electric windows	X	X	X	X	X	X
Rear electric windows	X	X	X	X	X	X
Tinted windows: privacy glass	X	X	X	X	X	X
Heated rear window	X	X	X	X	X	X
Wiper System						
Variable speed windshield wiper with rain sensor	X	X	X	X	X	X

Interior Features						
Steering wheel reach and height adjustable	X	X	X	X	X	X
Front centre armrest	X	X	X	X	X	X
Rear centre armrest	X	X	X	X	X	X
Front cupholders integrated into centre console	X	X	X	X	X	X
Rear cupholders integrated into centre armrest	X	X	X	X	X	X
Inside door handles in black with chrome inserts	X	X	X	X	X	X
Cruise control system with Adaptive Cruise Control ACC stop & go	X	X	X	X	X	X
Leather wrapped multifunction steering wheel	X	X	X	X	X	X
Dual-zone automatic air-conditioning system	X	X	X	X	X	X
Carpet floor covering in the interior cabin	X	X	X	X	X	X
Velour floor mats (Premium with lettering "Dark Label")	-	-	X	-	-	X
Carpet floor mats (front and rear passengers)	X	X	-	X	X	-
Headliner in "Black" colour	-	-	X	-	-	X
Headliner in "Stone Grey" colour	X	X	-	X	X	-
2 x 12V sockets integrated into centre console and front centre armrest	X	X	X	X	X	X
Power inverter: 230 V socket integrated into the front centre armrest	X	X	X	X	X	X
Ambient lighting in front door panels	X	X	-	X	X	-
Exterior Features						
Coloured-coded front and rear bumper in body colour	X	X	-	X	X	-
Coloured-coded front and rear bumper in black	-	-	X	-	-	X
Colour-coded door handles in body colour	X	X	-	X	X	-
Colour-coded door handles in black	-	-	X	-	-	X
Black front grille with two bright accents above and below the headlights	X	X	X	X	X	X
Rear bumper with integrated step, black with chrome inserts	X	X	X	X	X	X

Load box with 6 tie-down hooks and integrated cargo lights on the sides	X	X	X	X	X	X
Assisted tailgate for easy opening and closing	X	X	X	X	X	X
Black side steps	-	-	X	-	-	X
Side steps (plastic with chrome inserts)	X	X	-	X	X	-
Front and rear splash/mud guards	X	X	X	X	X	X
Fixed trailer hitch incl. 7-pin socket	X	X	X	X	X	X
Front towing hooks	2	2	2	2	2	2
Tubular styling bar in chrome finish	X	X	-	X	X	-
Powder-coated (Black) styling bar	-	-	X	-	-	X
Black roof rails	-	-	X	-	-	X
Cargo management system for load box	-	X	X	-	X	X
Load box bed liner incl. integrated 12V socket on the side	-	-	X	-	-	X
Black Rolling load compartment cover, powered	-	X	-	-	X	-
Tonneau cover	-	-	X	-	-	X

Guarantees						
5-year / 150,000 km manufacturer warranty	X	X	X	X	X	X
5-year / 100,000 km EasyDrive maintenance plan	X	X	X	X	X	X
15,000 km service intervals	X	X	X	X	X	X
6-year anti-corrosion warranty	X	X	X	X	X	X

Disclaimer

Fuel consumption measurements is in accordance with the NEDC/1999/100/EC.
Dimensions, capacities and abilities apply to standard vehicles.
Actual consumption will vary with vehicle loading, driving style, climatic and road conditions.
The above information is effective as at Mar 2026 and is subject to change.

Amarok PanAmericana Specification

Commercial Vehicles

*Local specification may differ from model shown

Amarok PanAmericana Specification

X = standard O = optional - = not available

Amarok PanAmericana Specification	2.3 T 222kW 4Motion PanAmericana Automatic	3.0 TDI V6 184kW 4Motion PanAmericana Automatic	3.0 TDI V6 184kW 4Motion PanAmericana Automatic (Incl.comfort pack 1)	2.3 TSI 222kW 4Motion Aventura Automatic	3.0 TDI V6 184kW 4Motion Aventura Automatic
Engine					
Cylinders	4	6	6	4	6
Cylinder Bore (mm) x Cylinder Stroke (mm)	87.51 x 94.00	84.01 x 90.03	84.01 x 90.03	87.55 x 94.00	84.01 x 90.03
Capacity (cm3)	2261	2996	2996	2261	2996
Compression ratio	10:01	16:1	16:1	10:01	16:01
Output (kW @ r/min)	222 @ 5,900	184 @ 3,250	184 @ 3,250	222 @ 5,900	184 @ 3,250
Torque (Nm @ r/min)	452@ 1,750-2,000	600 @ 1,750-2,250	600 @ 1,750-2,250	452@ 1,750-2,000	600 @ 1,750-2,250
CO2 emissions (g/km)	222	222	222	222	222
Transmission					
10-speed automatic (shift by wire)	X	X	X	X	X
Performance					
Top speed (km/h)	180	180	180	180	180
Fuel consumption (NEDC 1999/100/EC)					
Combined	9,7	8,4	8,4	9,7	8,4
Running Gear					
4MOTION®, selectable four wheel drive (part-time only) with low-range transfer case: 2H, 4H and 4L	X	-	-	X	-
4MOTION®, selectable four wheel drive (incl. full-time 4-wheel drive) with low-range transfer case: 2H, 4A, 4H and 4L	-	X	X	-	X
Electromechanical power steering	X	X	X	X	X
Drive profile selection: Normal, Eco and Slippery	X	-	-	X	-
Drive profile selection: Normal, Eco, Tow/Haul, Slippery, Mud/Ruts and Deep Snow/Sand	-	X	X	-	X
Electronic rear differential locking axle	X	X	X	X	X
Electromechancial parking brake with auto-hold function	X	X	X	X	X
Front and rear disc brakes	X	X	X	X	X
Front suspension: Independent double wishbone with front stabilisers	X	X	X	X	X

Rear suspension: Leaf springs	X	X	X	X	X
Optimised suspension for softer ride	X	X	X	X	X
Brakes					
ABS (Anti-locking Brake System)	X	X	X	X	X
EBD (Electronic Brake pressure Distribution)	X	X	X	X	X
ESP (Electronic Stability Programme) incl. electromechanical brake booster	X	X	X	X	X
TCS (Traction Control System)	X	X	X	X	X
EBA (Emergency Brake Assist)	X	X	X	X	X
Multicollision brake system	X	X	X	X	X
Front Assist radar/camera with Forward Collison Warning, Autonomous Emergency Braking (incl. Pedestrian and Cyclist monitoring) and Evasive Steering Assist	X	X	X	X	X
Hill Descent Control	X	X	X	X	X
Wheelrims / Tyres					
"Amadora" Alloys 7.5J x 18" (255/65 R 18) incl. all-terrain tyres (black painted alloys)	X	X	-	-	-
"Bendigo" Alloys 8J x 20" (255/55 R 20)	-	-	X	-	-
"Varberg" Alloys 8.5J x 21" (275/45 R 21)	-	-	-	X	X
Full-sized spare wheel (alloy)	X	X	X	X	X
Anti-theft wheel bolts	X	X	X	X	X
Tool kit and jack ~ located under rear bench seat in cabin	X	X	X	X	X
Tyre pressure monitor system	X	X	X	X	X
Dimensions / Capacities					
Fuel tank (l)	80	80	80	80	80
Wading depth (mm)	800	800	800	800	800
Length (mm)	5 350	5 350	5 350	5 350	5 350
Height (mm)	1 884	1 884	1 884	1 884	1 884
Width (mm)	1 910	1 910	1 910	1 910	1 910
Wheelbase (mm)	3 270	3 270	3 270	3 270	3 270
Turning circle (m)	12,93	12,93	12,93	12,93	12,93
Ground clearance (mm) - measured under the front axle	235	235	235	234	234

Approach / Departure angle (°) (excl. trailer hitch)	30 / 26	30 / 26	30 / 26	30 / 26	30 / 26
Ramp angle (°)	21	21	21	21	21
Load compartment length (mm)	1 624	1 624	1 624	1 624	1 624
Load compartment width between wheelhouses (mm)	1 227	1 227	1 227	1 227	1 227
Load compartment height of the side walls (mm)	529	529	529	529	529
Weights					
Roof load limit (kg) (Moving/Static)	85 / 350	85 / 350	85 / 350	85 / 350	85 / 350
Axle load limit front / rear (kg)	1,490/ 1,959	1,490/ 1,959	1,490/ 1,959	1,490/ 1,785	1,490/ 1,785
Kerb Mass (minimum) without driver and with fuel (kg)	2 236	2 236	2 236	2 248	2 248
Maximum payload capacity (kg) ~ based on minimum kerb mass	1 105	1 114	1 114	942	942
Gross Vehicle Mass (GVM) (kg)	3 300	3 300	3 300	3 300	3 300
Towing capacity: unbraked (kg)	750	750	750	750	750
Towing capacity: braked (kg)	3 500	3 500	3 500	3 500	3 500
Gross Combined Mass (GCM) (kg)	6 500	6 500	6 500	6 400	6 400
Audio & Communication					
12" diagonal TFT/LCD colour touch-screen infotainment screen with radio, navigation system, Harman Kardon sound system with 8 speakers and Bluetooth	X	X	X	X	X
Active Info Display: 12" TFT/LCD multi-function display	X	X	X	X	X
Smartphone connectivity: App-Connect with USB interfaces (1 x type A/1 x type C)	X	X	X	X	X
USB charging port (A-type) integrated into rear-view mirror housing (power supply only)	X	X	X	X	X
Voice control	X	X	X	X	X
Inductive charging system in the centre console	X	X	X	X	X
Safety					
Park distance control (front and rear) incl.rear traffic alert	X	X	X	X	X
Park Assist and front and rear Park Distance Control with rear view camera system	-	-	-	X	X
"Area View" with Rear-View Camera (offers front, side and rear images to help spot obstacles)	X	X	X	X	X

IQ Light LED headlights for low/high beam, with LED daytime running lights	X	X	X	X	X
LED front fog lights	X	X	X	X	X
LED rear combination lamps	X	X	X	X	X
Rear fog lights	X	X	X	X	X
Automatic headlight range adjustment	X	X	X	X	X
Light Assist high-beam control incl. automatic headlights on/off (dusk sensor)	X	X	X	X	X
Driver's and front passenger's airbags with passenger airbag deactivation	X	X	X	X	X
Side airbags for front seats and curtain airbag system	X	X	X	X	X
Driver knee airbag	X	X	X	X	X
Two 3-point inertia-reel seat belts in the front without height adjustment	X	X	X	X	X
Two outboard 3-point and one centre 3-point inertia-reel seat belts without height adjustment in the second seat row	X	X	X	X	X
ISOFIX child-seat locating points - outside rear seats with i-size	X	X	X	X	X
Child proof rear door locks	X	X	X	X	X
Warning signal and icon when front seat belts are not fastened	X	X	X	X	X
Door open warning icon and light	X	X	X	X	X
Tailgate mounted stop light	X	X	X	X	X
Power tailgate lock	X	X	X	X	X
Lane Assist: Lane keep system with alert function via steering wheel vibrations and corrective torque steering aid (only occurs when deviating from road markings)	X	X	X	X	X
Fatigue detection (Rest Assist)	X	X	X	X	X
Blind Spot Monitoring with Rear Traffic Alert (Reverse Brake Assist)	X	X	X	X	X
Security					
Anti-theft alarm system with interior monitoring	X	X	X	X	X
Immobiliser	X	X	X	X	X
Keyless entry: Access, locking and starting system	X	X	X	X	X

Seats					
Driver Seat: 10-Way Electric (track, backrest recline, height adjustment, lumbar adjustment and tilt function)	X	X	X	X	X
Front Passenger Seat: 10-Way Electric (track, backrest recline, height adjustment, lumbar adjustment and tilt function)	X	X	X	X	X
Heated front seats	X	X	X	X	X
Number of seats	5	5	5	5	5
Height adjustable head rests for front and rear seats	X	X	X	X	X
Folding 3-seater rear bench seat	X	X	X	X	X
Seat material: "Cricket" leather seat upholstery	X	X	X	X	X
Seat material: "Savona" leather (perforated) seat upholstery	-	-	-	X	X
Mirrors					
Exterior mirrors in "Dark Matte Grey"	X	X	X	-	-
Exterior mirrors in chrome finish	-	-	-	X	X
Electric / foldable / heated side mirrors with auto-dimming rear-view mirror with puddle lights	X	X	X	X	X
Windows					
Front electric windows	X	X	X	X	X
Rear electric windows	X	X	X	X	X
Tinted windows: privacy glass	X	X	X	X	X
Heated rear window	X	X	X	X	X
Wiper System					
Variable speed windshield wiper with rain sensor	X	X	X	X	X
Interior Features					
Steering wheel reach and height adjustable	X	X	X	X	X
Front centre armrest	X	X	X	X	X
Rear centre armrest	X	X	X	X	X
Front cupholders integrated into centre console	X	X	X	X	X
Rear cupholders integrated into centre armrest	X	X	X	X	X
Inside door handles in black with chrome inserts	X	X	X	X	X

Adaptive Cruise Control with Traffic Jam Assist	X	X	X	X	X
Leather wrapped multifunction steering wheel	X	X	X	X	X
Dual-zone automatic air-conditioning system	X	X	X	X	X
Carpet floor covering in the interior cabin	X	X	X	X	X
Rubber floor mats (front and rear passengers)	X	X	X	-	-
Premium carpet floor mats with "Aventura" lettering (front and rear passengers)	-	-	-	X	X
Headliner in "Ebony Black" colour	X	X	X	X	X
2 x 12V sockets integrated into centre console and front centre armrest	X	X	X	X	X
Power inverter: 230 V socket integrated into the front centre armrest	X	X	X	X	X
Ambient lighting in front door panels	X	X	X	X	X
Exterior Features					
Front bumper with X-design combining body colour with "Dark Matte Grey"	X	X	X	-	-
Front bumper with X-design combining body colour with bright accents	-	-	-	X	X
Black front grille with two bright accents above and below the headlights	X	X	X	X	X
Door handles in "Dark Matte Grey"	X	X	X	-	-
Door handles in chrome finish	-	-	-	X	X
Rear bumper with integrated step, black with "Dark Matte Grey" inserts	X	X	X	-	-
Rear bumper with integrated step, black with chrome inserts	-	-	-	X	X
Load box with 6 tie-down hooks and integrated cargo lights on the sides	X	X	X	X	X
Assisted tailgate for easy opening and closing	X	X	X	X	X
"PanAmericana" lettering on the bottom part of the doors	X	X	X	-	-
Side steps (plastic without chrome inserts)	X	X	X	-	-
Side steps (plastic with chrome inserts)	-	-	-	X	X
Front and rear splash/mud guards	X	X	X	X	X
Fixed trailer hitch incl. 7-pin socket	X	X	X	X	X
Front towing hooks	2	2	2	2	2

Tubular styling bar in black paint (powder couted)	X	X	X	-	-
Plastic Sports bar in body color with "Aventura" logo on the sides	-	-	-	X	X
Silver roof rails	X	X	X	X	X
Metal underbody protection	X	X	X	X	X
Load box bed liner incl. integrated 12V socket on the side	X	X	X	X	X
Cargo management system for load box	X	-	X	-	X
Power roller shutter for load box (open/close function from remote, inside the cabin as well with button in the load box)	-	-	-	X	X
Guarantees					
5-year / 150,000 km manufacturer warranty	X	X	X	X	X
5-year / 100,000 km EasyDrive maintenance plan	X	X	X	X	X
15,000 km service intervals	X	X	X	X	X
6-year anti-corrosion warranty	X	X	X	X	X

Disclaimer

Fuel consumption measurements is in accordance with the NEDC/1999/100/EC.
Dimensions, capacities and abilities apply to standard vehicles.
Actual consumption will vary with vehicle loading, driving style, climatic and road conditions.
The above information is effective as at Mar 2026 and is subject to change.

Commercial Vehicles

*Local specification may differ from model shown