



Commercial
Vehicles

Transporter Crew Bus Specification



*Local specification may differ from model shown

Transporter Crew Bus Specification

X = standard O = optional - = not available

| Transporter Crew Bus | 2.0 TDI 81kW 8-seater LWB | 2.0 TDI 110kW 8-seater LWB | 2.0 TDI 125kW 4Motion 5-seater SWB | 2.0 TDI 125kW 4Motion 8-seater LWB |
|---|------------------------------|-------------------------------|---------------------------------------|---------------------------------------|
| Engine | | | | |
| Cylinders | 4 | 4 | 4 | 4 |
| Capacity (cm ³) | 1996 | 1996 | 1996 | 1996 |
| Output (kW @ r/min) | 81 @ 3,200 - 4,250 | 110 @ 3,500 | 125 @ 3,500 | 125 @ 3,500 |
| Torque (Nm @ r/min) | 310 @ 1,500-2,250 | 360 @ 1,500-2,500 | 390 @ 1,750-2,500 | 390 @ 1,750-2,500 |
| CO ₂ emissions (g/km) | 189 | 206 | 224 | 223 |
| Transmission | | | | |
| 6-speed manual | X | - | - | - |
| 8-speed automatic (shift by wire) | - | X | X | X |
| Performance | | | | |
| Top speed (km/h) | 155 | 175 | 175 | 175 |
| Fuel consumption (NEDC 1999/100/EC) | | | | |
| Combined | 7,2 | 7,9 | 8,4 | 8,5 |
| Running Gear and Brakes | | | | |
| Front-wheel drive | X | X | - | - |
| 4MOTION®, all-wheel drive | - | - | X | X |
| Electromechanical power steering | X | X | X | X |
| Electromechanical parking brake with auto-hold function | X | X | X | X |
| Front disc/Rear drum brakes | X | X | X | X |
| Front suspension: Independent MacPherson strut design with L-shaped lower arm | X | X | X | X |
| Rear suspension: independent trailing arms | X | X | X | X |
| ESP (Electronic Stability Programme) | X | X | X | X |
| Front Assist: Emergency brake assist with pedestrian and cyclist detection, evasive maneuver support, and turn assist | X | X | X | X |
| Wheelrims / Tyres | | | | |
| Steel Wheels 6.5J x 16 (215/65 R16) | X | X | - | - |
| Steel spare wheel (215/65 R16) with tool kit and jack | X | X | - | - |

| | | | | |
|---|-------------|-------------|-------------|-------------|
| "Le Mans" Alloys 6.5J x 17 (215/60 R17) | - | - | X | X |
| Temporary spare wheel (155/70 R17) with tool kit and jack | - | - | X | X |
| Wheel bolts with anti-theft protection | X | X | X | X |
| Dimensions / Capacities | | | | |
| Fuel tank (l) | 70 | 70 | 70 | 70 |
| AdBlue® capacity (l) | 20 | 20 | 20 | 20 |
| Length (mm) | 5 450 | 5 450 | 5 050 | 5 450 |
| Height (mm) | 1 978 | 1 978 | 1 978 | 1 978 |
| Width (mm) excluding side mirrors | 2 032 | 2 032 | 2 032 | 2 032 |
| Wheelbase (mm) | 3 500 | 3 500 | 3 100 | 3 500 |
| Turning circle (m) | 13,0 | 13,0 | 11,9 | 13,0 |
| Overhang - front (mm) | 958 | 958 | 958 | 958 |
| Overhang - rear (mm) | 992 | 992 | 992 | 992 |
| Load compartment length (mm) | 3 002 | 3 002 | 2 602 | 3 002 |
| Passenger and load compartment, volume (m3) - seats removed | 6,8 | 6,8 | 5,8 | 6,8 |
| Load compartment width max (mm)/width between wheelarches (mm) | 1,777/1,392 | 1,777/1,392 | 1,777/1,392 | 1,777/1,392 |
| Rear doors max loading height (mm) | 1 316 | 1 316 | 1 316 | 1 316 |
| Ground clearance (mm) | 164 | 164 | 164 | 164 |
| Ramp angle (°) | 11,7 | 11,7 | 11,7 | 11,7 |
| Weights | | | | |
| Roof load limit (kg) (Dynamic) | 170 | 170 | 170 | 170 |
| Kerb Mass (minimum) without driver and with fuel (kg) | 1 916 | 1 954 | 2 009 | 2 051 |
| Maximum payload capacity (kg) ~ based on minimum kerb mass | 1 309 | 1 271 | 1 216 | 1 174 |
| Gross Vehicle Mass (GVM) (kg) | 3 225 | 3 225 | 3 225 | 3 225 |
| Towing capacity: unbraked (kg) | 750 | 750 | 750 | 750 |
| Towing capacity: braked (kg) | 2 000 | 2 800 | 2 800 | 2 800 |
| Gross Combined Mass (GCM) (kg) | 5 225 | 5 725 | 5 725 | 5 725 |
| Audio & Communication | | | | |
| Active Info Display: 12" TFT/LCD multi-function display | X | X | X | X |
| 13" TFT/LCD colour touch-screen infotainment screen with Wireless App-Connect | X | X | X | X |

| | | | | |
|--|---|---|---|---|
| 2x USB data/charging sockets 15 W in the center console of the instrument panel (1x USB-C, 1x USB-A) | X | X | X | X |
| 2x USB-C charging sockets in the rear driver's seat frame | X | X | X | X |
| 12V socket in the front center console and a 12V socket on the D-pillar at floor level, rear right | X | X | X | X |
| Mobile phone interface (Bluetooth) | X | X | X | X |
| 6 x Loudspeakers (2 x dashboard, 2 x cab doors and 2 x side trim panel of 3rd row) | X | X | X | X |
| Safety | | | | |
| LED Headlights, with LED Daytime Running Lights | X | X | X | X |
| LED rear combination lamps | X | X | X | X |
| Driver and passenger airbags with passenger airbag deactivation | X | X | X | X |
| Side airbags and curtain airbags in the cab and curtain airbags in the passenger compartment | X | X | X | X |
| Lane Assist: Lane keep system with alert function via steering wheel vibrations and corrective torque steering aid (only occurs when deviating from road markings) | X | X | X | X |
| Fatigue detection and distraction detection with driver monitoring camera | X | X | X | X |
| Dual-tone horn | X | X | X | X |
| Park distance control (rear only) | X | X | - | - |
| Park distance control (front and rear) | - | - | X | X |
| Fixed rear-view camera | - | - | X | X |
| High-beam control "Light Assist" | X | X | X | X |
| Security | | | | |
| Anti-theft alarm system with interior monitoring | X | X | X | X |
| Immobiliser | X | X | X | X |
| Remote central locking system with Keyless starting (push-button) | X | X | X | X |
| Seats | | | | |
| Driver Seat: 6-way manually adjustable (track, backrest recline and height adjustment) and 2-way manually adjustable lumbar support | X | X | X | X |
| Front Passenger Seat: 6-way manually adjustable driver and passenger seats (track, backrest recline and height adjustment) | X | X | X | X |
| Armrests for the driver and passenger seats | X | X | X | X |

| | | | | |
|--|---|---|---|---|
| Front seats: 4-way adjustable headrests, height and tilt adjustable | X | X | X | X |
| 3 individual seats (fold and tumbling capable) in the 2nd row (average seat weight of 28kg each) | X | X | X | X |
| 3-seater bench (with folding backrest) in the 3rd row | X | X | - | X |
| Outer seats in 2nd row with Easy Entry Function | X | X | - | X |
| Outer seats in 2nd and 3rd row with ISOFIX and Toptether | X | X | X | X |
| Wireless seat occupancy detection for 2nd and 3rd row seats | X | X | X | X |
| Seat material: Cloth (striped fabric pattern) | X | X | X | X |
| Number of seats (2+3 seat configuration) | - | - | 5 | - |
| Number of seats (2+3+3 seat configuration) | 8 | 8 | - | 8 |
| Mirrors | | | | |
| Black textured exterior mirror housings | X | X | X | X |
| Electric / heated side mirrors with manual-dimming rear-view mirror | X | X | X | X |
| Windows | | | | |
| Front electric windows | X | X | X | X |
| Laminated safety glass windshield, heat-insulating | X | X | X | X |
| Heat-insulating glass in front side windows | X | X | X | X |
| Heated rear window | X | X | X | X |
| Wiper System | | | | |
| Variable speed windshield wiper with rain sensor | X | X | X | X |
| Interior Features | | | | |
| Multifunction steering wheel | X | X | X | X |
| Air conditioning system in the cab (manual control) | X | X | X | X |
| 4 tie-down points for securing cargo in the trunk/cargo area | X | X | X | X |
| Cruise control with intelligent speed limiter | X | X | X | X |
| Traffic sign recognition | X | X | X | X |
| Narrow center console with cup holder and mobile phone storage | X | X | X | X |
| Grab handles on the roof frame on the driver and passenger sides, grab handle on the B-pillar in the passenger compartment | X | X | X | X |
| Grab handle on A-pillar (passenger side) | X | X | X | X |

| | | | | |
|--|---|---|---|---|
| Glove compartment with lockable lid | X | X | X | X |
| Overhead storage compartment | X | X | X | X |
| Display frame in textured black | X | X | X | X |
| Interior door handles in black | X | X | X | X |
| LED lights in the cab and passenger compartment | X | X | X | X |
| LED light for the luggage compartment | X | X | X | X |
| Black plastic scuff plates in the front and for the sliding doors (illuminated for the sliding doors) | X | X | X | X |
| Rubber floor covering in the cab and passenger/load compartment | X | X | X | X |
| Exterior Features | | | | |
| Black textured front and rear bumpers | X | X | X | X |
| Black textured door handles | X | X | X | X |
| Trailer hitch preparation | X | X | X | X |
| Transporter nameplate on the rear - black grained decorative trim | X | X | X | X |
| Roof in body colour | X | X | X | X |
| Body coloured radiator grille | X | X | X | X |
| Sliding doors on driver side and passenger side | X | X | X | X |
| Side windows with vents in the 2nd row and fixed windows in the 3rd row | X | X | X | X |
| Tailgate with fixed window | X | X | X | X |
| Mud flaps in front | X | X | X | X |
| Guarantees | | | | |
| 2-year / unlimited km manufacturer warranty | X | X | X | X |
| 3-year / 60,000 km Easy drive Service Plan | X | X | X | X |
| 15,000 km service intervals | X | X | X | X |
| 12-year anti-corrosion warranty | X | X | X | X |
| Disclaimer | | | | |
| <p>Fuel consumption measurements is in accordance with the NEDC/1999/100/EC. Dimensions, capacities and abilities apply to standard vehicles. Actual consumption will vary with vehicle loading, driving style, climatic and road conditions. The above information is effective as at April 2025 and is subject to change.</p> | | | | |



Commercial
Vehicles

*Local specification may differ from model shown