



Commercial  
Vehicles

# Transporter Kombi Specification



\*Local specification may differ from model shown

# Transporter Kombi Specification

X = standard O = optional - = not available

Transporter Kombi	2.0 TDI 125kW Commerce 8-seater SWB	2.0 TDI 125kW EDITION 8-seater SWB	2.0 TDI 125kW Life 8-seater SWB	2.0 TDI 125kW 4Motion Style 8-seater SWB
<b>Engine</b>				
Cylinders	4	4	4	4
Capacity (cm <sup>3</sup> )	1996	1996	1996	1996
Output (kW @ r/min)	125 @ 3,500	125 @ 3,500	125 @ 3,500	125 @ 3,500
Torque (Nm @ r/min)	390 @ 1,750-2,500	390 @ 1,750-2,500	390 @ 1,750-2,500	390 @ 1,750-2,500
CO2 emissions (g/km)	209	209	209	227
<b>Transmission</b>				
8-speed automatic (shift by wire)	X	X	X	X
<b>Performance</b>				
Top speed (km/h)	175	175	175	175
<b>Fuel consumption (NEDC 1999/100/EC)</b>				
Combined	8,0	8,0	8,0	8,7
<b>Running Gear and Brakes</b>				
Front-wheel drive	X	X	X	-
4MOTION®, all-wheel drive	-	-	-	X
Electromechanical power steering	X	X	X	X
Electromechanical parking brake with auto-hold function	X	X	X	X
Front disc/Rear drum brakes	X	X	X	X
Front suspension: Independent MacPherson strut design with L-shaped lower arm	X	X	X	X
Rear suspension: independent trailing arms	X	X	X	X
ESP (Electronic Stability Programme)	X	X	X	X
Front Assist: Emergency brake assist with pedestrian and cyclist detection, evasive maneuver support, and turn assist	X	X	X	X

<b>Wheelrims / Tyres</b>				
"Montreal" Alloys in Silver 6.5J x 16 (215/65 R16)	X	-	-	-
"Monte Carlo" Alloys in black diamond-turned surface 6.5J x 17 (215/60 R17)	-	-	X	X
"Le Mans" Alloys in Gloss Back finish 6.5J x 17 (215/60 R17)	-	X	-	-
Steel spare wheel (215/65 R16) with tool kit and jack	X	X	X	-
Temporary spare wheel (155/70 R17) with tool kit and jack	-	-	-	X
Wheel bolts with anti-theft protection	X	X	X	X
<b>Dimensions / Capacities</b>				
Fuel tank (l)	55	70	70	70
AdBlue® capacity (l)	20	20	20	20
Length (mm)	5 050	5 050	5 050	5 050
Height (mm)	1 978	1 978	1 978	1 978
Width (mm) excluding side mirrors	2 032	2 032	2 032	2 032
Wheelbase (mm)	3 100	3 100	3 100	3 100
Turning circle (m)	11,9	11,9	11,9	11,9
Overhang - front (mm)	958	958	958	958
Overhang - rear (mm)	992	992	992	992
Load compartment length (mm)	2 602	2 602	2 602	2 602
Passenger and load compartment, volume (m3) - seats removed	5,8	5,8	5,8	5,8
Load compartment width max (mm)/width between wheelarches (mm)	1,777/1,392	1,777/1,392	1,777/1,392	1,777/1,392
Ground clearance (mm)	164	164	164	164
Ramp angle (°)	11,7	11,7	11,7	11,7
<b>Weights</b>				
Roof load limit (kg) (Dynamic)	170	170	170	170
Kerb Mass (minimum) without driver and with fuel (kg)	1 912	1 912	1 912	2 009
Maximum payload capacity (kg) ~ based on minimum kerb mass	1 313	1 313	1 313	1 216
Gross Vehicle Mass (GVM) (kg)	3 225	3 225	3 225	3 225
Towing capacity: unbraked (kg)	750	750	750	750
Towing capacity: braked (kg)	2 800	2 800	2 800	2 800
Gross Combined Mass (GCM) (kg)	5 725	5 725	5 725	5 725

<b>Audio &amp; Communication</b>				
Active Info Display: 12" TFT/LCD multi-function display	X	X	X	X
13" TFT/LCD colour touch-screen infotainment screen with Wireless App-Connect	X	X	X	X
2x USB data/charging sockets 15 W in the center console of the instrument panel (1x USB-C, 1x USB-A)	X	X	X	X
5 x additional USB-C charging sockets in the cab: 2x storage in front of the steering wheel, 2x glove compartment, 1x rear-view mirror	-	X	X	X
2x USB-C charging sockets in the rear driver's seat frame	X	X	X	X
4x USB-C in the side wall paneling of the passenger compartment	X	X	X	X
12V socket in the front center console and a 12V socket on the D-pillar at floor level, rear right	X	X	X	X
Mobile phone interface (Bluetooth)	X	X	X	-
Mobile phone interface (Bluetooth) Inductive charging system	-	-	-	X
10 x Loudspeakers (2 x dashboard, 2 x cab doors, 2 x roof in 2nd row, 4 x side trim panels in 3rd row)	X	X	X	-
Harmon Kardon sound system with 14 x speakers (4 x in front, 1 x centre speaker, 4 x sliding door, 4 in C-pillar, 1 x subwoofer)	-	-	-	X
<b>Safety</b>				
LED Headlights, with LED Daytime Running Lights	X	-	-	-
LED Headlights, with LED Daytime Running Lights, cornering light and poor weather light	-	-	X	-
IQ.LIGHT - LED headlights with matrix function and Coming Home and Leaving Home function	-	X	-	X
LED rear combination lamps	X	-	X	-
LED rear combination lamps with exclusive signature	-	X	-	X
Driver and passenger airbags with passenger airbag deactivation	X	X	X	X
Side airbags and curtain airbags in the cab and curtain airbags in the passenger compartment	X	X	X	X
Lane Assist: Lane keep system with alert function via steering wheel vibrations and corrective torque steering aid (only occurs when deviating from road markings)	X	X	X	X
Fatigue detection and distraction detection with driver monitoring camera	X	X	X	X
Park distance control (front and rear)	X	X	X	X

Fixed rear-view camera	X	X	X	-
"Area View" with Rear-View Camera (offers front, side and rear images to help spot obstacles)	-	-	-	X
High-beam control "Light Assist"	X	-	X	-
Dynamic high beam control "Dynamic Light Assist"	-	X	-	X
Blind Spot Monitoring with Rear Traffic Alert (Reverse Brake Assist)	-	-	-	X
<b>Security</b>				
Anti-theft alarm system with interior monitoring	X	X	X	X
Immobiliser	X	X	X	X
Remote central locking system with Keyless starting (push-button)	X	X	X	-
Remote central locking system with Keyless access, locking and starting (push-button)	-	-	-	X
<b>Seats</b>				
Driver Seat: 6-way manually adjustable (track, backrest recline and height adjustment ) and 2-way manually adjustable lumbar support	X	-	X	-
Front Passenger Seat: 6-way manually adjustable driver and passenger seats (track, backrest recline and height adjustment)	X	X	-	-
Front Passenger Seat: 6-way manually adjustable driver and passenger seats (track, backrest recline and height adjustment)and 2-way manually adjustable lumbar support	-	-	X	-
Driver Seat: 8-way electrically adjustable (track, backrest recline, height adjustment and tilt function) and 4-way electrically adjustable lumbar support	-	X	-	X
Front Passenger Seat: 6-way electrically adjustable (track, backrest recline and height adjustment) and 2-way manually adjustable lumbar support	-	-	-	X
Heated front seats	-	X	X	X
Armrests for the driver and passenger seats	X	X	X	X
Front seats: 4-way adjustable headrests, height and tilt adjustable	X	X	X	X
3 individual seats (fold and tumbling capable) in the 2nd row (average seat weight of 28kg each)	X	X	X	X
3-seater bench (with folding backrest) in the 3rd row	X	X	X	X
Outer seats in 2nd row with Easy Entry Function	X	X	X	X

Outer seats in 2nd and 3rd row with ISOFIX and Toptether	X	X	X	X
Wireless seat occupancy detection for 2nd and 3rd row seats	X	X	X	X
Seat material: Cloth (Honeycomb fabric pattern)	X	X	-	-
Seat material: Cloth (Honeycomb fabric pattern with Pan-Americana lettering and contrast stitching)	-	-	-	-
Seat material: Artificial Leather (leatherette)	-	-	X	X
Number of seats (2+3+3 seat configuration)	8	8	8	8
<b>Mirrors</b>				
Colour-coded exterior mirror housings	X	-	-	X
Black painted exterior mirror housings	-	X	X	-
Electric / heated side mirrors with manual-dimming rear-view mirror	X	-	-	-
Electric / foldable / heated side mirrors with manual-dimming rear-view mirror	-	X	X	X
<b>Windows</b>				
Front electric windows	X	X	X	X
Laminated safety glass windshield, heat-insulating	X	X	X	X
Heat-insulating glass for the side windows	X	-	X	-
Heat-insulating glass in front side windows, privacy glass in rear side windows and rear window	-	X	-	X
Heated rear window	X	X	X	X
<b>Wiper System</b>				
Variable speed windshield wiper with rain sensor	X	X	X	X
<b>Interior Features</b>				
Multifunction artificial leather steering wheel	X	X	X	X
Air conditioning system in the cab (1-zone with automatic control)	X	-	-	-
Air conditioning system in cab (2-zone automatic control) & passenger compartment with manual control via control panel	-	X	X	-
Air conditioning system in the cab (2-zone with automatic control) and passenger compartment (1-zone with automatic control) via digital control panel	-	-	-	X
4 tie-down points for securing cargo in the trunk/cargo area	X	X	X	X
Cruise control with intelligent speed limiter	X	X	X	-

Adaptive Cruise Control with Traffic Jam Assist	-	-	-	X
Traffic sign recognition	X	X	X	X
Narrow center console with cup holder and mobile phone storage	X	X	X	-
Wide center console with cup holder and mobile phone storage	-	-	-	X
Sun protection blinds on the side windows of the sliding doors in the 2nd row of the passenger compartment	X	X	X	X
Grab handles on the roof frame on the driver and passenger sides, grab handle on the B-pillar in the passenger compartment	X	X	X	X
Grab handle on A-pillar (passenger side)	X	X	X	X
Illuminated glove compartment with soft-closing lid	X	X	X	X
AMPS mounting point on the centre console for tablets and mobile phone devices	-	-	-	X
Overhead storage compartment	X	X	X	X
Display frame in high-gloss black	X	X	X	X
Interior door handles in chrome	X	X	X	X
Sunvisors with illuminated mirror	X	X	X	X
Footwell lighting in the cab	-	X	X	X
LED lights in the cab and passenger compartment	X	X	X	X
LED light for the luggage compartment	X	X	X	X
Illuminated metal scuff plates in the front and for sliding doors	-	-	X	X
Illuminated metal scuff plates with EDITION lettering in the front and for sliding doors	-	X	-	-
Velour floor mats in the cab	X	X	X	X
Carpet floor covering in the cab and passenger compartment	X	X	X	X
<b>Exterior Features</b>				
Coloured-coded front and rear bumper	X	X	X	X
Black grained front and rear bumper	-	-	-	-
Grained front and rear bumper	-	-	-	-
Colour-coded door handles in body colour	X	X	X	X
Trailer hitch preparation	X	X	X	X
Transporter nameplate on the rear	X	X	X	X
Roof in body colour	X	-	X	X

Black painted roof	-	X	-	-
Body coloured radiator grille	X	-	X	-
Body coloured radiator grille with chrome accent between the headlights	-	X	-	X
Sliding doors on driver side and passenger side	X	X	X	X
Side windows with vents in the 2nd row and fixed windows in the 3rd row	X	X	X	X
Black high-gloss foiling on tailgate, B-pillar and side skirts (EDITION lettering on side skirts)	-	X	-	-
Tailgate with fixed window	X	X	X	X
Mud flaps in front and rear	X	X	X	X
<b>Guarantees</b>				
3-year / 120,000 km manufacturer warranty	X	X	X	X
3-year / 60,000 km Easy Drive maintenance plan	X	X	X	X
15,000 km service intervals	X	X	X	X
12-year anti-corrosion warranty	X	X	X	X

#### **Disclaimer**

Fuel consumption measurements is in accordance with the NEDC/1999/100/EC.  
Dimensions, capacities and abilities apply to standard vehicles. To be confirmed upon homologation.  
Actual consumption will vary with vehicle loading, driving style, climatic and road conditions.  
The above information is effective as at March 2026 and is subject to change.



Commercial  
Vehicles



\*Local specification may differ from model shown