Caddy Specifications

Commercial Vehicles

*Local specification may differ from model shown

Caddy Trendline Specification

X = standard O = optional - = not available

	Caddy 1.6i 81kW SWB	Caddy 2.0 TDI 75kW SWB	Caddy Maxi 2.0 TDI 75kW LWB
Engine			
Cylinders	4	4	4
Capacity (cm3)	1598	1968	1968
Output (kW @ r/min)	81 @ 5800	75 @ 2750 - 4500	75 @ 2750 - 4500
Torque (Nm @ r/min)	152 @ 3850-4100	270 @ 1500-2500	270 @ 1500-2500
CO2 emissions (g/km)**	167	145	145
Transmission			
6-speed manual	X	X	X
Performance			
Acceleration in seconds (0-100 km/h)	12,8	12,4	12,8
Top speed (km/h)	180	180	180
Fuel consumption (NEDC 1999/100/EC)			
Urban cycle (litres/100km)**	8,0	6,8	6,8
Extra-urban cycle (litres / 100km)**	5,6	4,8	4,8
Combined cycle (litres / 100km)**	7,3	5,5	5,5
Running Gear			
Standard suspension and shock absorption	X	X	X
Brakes			
ABS (Anti-lock Braking System)	X	X	X
MCB (Automatic Post-Collision Braking System)	X	X	X
ESP (Electronic Stability Programme)	X	X	X
EDL (Electronic Differential Lock)	X	X	X
TCS (Traction Control System)	X	X	X
Hill hold control	X	X	X
Wheelrims / Tyres			
16" '"Wien" 6.5J x 16 alloy wheels with 205/60 R16 96H XL tyres	X	X	X
Full-sized spare wheel (alloy)	X	X	X

Dimensions / Capacities			
Fuel tank (litres)	60	60	60
Length (mm)	4500	4500	4853
Width excl. mirrors (mm)	1855	1855	1855
Width incl. mirrors (mm)	2100	2100	2100
Height incl. roof rails (mm)/ with antenna base (mm)	1832/1833	1832/1833	1835 / 1836
Wheelbase (mm)	2755	2755	2970
Overhang - front (mm)	890	890	890
Overhang - rear (mm)	855	855	993
Ground clearance (measured underneath the engine guard) (mm)	144	144	143
Loading sill over stationary level (mm)	562	562	563
Loading height (mm)	1200	1200	1211
Approach angle (degrees)	14,2	14,2	14,7
Ramp angle (degrees)	12,9	12,9	11,8
Departure angle (degrees)	19,3	19,3	15,9
Turning circle (m)	11,4	11,4	12,1
Load compartment width, (mm)	1185	1185	1185
Load compartment floor length behind 1st / 2nd / 3rd row of seats (mm)	1,913/1,100/317	1,913/1,100/317	2,265/1,452/629
Load / passenger compartment volume, for 2- / 5- / 7-seater (m3)	2.5/ 1.2 / 0.19	2.5/ 1.2 / 0.19	3.1/ 1.7 / 0.44
Load / passenger compartment volume, for 2- / 5- / 7-seater (litres)	2,556/1,213/191	2,556/1,213/191	3,105/ 1,720/446
Side sliding doors, width x height (mm)	701 x 1,072	701 x 1,072	844 x 1,072
rear aperture, with tailgate/with wing doors (optional), width x height	1185 x 1122/1185 x 1098	1185 x 1122/1185 x 1098	1185 x 1122/1185 x 1098
Gross Vehicle Mass (GVM) (kg)	2200	2350	2350
Unladen weight, minimum (kg)	1535	1634	1758
Payload, maximum (kg)	665	716	592
Axle load limit - Front / Rear (kg)	1,020/1,110	1,130/1,130	944 / 672
Trailer weight, 12% gradient - Braked / Unbraked (kg)	1,300/740	1,500/750	1,400/750
Gross train weight (kg), 12% gradient	3500	3850	3750
Roof load limit (kg)	100	100	100
Trailer nose weight (kg)	75	75	75

Seats			
Number of seats	5	5	7
3-seater bench (separately folding and removable) in 2nd row of seats	X	X	-
3-seater bench (separately folding) in 2nd row of seats with 2-seater bench (folding) in 3rd row of seats	O	O	X
Draws under seats for the driver and front passenger	X	X	X
Lumbar support for driver and front passenger seats - manually ad-justable	X	X	X
Height adjustment for front seats	X	X	X
"Double Grid" fabric seat trim covers	X	X	X
Windows			
Electric windows	X	X	X
Heat-insulating windshield made of laminated glass	X	X	X
Heat-insulating glass (green)	X	X	X
Side windows (fixed) in load/passenger compartment in front (left and right)	X	X	X
Side windows (rigid) in load compartment / passenger area, rear (left and right)	X	X	X
Heated rear window with rear window wiper and washer system	X	X	X
Wiper System			
Windshield wiper with intermittent control with light sensor	X	X	X
Rear window wiper and washer system with intermittent control	X	X	X
Safety			
Tyre Pressure Monitoring System	X	X	X
Driver and front passenger airbags (incl. front passenger deactivation)	X	X	X
Park distance control in rear	X	X	X
"Auto. Emergency Braking Front Assist with Pedestrian and Cyclist Monitoring pedestrians"	X	X	X
Side and curtain airbags for driver and front passenger, curtain airbags for outer seats in passenger compartment	X	X	X
Advanced driver attention & drowsiness monitor	X	X	X
3-point seat belts in front with seat belt height adjustment and elec-tric seat belt pretensioners	X	X	X
Seatbelts in 2nd and 3rd row of seats with seat belt pretensioners for the outer seats in the 2nd row of seats	X	X	X

Warning buzzer and light for front seatbelt not fastened	X	X	X
Lane keeping system Lane Assist	X	X	X
First aid kit and warning triangle	X	X	X
Security			
Remote-controlled central locking with SAFELOCK	X	X	X
Anti-theft alarm system with interior monitoring, back-up horn and towing protection	X	X	X
Audio and Communication			
Radio "Composition Audio" with 25.4-cm (10-inch) color touch screen	X	X	X
Cell phone interface	X	X	X
2 USB interfaces (type C) in the center console, in front, 2 USB charg. Sockets (type C) on the center armrest in rear	X	X	X
6 speakers (4 speakers in front and 2 speakers in rear)	X	X	X
Interior Features			
Climatic® air-conditioning system	X	X	X
Sun visors with mirror, airbag label on front passenger sun visor	X	X	X
Drawers under front seats	X	X	X
Multi-function leather* steering wheel	X	X	X
Servotronic® power steering (speed-sensitive)	X	X	X
Cruise control system	X	-	-
Adaptive cruise control	-	X	X
Centre console with 2 cup holders (2 front, 1 rear) incl. height and longitudinal adjustment of armrest	X	X	X
Door trim panel in plastic with armrest in fabric	X	X	X
LED reading light in passenger compartment	X	X	X
Luggage compartment cover extractable and removable	X	X	-
Luggage compartment cover folding and removable	-	-	X
Glove compartment (illuminated) with lid	X	X	X
Carpet floor covering in cab and passenger area	X	X	X
Smokers' package: 12V socket with cigarette lighter and ashtray	X	X	X
2 12V socketS, one in dashboard and one in luggage compartment	X	X	X
Lashing rings	4	4	6

Exterior Features			
Fixed tow bar	X	X	X
Black painted exterior mirror housings, body-colored door handles and Silver sliding door rail	X	X	X
Body-coloured bumpers	X	X	X
Sliding doors - left and right	X	X	X
LED main headlamps with LED separate daytime running light	X	X	X
Trailer hitch preparation (incl. trailer stabilisation)	X	X	X
New design tail lights	X	X	X
Poor weather light and cornering light (LED technology)	X	X	X
Tailgate with window aperture	X	X	X
Black Roof rails	X	X	X
Exterior Mirror Power adjustable	X	X	X
Options			
Trailer hitch, removable and lockable	O	O	O
Wing Doors - rear	O	O	O
Assistance Package: Rear view camera, Keyless start, heated and power-folding, Park Distance Control in front and rear	O	O	O
Radio "Ready to Discover" with 10-inch color touch screen, with navigation system preparation	O	O	O
Removable and lockable trailer hitch with trailer maneuvering system	O	O	O
Glass roof	O	O	O
7-seater package (3-seater bench in second row and 2-seater bench in third row)	O	O	X
Guarantees			
3-year / 120,000 km manufacturer warranty	X	X	X
3-year / 60,000km Easy Drive Service Plan	X	X	X
15,000km service intervals	X	X	X
12-year anti-corrosion warranty	X	X	X
Disclaimer			
Fuel consumption measurements is in accordance with the NEDC/1999/100/EC. Dimensions, capacities and abilities apply to standard vehicles. Actual consumption will vary with vehicle loading, driving style, climatic and road conditions. The above information is effective as at Feb 2026 and is subject to change.			

Commercial Vehicles

*Local specification may differ from model shown