



Commercial
Vehicles

Caddy Cargo Specifications



*Local specification may differ from model shown

Caddy Cargo Specification	Caddy Cargo 1.6i 81kW SWB	Caddy Cargo 2.0 TDI 75kW SWB	Caddy Maxi Cargo 2.0 TDI 75kW LWB
Engine			
Cylinders	4	4	4
Capacity (cm3)	1598	1968	1968
Output (kW @ r/min)	81 @ 5800	75 @ 2750 - 4500	75 @ 2750 - 4500
Torque (Nm @ r/min)	152 @ 3850-4100	270 @ 1500-2500	270 @ 1500-2500
CO2 emissions (g/km)**	165	139	140
Transmission			
6-speed manual	X	X	X
Performance			
Acceleration in seconds (0-100 km/h)	12,0	11,6	12,0
Top speed (km/h)	178	178	178
Fuel consumption (NEDC 1999/100/EC)			
Urban cycle (litres/100km)**	8,1	5,8	5,8
Extra-urban cycle (litres / 100km)**	5,2	4,8	4,8
Combined cycle (litres / 100km)**	7,2	5,5	5,5
Running Gear			
Standard suspension and shock absorption	X	X	X
Brakes			
ABS (Anti-lock Braking System)	X	X	X
MCB (Automatic Post-Collision Braking System)	X	X	X
ESP (Electronic Stability Programme)	X	X	X
EDL (Electronic Differential Lock)	X	X	X
TCS (Traction Control System)	X	X	X
Wheelrims / Tyres			
4 steel wheels 6.5J x 16, Black	X	X	X
Tyres 205/60 R16 96H XL	X	X	X
Full-sized steel spare wheel with original equipment tire incl.tool kit and jack	X	X	X

Dimensions / Capacities			
Fuel tank (litres)	60	60	60
Length (mm)	4500	4500	4853
Width excl. mirrors (mm)	1855	1855	1855
Width incl. mirrors (mm)	2100	2100	2100
Height excl. roof rails (mm) / with antenna base (mm)	1819/1856	1819/1856	1823/1860
Wheelbase (mm)	2755	2755	2970
Overhang - front (mm)	890	890	890
Overhang - rear (mm)	855	855	993
Ground clearance (measured underneath the engine guard) (mm)	160	160	159
Loading sill over stationary level (mm)	586	586	589
Loading height (mm)	1259	1259	1264
Approach angle (degrees)	16,8	16,8	16,6
Ramp angle (degrees)	14,0	14,0	13,0
Departure angle (degrees)	18,7	18,7	16,1
Turning circle (m)	11,4	11,4	12,1
Load compartment width, min. / max. (mm)	1230 / 1614	1230 / 1614	1230 / 1614
Luggage compartment floor length (mm)	1797	1797	2150
Load compartment volume (m3)	3,1	3,1	3,7
Side sliding doors, width x height (mm)	695 x 1096	695 x 1096	836 x 1096
Rear aperture, with wing doors/with tailgate (optional), width x height	1234 x 1122/1234 x 1130	1234 x 1122/1234 x 1130	1234 x 1122/1234 x 1130
Gross Vehicle Mass (GVM) (kg)	2100	2220	2300
Unladen weight, minimum (kg)	1432	1540	1582
Payload, maximum (kg)	668	680	718
Axle load limit - Front / Rear (kg)	1020/1230	1130 / 1240	1170 / 1330
Trailer weight, 12% gradient - Braked / Unbraked (kg)	1300/690	1500 / 740	1450/750
Gross train weight (kg), 12% gradient	3400	3720	3800
Roof load limit (kg)	100	100	100
Trailer nose weight (kg)	75	75	75

Seats			
Number of seats	2	2	2
"Double Grid" fabric seat trim covers	X	X	X
Height adjustment for passenger seat	X	X	X
Windows			
Electric front windows	X	X	X
Heat-insulating glass (green)	X	X	X
Heat-insulating windshield made of laminated glass	X	X	X
Mirrors			
Exterior mirrors, power-adjustable	X	X	X
Wiper System			
Windshield wiper with intermittent control with light sensor	X	X	X
Safety			
Driver and front passenger airbags (incl. front passenger deactivation)	X	X	X
Side and curtain airbags for driver and front passenger	X	X	X
Park distance control in rear	X	X	X
"Auto. Emergency Braking Front Assist with Pedestrian and Cyclist Monitoring pedestrians"	X	X	X
3-point seat belts in front with seat belt height adjustment and electric seat belt pretensioners	X	X	X
Lane keeping system Lane Assist	X	X	X
Advanced driver attention & drowsiness monitor	X	X	X
Warning buzzer and light for front seat belts not fastened	X	X	X
First aid kit and warning triangle	X	X	X
Security			
Remote-controlled central locking with SAFELOCK	X	X	X
Anti-theft alarm system with back-up horn, towing protection, interior monitoring and central locking (separate unlocking for driver's door)	X	X	X
Audio and Communication			
Radio "Composition Audio" with 25.4-cm (10-inch) color touch screen	X	X	X
4 Speakers	X	X	X
Cell phone interface	X	X	X

Interior Features			
Climatic® air-conditioning system	X	X	X
Servotronic® power steering (speed-sensitive)	X	X	X
Multi-function display	X	X	X
Multi-function steering wheel	X	X	X
Activated carbon canister	X	X	X
High partition with grille	X	X	X
Centre console with 2 cup holders	X	X	X
Plastic door trim panel and armrest	X	X	X
Sun visors with mirror, airbag label on front passenger sun visor	X	X	X
Glove compartment (illuminated) with lockable lid	X	X	X
Carpet floor covering in cab	X	X	X
2 12-V outlets, one in the load compartment and one in the dash-board	X	X	X
Smokers' package: 12V socket with cigarette lighter and ashtray	X	X	X
Interior lighting in load compartment, 1 light unit	X	X	X
Cruise control system	X	X	X
Lashing rings	6	6	8
Exterior Features			
Grey bumpers	X	X	X
Sliding door - left	X	X	X
Sliding door - right	X	X	X
Black exterior mirror housings and door handles, Silver sliding door rail	X	X	X
Trailer hitch preparation (incl. trailer stabilisation)	X	X	X
Roof rail preparation	X	X	X
Rear wing doors without window apertures, asymmetric split	X	X	X
Exterior mirrors, power-adjustable	X	X	X
H7 twin halogen headlamps	X	X	X
Separate daytime running lights (permanently switched on during driving)	X	X	X
Trailer hitch preparation (incl. trailer stabilisation)	X	X	X

Options			
Fixed tow bar	O	O	O
Black painted exterior mirror housings, body-colored door handles and Silver sliding door rail	O	O	O
Radio "Ready to Discover" with 10-inch color touch screen, with navigation system preparation	O	O	O
With rear view camera system	O	O	O
Park distance control in front and rear	O	O	O
LED headlamps with lens	O	O	O
Guarantees			
2-year / unlimited km manufacturer warranty	X	X	X
3-year / 60,000km Volkswagen Easy Drive Service Plan	X	X	X
15,000 km service intervals	X	X	X
12-year anti-corrosion warranty	X	X	X
Disclaimer			
X Standard O Optional - Not available			
*A combination of leather and high quality durable materials			
All petrol vehicles require unleaded (lead-free) fuel. They are not-compatible with leaded or lead-replacement petrol.			
All diesel vehicles require low sulphur grade diesel of 50 ppm or lower.			
Fuel consumption and CO ₂ emissions values were obtained in accordance with the prescribed uniform measuring standard (SANS 20101: 2006 / ECE R101: 2005 in its currently applicable version). The verified values do not apply to a specific vehicle and do not constitute part of the product offer. They are provided solely for the purposes of comparison between different vehicle models. Because of the need to maintain strict comparability of results achieved by the standard tests, they cannot be fully representative of real-life driving conditions. Variations in driving styles and in road, vehicle and ambient conditions. will have a bearing on the results achieved on the road. For these reasons consumption achieved on the road will not necessarily accord with these verified values.			
Based on lightest variable (no options) and 90% tank filling. Weight may vary depending on options fitted to vehicle.			
Dimensions, capacities and abilities apply to standard vehicles.			
The above information was effective as at Feb 2026 and is subject to change.			



Commercial
Vehicles

*Local specification may differ from model shown