

# Amarok





# Amarok Specifications

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 2.0 TDI 103kW Comfortline	Amarok Double Cab 2.0 TDI 103kW 4MOTION® Comfortline	Amarok Double Cab 2.0 BiTDI® 132kW 4MOTION® Auto Dark Label	Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Canyon
<b>Engine</b>				
Cylinders	4	4	4	V6
Capacity (cm³)	1968	1968	1968	2967
Output (kW @ r/min)	103 @ 3500	103 @ 3500	132 @ 4000	165 @ 3000-4500
Torque (Nm @ r/min)	340 @ 1600-2250	340 @ 1600-2250	420 @ 1500-2000	550 @ 1400-2750
CO <sub>2</sub> emissions (g/km)**	199	203	219	232
<b>Transmission</b>				
6-speed manual	X	X	-	-
8-speed automatic	-	-	X	X
<b>Performance</b>				
Acceleration in seconds (0-100 km/h)	13,3	13,5	11,3	8,0
Top speed (km/h)	169	167	179	197
<b>Fuel Consumption</b>				
Urban cycle (litres/100 km)**	10,0	10,3	11,0	11,3
Extra-urban cycle (litres/100 km)**	7,1	7,3	7,7	8,7
Combined cycle (litres/100 km)**	8,2	8,4	8,9	9,7
<b>Running Gear</b>				
Independent suspension with double triangular wishbone spring and damper, front	X	X	X	X
Multilayer rigid axle with leaf springs, rear	X	X	X	X
Front and rear stabilisers	X	X	X	X
Rear-wheel drive	X	-	-	-
Shiftable 4WD with low range gears	-	X	-	-
Permanent 4WD	-	-	X	X
<b>Brakes</b>				
Hydraulic braking system with ventilated disc brakes, front (16")	X	X	X	-
Hydraulic braking system with ventilated disc brakes, front (17")	-	-	-	X
Brake drum in the rear	X	X	X	-
16-inch brake disc in the rear	-	-	-	X
ESC (Electronic Stabilisation Control) with brake assistant and Hill Start/Hill Descent Assist	X	X	X	X
ABS (Anti-lock Braking System) incl. offroad ABS	X	X	X	X
ASR (Anti-Slip Regulation)	X	X	X	X
TCS (Traction Control System)	X	X	X	X
EDL (Electronic Differential Lock)	X	X	X	X
EBD (Electronic Brake-force Distribution)	X	X	X	X
HVV (maximum rear axle deceleration)	X	X	X	X
MSR (engine drag torque control)	X	X	X	X
Mechanical locking differential, rear	X	X	X	X
<b>Wheelrims / Tyres</b>				
"Posadas" 8J x 17" alloy wheels with 245/65 R17 111T tyres and anti-theft wheel bolts	X	X	-	-

# Amarok Specifications

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 2.0 TDI 103kW Comfortline	Amarok Double Cab 2.0 TDI 103kW 4MOTION® Comfortline	Amarok Double Cab 2.0 BiTDI® 132kW 4MOTION® Auto Dark Label	Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Canyon
<b>Wheelrims / Tyres (continued)</b>				
"Aragua" 8J x 17" alloy wheels with 245/65 R17 111T tyres and anti-theft wheel bolts	-	-	-	X
"Manaus" 7.5J x 18" alloy wheels with 255/60 R18 112T tyres and anti-theft wheel bolts	-	-	-	X
"Rawson" 7.5J x 18" alloy wheels with 255/60 R18 112T tyres and anti-theft wheel bolts	-	-	X	-
"Talca" 8J x 20" alloy wheels with 255/50 R20 109H tyres and anti-theft wheel bolts	-	-	-	-
Full-sized spare wheel (alloy)	X	X	X	X
<b>Dimensions / Capacities</b>				
Fuel tank (litres)	80	80	80	80
Vehicle Length (mm)	5254	5254	5254	5254
Vehicle Height (mm)	1834	1834	1834	1834
Vehicle Width excl. mirrors (mm)	1954	1954	1954	1954
Wheelbase (mm)	3097	3097	3097	3097
Turning circle (m)	12,95	12,95	12,95	12,95
Ground Clearance (mm) - measured under the front axle	192	192	192	192
Load compartment length (mm)	1555	1555	1555	1555
Load compartment width (mm)	1620	1620	1620	1620
Load compartment width between wheelhouses (mm)	1222	1222	1222	1222
Load compartment height (mm)	508	508	508	508
Loading sill height (mm)	780	780	780	780
Load compartment area (m²)	2,52	2,52	2,52	2,52
Gross Vehicle Mass (GVM) (kg)	2820	2820	2820	2920
Gross Vehicle Mass (GVM) (kg) with heavy-duty leaf springs (3+2) (Optional)	3040	3040	3040	3080
Gross Combined Mass (GCM) (kg)	5550	5550	5950	6000
Axle load limit front/rear (kg)	1325/1620	1375/1620	1415/1620	1445/1860
Trailer weight braked/unbraked, 12% gradient (kg)	2800/750	3000/750	3200/750	3300/750
Payload without driver (kg)	936	849	838	867
Payload without driver (kg) with heavy-duty leaf springs (3+2) (Optional)	1139	1052	1041	1010
Unladen Mass without driver and fuel (kg)	1884	1971	1982	2053
Unladen Mass without driver and fuel (kg) with heavy-duty leaf springs (3+2) (Optional)	1901	1988	1999	2070
Roof load limit (kg)	100	100	100	100
Trailer nose weight (kg)	120	120	130	130
Approach/Departure angle (degrees)	29.5/23.6	29.5/23.6	29.5/23.6	28 / 23.6
Ramp angle (degrees)	23	21,4	21,4	21,4
Roll over angle (degrees)	49,7	49,7	49,7	49,7
Wading depth (mm)	500	500	500	500
<b>Seats</b>				
Number of seats	5	5	5	5

# Amarok Specifications

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 2.0 TDI 103kW Comfortline	Amarok Double Cab 2.0 TDI 103kW 4MOTION® Comfortline	Amarok Double Cab 2.0 BiTDI® 132kW 4MOTION® Auto Dark Label	Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Canyon
<b>Seats (continued)</b>				
Height-adjustable head restraints	2 front and 2 rear	2 front and 2 rear	2 front and 3 rear	2 front and 3 rear
Height-adjustable front seats	X	X	X	X
Lumbar support adjustable front seats (power-adjustable on Extreme)	-	-	X	X
Folding 3-seater rear bench seat	X	X	X	X
Fabric seat coverings "Kemisu"	X	X	-	-
Fabric seat coverings "Salipra"	-	-	-	-
Leather seat coverings "Vienna"	-	-	X	X
Seat trim covers in special edition Canyon	-	-	-	X
Special edition "Nappa" leather* seat trim covers	-	-	-	-
Seat heating for driver and front passenger seats	-	-	O	O
"ERGOCOMFORT" driver and front passenger seat with 14-way adjustment	-	-	-	-
Storage drawers under front seats	X	X	X	X
<b>Windows</b>				
Electrically adjustable windows - front and rear	X	X	X	X
Heat-insulating glass all round	X	X	X	X
Heated rear window	X	X	X	X
Privacy glass in rear seat area	-	-	X	X
<b>Mirrors</b>				
Electrically adjustable and heated exterior mirrors	X	X	X	X
Electrically foldable, adjustable and heated exterior mirrors	O	O	-	X
<b>Wiper System</b>				
Intermittent wipers	X	X	-	X
intermittent wipers with rain sensors	-	-	X	X
<b>Safety</b>				
Driver and front passenger airbag	X	X	X	X
Front passenger airbag deactivation	X	X	X	X
Front head/thorax side airbags	-	-	X	X
High level third LED brake light with load compartment lighting	X	X	X	X
3-point automatic seatbelts	2 front and 2 rear	2 front and 2 rear	2 front and 3 rear	2 front and 3 rear
Height adjustable seatbelts	Front	Front	Front	Front
Warning buzzer and light for driver and front passenger seatbelt not fastened	X	X	X	X
intermittent wipers with rain sensors	-	-	X	X
Anchorage points (2) for ISOFIX child-seat attachment on rear 3-seater bench	-	-	X	X
Halogen daytime running lights / LED daytime running lights with Bi-Xenon	X	X	X	X
First Aid kit and warning triangle	X	X	X	X
Park distance control, front and rear	O	O	X	-
Park Distance Control, front and rear, with rear-view camera	-	-	O	X

# Amarok Specifications

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 2.0 TDI 103kW Comfortline	Amarok Double Cab 2.0 TDI 103kW 4MOTION® Comfortline	Amarok Double Cab 2.0 BiTDI® 132kW 4MOTION® Auto Dark Label	Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Canyon
<b>Safety (continued)</b>				
Tyre Pressure Monitoring System	X	X	X	X
<b>Security</b>				
Immobiliser	X	X	X	X
Remote-controlled central locking	X	X	X	X
Anti-theft alarm system with passenger compartment control and towing protection	X	X	X	X
Steering lock, unbreakable	X	X	X	X
Lockable glove box	X	X	X	X
Lockable tailgate	X	X	X	X
<b>Audio and Communication</b>				
Aux-in	X	X	X	X
USB interface (iPod/iPhone/iPad capable)	X	X	X	X
App-Connect	X	X	X	X
"Composition Media" infotainment system, 6.33" Touchscreen with voice control	X	X	X	X
"Discover Media" infotainment system, 6.33" Touchscreen with Navigation	-	-	-	O
Bluetooth cellphone interface	X	X	X	X
6 speakers	X	X	X	X
Antenna integrated in exterior mirrors	X	X	X	X
<b>Interior Features</b>				
Climatic® airconditioning system (semi-automatic)	X	X	X	-
Climatronic airconditioning system, two zone (fully-automatic)	-	-	O	X
Black Greenhouse roof lining	-	-	X	X
Power-steering	X	X	X	X
Leather-wrapped* steering wheel	X	X	-	-
Leather-wrapped* multi-function steering wheel, 3-spoke	O	O	X	X
Leather* hand-brake and gear-shift lever	X	X	X	X
Stainless steel appearance pedal caps	-	-	-	-
Multi-function onboard computer (MFA)	Standard display	Standard display	"Plus" display	"Plus" display
Carpet floor covering for front and rear passenger compartment	X	X	X	X
Fabric floor mats with "Extreme" lettering	-	-	-	-
Anti-dazzle rear-view mirror	X	X	X	X
Sunvisor with vanity mirror	Driver and Passenger	Driver and Passenger	Driver and Passenger	Driver and Passenger
Center console storage box with upholstered cover for armrest	X	X	X	X
Doors with stowage pockets each and integrated bottle holders	X	X	X	X
Cup holders front (2) and rear (2)	X	X	X	X
Spectacle storage compartment	X	X	X	X
Smoking package	X	X	X	X
Interior lights with front reading lights	X	X	X	X

# Amarok Specifications

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 2.0 TDI 103kW Comfortline	Amarok Double Cab 2.0 TDI 103kW 4MOTION® Comfortline	Amarok Double Cab 2.0 BiTDI® 132kW 4MOTION® Auto Dark Label	Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Canyon
<b>Interior Features (continued)</b>				
Height- and reach-adjustable steering wheel	X	X	X	X
Headlight-range adjustment	X	X	X	X
Light & sight package with auto light and rain sensor	-	-	X	X
Cruise control	X	X	X	X
12V socket in centre console, dashboard and load box (2nd row seats, Highline models)	X	X	X	X
<b>Exterior Features</b>				
Halogen headlamps with daytime running lights	X	X	-	-
Bi-xenon headlamps with LED daytime running lights	-	-	X	X
Darkened tail light cluster	-	-	X	X
Licence plate light	-	-	X	X
Fog lights - front static	X	X	-	-
Fog lights - front with cornering function	-	-	X	X
Rear fog lights	X	X	X	X
Chrome strip in upper radiator grille (six vertical chrome ribs on Highline models)	Single	Single	Double	Double
Body-coloured exterior mirror housings (incl. chrome application on Highline models)	X	X	X	X
Front bumper in body colour	X	X	-	-
Front bumper in body colour with chrome applications	-	-	X	X
Rear bumper with integrated step, black	X	X	X	X
Rear bumper with integrated step, chrome-plated	-	-	-	-
Flared wheel arches	X	X	X	X
Front and rear mudflaps	X	X	X	X
B-column covered with black film	-	-	X	X
Side "4MOTION®" decal	-	-	X	X
Trailer hitch preparation	X	X	X	X
Lashing points (x4) in loadbox for load restraint	X	X	X	X
<b>Options</b>				
Increased GVM from 2.8t to 3.0t (incl. heavy-duty leaf springs)	O	O	O	X
Electrically foldable exterior mirrors	O	O	-	X
Bi-xenon headlamps with LED daytime running lights	-	-	X	X
Climatronic airconditioning system, two zone (fully-automatic)	-	-	O	X
Front and rear park distance control	O	O	X	-
Front and rear park distance control with rear-view camera	-	-	O	X
Multi-function steering wheel	O	O	X	X
Leather-wrapped* multi-function steering wheel, 3-spoke with shifting paddles	-	-	-	X
Rubber floor covering for front and rear passenger compartment	O	O	O	-
Sports Bar in body colour	-	-	-	-
'Albany' 17" alloy wheels	-	-	-	-

# Amarok Specifications

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 2.0 TDI 103kW Comfortline	Amarok Double Cab 2.0 TDI 103kW 4MOTION® Comfortline	Amarok Double Cab 2.0 BiTDI® 132kW 4MOTION® Auto Dark Label	Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Canyon
<b>Options (continued)</b>	-	-	-	-
'Cantera' 19" alloy wheels	-	-	-	-
'Milford' 19" alloy wheels	-	-	-	O
<b>Guarantees</b>				
3-year / 100,000 km manufacturer warranty	X	X	X	X
5-year / 90,000 km Volkswagen EasyDrive Vehicle Service Plan	X	X	X	X
15,000 km service intervals	X	X	X	X
6-year anti-corrosion warranty	X	X	X	X

## Disclaimer

1. Dimensions, capacities and abilities apply to standard vehicles.
2. Actual consumption will vary with vehicle loading, driving style, climatic and road conditions.
3. This information was effective as at 01 January 2020 valid for model year 20 and is subject to change without notice.

All diesel vehicles require low sulphur grade diesel of 50 ppm or lower.

## \*Fuel Consumption and Carbon Dioxide Emission Figures

Fuel consumption and CO<sub>2</sub> emissions values were obtained in accordance with the prescribed uniform measuring standard (SANS 20101: 2006 / ECE R101: 2005 in its currently applicable version). The verified values do not apply to a specific vehicle and do not constitute part of the product offer. They are provided solely for the purposes of comparison between different vehicle models. Because of the need to maintain strict comparability of results achieved by the standard tests, they cannot be fully representative of real-life driving conditions. Variations in driving styles and in road, vehicle and ambient conditions, will have a bearing on the results achieved on the road. For these reasons consumption achieved on the road will not necessarily accord with these verified values. Based on lightest variable (no options) and 90% tank filling. Weight may vary depending on options fitted to vehicle. All measurements listed are based on series vehicles. Because of manufacturing tolerances/tyre sizes/type of chassis, the actual dimensions may differ slightly from the values stated here. The information about the degree of slope angle front and rear as well as the ramp angle each refer to the loaded condition of the vehicle in consideration of the gross vehicle weight.

\*\*A combination of leather and high quality durable materials.



# Amarok Specifications

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 2.0 BiTDI® 132kW 4MOTION® Highline	Amarok Double Cab 2.0 BiTDI® 132kW Auto Highline	Amarok Double Cab 2.0 BiTDI® 132kW 4MOTION® Auto Highline	Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Highline
<b>Engine</b>				
Cylinders	4	4	4	V6
Capacity (cm <sup>3</sup> )	1968	1968	1968	2967
Output (kW @ r/min)	132 @ 4000	132 @ 4000	132 @ 4000	165 @ 3000 - 4500
Torque (Nm @ r/min)	400 @ 1500-2000	420 @ 1500-2000	420 @ 1500-2000	550 @ 1400 -2750
CO <sub>2</sub> emissions (g/km)**	211	216	219	232
<b>Transmission</b>				
6-speed manual	X	-	-	-
8-speed automatic	-	X	X	X
<b>Performance</b>				
Acceleration in seconds (0-100 km/h)	11,0	11,0	11,3	8,0
Top speed (km/h)	183	180	179	197
<b>Fuel Consumption</b>				
Urban cycle (litres/100 km)**	10,6	10,1	11,0	11,3
Extra-urban cycle (litres/100 km)**	7,5	7,4	7,6	8,7
Combined cycle (litres/100 km)**	8,6	8,4	8,9	9,7
<b>Running Gear</b>				
Independent suspension with double triangular wishbone spring and damper, front	X	X	X	X
Multilayer rigid axle with leaf springs, rear	X	X	X	X
Front and rear stabilisers	X	X	X	X
Rear-wheel drive	-	X	-	-
Shiftable 4WD with low range gears	X	-	-	-
Permanent 4WD	-	-	X	X
<b>Brakes</b>				
Hydraulic braking system with ventilated disc brakes, front (16")	X	X	X	-
Hydraulic braking system with ventilated disc brakes, front (17")	-	-	-	X
Brake drum in the rear	X	X	X	-
16-inch brake disc in the rear	-	-	-	X
ESC (Electronic Stabilisation Control) with brake assistant and Hill Start/Hill Descent Assist	X	X	X	X
ABS (Anti-lock Braking System) incl. offroad ABS	X	X	X	X
ASR (Anti-Slip regulation)	X	X	X	X
TCS (Traction Control System)	X	X	X	X
EDL (Electronic Differential Lock)	X	X	X	X
EBD (Electronic Brake-force Distribution)	X	X	X	X
HVV (maximum rear axle deceleration)	X	X	X	X
MSR (engine drag torque control)	X	X	X	X
Mechanical locking differential, rear	X	X	X	X

# Amarok Specifications

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 2.0 BITDI® 132kW 4MOTION® Highline	Amarok Double Cab 2.0 BITDI® 132kW Auto Highline	Amarok Double Cab 2.0 BITDI® 132kW 4MOTION® Auto Highline	Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Highline
<b>Wheelrims / Tyres</b>				
"Posadas" 8J x 17" alloy wheels with 245/65 R17 111T tyres and anti-theft wheel bolts	-	-	-	-
"Manaus" 7.5J x 18" alloy wheels with 255/60 R18 112T tyres and anti-theft wheel bolts	X	X	X	X
"Rawson" 7.5J x 18" alloy wheels with 255/60 R18 112T tyres and anti-theft wheel bolts	-	-	-	-
"Talca" 8J x 20" alloy wheels with 255/50 R20 109H tyres and anti-theft wheel bolts	-	-	-	-
Full-sized spare wheel (alloy)	X	X	X	X
<b>Dimensions / Capacities</b>				
Fuel tank (litres)	80	80	80	80
Vehicle Length (mm)	5254	5254	5254	5254
Vehicle Height (mm)	1834	1834	1834	1834
Vehicle Width excl. mirrors (mm)	1954	1954	1954	1954
Wheelbase (mm)	3097	3097	3097	3097
Turning circle (m)	12,95	12,95	12,95	12,95
Ground Clearance (mm) - measured under the front axle	192	192	192	192
Load compartment length (mm)	1555	1555	1555	1555
Load compartment width (mm)	1620	1620	1620	1620
Load compartment width between wheelhouses (mm)	1222	1222	1222	1222
Load compartment height (mm)	508	508	508	508
Loading sill height (mm)	780	780	780	780
Load compartment area (m²)	2,52	2,52	2,52	2,52
Gross Vehicle Mass (GVM) (kg)	2820	2820	2820	2920
Gross Vehicle Mass (GVM) (kg) with heavy-duty leaf springs (3+2) (Optional)	3040	3040	3040	3080
Gross Combined Mass (GCM) (kg)	5550	5550	5950	6000
Axle load limit front/rear (kg)	1385/1620	1365/1620	1415/1620	1445/1630
Trailer weight braked/unbraked, 12% gradient (kg)	3000/750	2800/750	3200/750	3500/750
Payload without driver (kg)	838	912	838	867
Payload without driver (kg) with heavy-duty leaf springs (3+2)	1041	1115	1041	1010
Unladen Mass without driver and fuel (kg)	1982	1908	1982	2053
Unladen Mass without driver and fuel (kg) with heavy-duty leaf springs (3+2)	1999	1925	1999	2070
Roof load limit (kg)	100	100	100	100
Trailer nose weight (kg)	120	120	130	130
Approach/Departure angle (degrees)	29.5/23.6	29.5/23.6	29.5/23.6	28/23.6
Ramp angle (degrees)	21,4	23	21,4	21,4
Roll over angle (degrees)	49,7	49,7	49,7	49,7
Wading depth (mm)	500	500	500	500
<b>Seats</b>				
Number of seats	5	5	5	5
Height-adjustable head restraints	2 front and 3 rear	2 front and 3 rear	2 front and 3 rear	2 front and 3 rear

# Amarok Specifications

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 2.0 BiTDI® 132kW 4MOTION® Highline	Amarok Double Cab 2.0 BiTDI® 132kW Auto Highline	Amarok Double Cab 2.0 BiTDI® 132kW 4MOTION® Auto Highline	Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Highline
<b>Seats (continued)</b>				
Height-adjustable front seats	X	X	X	X
Lumbar support adjustable front seats (power-adjustable on Extreme)	X	X	X	X
Folding 3-seater rear bench seat	X	X	X	X
Fabric seat coverings "Kemisu"	-	-	-	-
Fabric seat coverings "Salipra"	X	X	X	X
Leather* seat coverings "Vienna"	O	O	O	O
Special edition "Nappa" leather* seat trim covers	-	-	-	-
Seat heating for driver and front passenger seats	-	-	-	-
"ERGOCOMFORT" driver and front passenger seat with 14-way adjustment	-	-	-	-
Storage drawers under front seats	X	X	X	X
<b>Windows</b>				
Electrically adjustable windows - front and rear	X	X	X	X
Heat-insulating glass all round	X	X	X	X
Heated rear window	X	X	X	X
Privacy glass in rear seat area	X	X	X	X
<b>Mirrors</b>				
Electrically adjustable and heated exterior mirrors	X	X	X	X
Electrically foldable, adjustable and heated exterior mirrors	X	X	X	X
<b>Wiper System</b>				
Intermittent wipers	X	X	X	X
intermittent wipers with rain sensors	-	-	-	-
<b>Safety</b>				
Driver and front passenger airbag	X	X	X	X
Front passenger airbag deactivation	X	X	X	X
Front head/thorax side airbags	X	X	X	X
High level third LED brake light with load compartment lighting	X	X	X	X
3-point automatic seatbelts	2 front and 3 rear	2 front and 3 rear	2 front and 3 rear	2 front and 3 rear
Height adjustable seatbelts	Front	Front	Front	Front
Warning buzzer and light for driver and front passenger seatbelt not fastened	X	X	X	X
Anchorage points (2) for ISOFIX child-seat attachment on rear 3-seater bench	X	X	X	X
Halogen daytime running lights / LED daytime running lights with Bi-Xenon	X	X	X	X
First Aid kit and warning triangle	X	X	X	X
Park distance control, front and rear	X	X	X	X
Park Distance Control, front and rear, with rear-view camera	O	O	O	O
Tyre Pressure Monitoring System	X	X	X	X
<b>Security</b>				
Immobiliser	X	X	X	X

# Amarok Specifications

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 2.0 BiTDI® 132kW 4MOTION® Highline	Amarok Double Cab 2.0 BiTDI® 132kW Auto Highline	Amarok Double Cab 2.0 BiTDI® 132kW 4MOTION® Auto Highline	Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Highline
<b>Security (continued)</b>				
Remote-controlled central locking	X	X	X	X
Anti-theft alarm system with passenger compartment control and towing protection	X	X	X	X
Steering lock, unbreakable	X	X	X	X
Lockable glove box	X	X	X	X
Lockable tailgate	X	X	X	X
<b>Audio and Communication</b>				
Aux-in	X	X	X	X
USB interface (iPod/iPhone/iPad capable)	X	X	X	X
App-Connect	X	X	X	X
"Composition Media" infotainment system, 6.33" Touchscreen with voice control	X	X	X	X
Bluetooth cellphone interface	X	X	X	X
6 speakers	X	X	X	X
Antenna integrated in exterior mirrors	X	X	X	X
<b>Interior Features</b>				
Climatic® airconditioning system (semi-automatic)	-	-	-	-
Climatronic airconditioning system, two zone (fully-automatic)	X	X	X	X
Black Greenhouse roof lining	-	-	-	-
Power-steering	X	X	X	X
Leather-wrapped* steering wheel	-	-	-	-
Leather-wrapped* multi-function steering wheel, 3-spoke	X	X	X	-
Leather* hand-brake and gear-shift lever	X	X	X	X
Stainless steel appearance pedal caps	-	-	-	-
Multi-function onboard computer (MFA)	"Plus" display	"Plus" display	"Plus" display	"Plus" display
Carpet floor covering for front and rear passenger compartment	X	X	X	X
Fabric floor mats with "Extreme" lettering	-	-	-	-
Anti-dazzle rear-view mirror	X	X	X	X
Sunvisor with vanity mirror	Driver and Passenger	Driver and Passenger	Driver and Passenger	Driver and Passenger
Center console storage box with upholstered cover for armrest	X	X	X	X
Doors with stowage pockets each and integrated bottle holders	X	X	X	X
Cup holders front (2) and rear (2)	X	X	X	X
Spectacle storage compartment	X	X	X	X
Smoking package	X	X	X	X
Interior lights with front reading lights	X	X	X	X
Height- and reach-adjustable steering wheel	X	X	X	X
Headlight-range adjustment	X	X	X	X
Light & sight package with auto light and rain sensor	-	-	-	-
Cruise control	X	X	X	X

# Amarok Specifications

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 2.0 BiTDI® 132kW 4MOTION® Highline	Amarok Double Cab 2.0 BiTDI® 132kW Auto Highline	Amarok Double Cab 2.0 BiTDI® 132kW 4MOTION® Auto Highline	Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Highline
<b>Interior Features (continued)</b>				
12V socket in centre console, dashboard and load box (2nd row seats, Highline models)	X	X	X	X
<b>Exterior Features</b>				
Halogen headlamps with daytime running lights	X	X	X	X
Bi-xenon headlamps with LED daytime running lights	O	O	O	O
Darkened tail light cluster	X	X	X	X
Licence plate light	O	O	O	O
Fog lights - front static	-	-	-	-
Fog lights - front with cornering function	X	X	X	X
Rear fog lights	X	X	X	X
Chrome strip in upper radiator grille (six vertical chrome ribs on Highline models)	Double	Double	Double	Double
Body-coloured exterior mirror housings (incl. chrome application on Highline models)	X	X	X	X
Front bumper in body colour	-	-	-	-
Front bumper in body colour with chrome applications	X	X	X	X
Rear bumper with integrated step, chrome-plated	X	X	X	X
Flared wheel arches	X	X	X	X
Front and rear mudflaps	X	X	X	X
B-column covered with black film	X	X	X	X
Side "4MOTION®" decal	-	-	-	-
Trailer hitch preparation	X	X	X	X
Lashing points (x4) in loadbox for load restraint	X	X	X	X
<b>Options</b>				
Increased GVM from 2.8t to 3.0t (incl. heavy-duty leaf springs)	O	O	O	O
Electrically foldable exterior mirrors	X	X	X	X
Bi-xenon headlamps with LED daytime running lights	O	O	O	O
Climatronic airconditioning system, two zone (fully-automatic)	X	X	X	X
Front and rear park distance control	X	X	X	X
Front and rear park distance control with rear-view camera	O	O	O	O
Light & sight package with auto light and rain sensor	O	O	O	O
Multi-function steering wheel	X	X	X	X
Leather-wrapped* multi-function steering wheel, 3-spoke with shifting paddles	-	-	-	O
Rubber floor covering for front and rear passenger compartment	O	O	O	O
Sports Bar in body colour	-	-	-	-
'Albany' 17" alloy wheels	O	O	O	O
'Cantera' 19" alloy wheels	O	O	O	O
'Milford' 19" alloy wheels	O	O	O	O

# Amarok Specifications

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 2.0 BiTDI® 132kW 4MOTION® Highline	Amarok Double Cab 2.0 BiTDI® 132kW Auto Highline	Amarok Double Cab 2.0 BiTDI® 132kW 4MOTION® Auto Highline	Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Highline
<b>Guarantees</b>				
3-year / 100,000 km manufacturer warranty	X	X	X	X
5-year / 90,000 km Volkswagen EasyDrive Vehicle Service Plan	X	X	X	X
15,000 km service intervals	X	X	X	X
6-year anti-corrosion warranty	X	X	X	X

## Disclaimer

1. Dimensions, capacities and abilities apply to standard vehicles.
2. Actual consumption will vary with vehicle loading, driving style, climatic and road conditions.
3. This information was effective as at 01 January 2020 valid for model year 20 and is subject to change without notice.

All diesel vehicles require low sulphur grade diesel of 50 ppm or lower.

## \*Fuel Consumption and Carbon Dioxide Emission Figures

Fuel consumption and CO<sub>2</sub> emissions values were obtained in accordance with the prescribed uniform measuring standard (SANS 20101: 2006 / ECE R101: 2005 in its currently applicable version). The verified values do not apply to a specific vehicle and do not constitute part of the product offer. They are provided solely for the purposes of comparison between different vehicle models. Because of the need to maintain strict comparability of results achieved by the standard tests, they cannot be fully representative of real-life driving conditions. Variations in driving styles and in road, vehicle and ambient conditions, will have a bearing on the results achieved on the road. For these reasons consumption achieved on the road will not necessarily accord with these verified values. Based on lightest variable (no options) and 90% tank filling. Weight may vary depending on options fitted to vehicle. All measurements listed are based on series vehicles. Because of manufacturing tolerances/tyre sizes/type of chassis, the actual dimensions may differ slightly from the values stated here. The information about the degree of slope angle front and rear as well as the ramp angle each refer to the loaded condition of the vehicle in consideration of the gross vehicle weight.

\*\*A combination of leather and high quality durable materials.

# Amarok Specifications

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 2.0 BiTDI® 132kW Auto Highline PLUS	Amarok Double Cab 2.0 BiTDI® 132kW 4MOTION® Auto Highline PLUS	Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Highline PLUS
<b>Engine</b>			
Cylinders	4	4	V6
Capacity (cm³)	1968	1968	2967
Output (kW @ r/min)	132 @ 4000	132 @ 4000	165 @ 3000 - 4500
Torque (Nm @ r/min)	420 @ 1500-2000	420 @ 1500-2000	550 @ 1400 -2750
CO <sub>2</sub> emissions (g/km)**	216	219	232
<b>Transmission</b>			
6-speed manual	-	-	-
8-speed automatic	X	X	X
<b>Performance</b>			
Acceleration in seconds (0-100 km/h)	11,0	11,3	8,0
Top speed (km/h)	180	179	197
<b>Fuel Consumption</b>			
Urban cycle (litres/100 km)**	10,1	11,0	11,3
Extra-urban cycle (litres/100 km)**	7,4	7,6	8,7
Combined cycle (litres/100 km)**	8,4	8,9	9,7
<b>Running Gear</b>			
Independent suspension with double triangular wishbone spring and damper, front	X	X	X
Multilayer rigid axle with leaf springs, rear	X	X	X
Front and rear stabilisers	X	X	X
Rear-wheel drive	X	-	-
Shiftable 4WD with low range gears	-	-	-
Permanent 4WD	-	X	X
<b>Brakes</b>			
Hydraulic braking system with ventilated disc brakes, front (16")	X	X	-
Hydraulic braking system with ventilated disc brakes, front (17")	-	-	X
Brake drum in the rear	X	X	-
16-inch brake disc in the rear	-	-	X
ESC (Electronic Stabilisation Control) with brake assistant and Hill Start/Hill Descent Assist	X	X	X
ABS (Anti-lock Braking System) incl. offroad ABS	X	X	X
ASR (Anti-Slip regulation)	X	X	X
TCS (Traction Control System)	X	X	X
EDL (Electronic Differential Lock)	X	X	X
EBD (Electronic Brake-force Distribution)	X	X	X
HVV (maximum rear axle deceleration)	X	X	X
MSR (engine drag torque control)	X	X	X
Mechanical locking differential, rear	X	X	X
Full-sized spare wheel (alloy)	X	X	X

# Amarok Specifications

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 2.0 BiTDI® 132kW Auto Highline PLUS	Amarok Double Cab 2.0 BiTDI® 132kW 4MOTION® Auto Highline PLUS	Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Highline PLUS
<b>Wheelrims / Tyres</b>			
"Posadas" 8J x 17" alloy wheels with 245/65 R17 111T tyres and anti-theft wheel bolts	-	-	-
"Manaus" 7.5J x 18" alloy wheels with 255/60 R18 112T tyres and anti-theft wheel bolts	X	X	X
"Rawson" 7.5J x 18" alloy wheels with 255/60 R18 112T tyres and anti-theft wheel bolts	-	-	-
"Talca" 8J x 20" alloy wheels with 255/50 R20 109H tyres and anti-theft wheel bolts	-	-	-
Full-sized spare wheel (alloy)	X	X	X
<b>Dimensions / Capacities</b>			
Fuel tank (litres)	80	80	80
Vehicle Length (mm)	5254	5254	5254
Vehicle Height (mm)	1834	1834	1834
Vehicle Width excl. mirrors (mm)	1954	1954	1954
Wheelbase (mm)	3097	3097	3097
Turning circle (m)	12,95	12,95	12,95
Ground Clearance (mm) - measured under the front axle	192	192	192
Load compartment length (mm)	1555	1555	1555
Load compartment width (mm)	1620	1620	1620
Load compartment width between wheelhouses (mm)	1222	1222	1222
Load compartment height (mm)	508	508	508
Loading sill height (mm)	780	780	780
Load compartment area (m²)	2,52	2,52	2,52
Gross Vehicle Mass (GVM) (kg)	2820	2820	2920
Gross Vehicle Mass (GVM) (kg) with heavy-duty leaf springs (3+2) (*Optional)	3040	3040	3080
Gross Combined Mass (GCM) (kg)	5550	5950	6000
Axle load limit front/rear (kg)	1365/1620	1415/1620	1445/1630
Trailer weight braked/unbraked, 12% gradient (kg)	2800/750	3200/750	3500/750
Payload without driver (kg)	912	838	867
Payload without driver (kg) with heavy-duty leaf springs (3+2)	1115	1041	1010
Unladen Mass without driver and fuel (kg)	1908	1982	2053
Unladen Mass without driver and fuel (kg) with heavy-duty leaf springs (3+2)	1925	1999	2070
Roof load limit (kg)	100	100	100
Trailer nose weight (kg)	120	130	130
Approach/Departure angle (degrees)	29.5/23.6	29.5/23.7	28/23.6
Ramp angle (degrees)	23	21,4	21,4
Roll over angle (degrees)	49,7	49,7	49,7
Wading depth (mm)	500	500	500
<b>Seats</b>			
Number of seats	5	5	5



# Amarok Specifications

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 2.0 BiTDI® 132kW Auto Highline PLUS	Amarok Double Cab 2.0 BiTDI® 132kW 4MOTION® Auto Highline PLUS	Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Highline PLUS
<b>Seats (continued)</b>			
Height-adjustable head restraints	2 front and 3 rear	3 front and 3 rear	2 front and 3 rear
Height-adjustable front seats	X	X	X
Lumbar support adjustable front seats (power-adjustable on Extreme)	X	X	X
Folding 3-seater rear bench seat	X	X	X
Fabric seat coverings "Kemisu"	-	-	-
Fabric seat coverings "Salipra"	-	-	-
Leather* seat coverings "Vienna"	X	X	X
Special edition "Nappa" leather* seat trim covers	-	-	-
Seat heating for driver and front passenger seats	O	O	O
"ERGOComfort" driver and front passenger seat with 14-way adjustment	-	-	-
Storage drawers under front seats	X	X	X
<b>Windows</b>			
Electrically adjustable windows - front and rear	X	X	X
Heat-insulating glass all round	X	X	X
Heated rear window	X	X	X
Privacy glass in rear seat area	X	X	X
<b>Mirrors</b>			
Electrically adjustable and heated exterior mirrors	X	X	X
Electrically foldable, adjustable and heated exterior mirrors	X	X	X
<b>Wiper System</b>			
Intermittent wipers	X	X	X
Intermittent wipers with rain sensors	X	X	X
<b>Safety</b>			
Driver and front passenger airbag	X	X	X
Front passenger airbag deactivation	X	X	X
Front head/thorax side airbags	X	X	X
High level third LED brake light with load compartment lighting	X	X	X
3-point automatic seatbelts	2 front and 3 rear	2 front and 3 rear	2 front and 3 rear
Height adjustable seatbelts	Front	Front	Front
Warning buzzer and light for driver and front passenger seatbelt not fastened	X	X	X
Anchorage points (2) for ISOFIX child-seat attachment on rear 3-seater bench	X	X	X
Halogen daytime running lights / LED daytime running lights with Bi-Xenon	X	X	X
LED daytime running lights with Bi-Xenon	X	X	X
First Aid Kit and warning triangle	X	X	X
Park distance control, front and rear	-	-	-
Park Distance Control, front and rear, with rear-view camera	X	X	X
Tyre Pressure Monitoring System	X	X	X

# Amarok Specifications

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 2.0 BiTDI® 132kW Auto Highline PLUS	Amarok Double Cab 2.0 BiTDI® 132kW 4MOTION® Auto Highline PLUS	Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Highline PLUS
<b>Security</b>			
Immobiliser	X	X	X
Remote controlled central locking	X	X	X
Anti-theft alarm system with passenger compartment control and towing protection	X	X	X
Steering lock, unbreakable	X	X	X
Lockable glove box	X	X	X
Lockable tailgate	X	X	X
<b>Audio and Communication</b>			
Aux-in	X	X	X
USB interface (iPod/iPhone/iPad capable)	X	X	X
App-Connect	X	X	X
"Discover Media" infotainment system, 6.33" Touchscreen with Navigation	X	X	X
Bluetooth cellphone interface	X	X	X
6 speakers	X	X	X
Antenna integrated in exterior mirrors	X	X	X
<b>Interior Features</b>			
Climatic® airconditioning system (semi-automatic)	-	-	-
Climatronic airconditioning system, two zone (fully-automatic)	X	X	X
Black Greenhouse roof lining	-	-	-
Power-steering	X	X	X
Leather-wrapped* steering wheel	-	-	-
Leather-wrapped* multi-function steering wheel, 3-spoke	X	X	-
Leather* hand-brake and gear-shift lever	X	X	X
Stainless steel appearance pedal caps	-	-	-
Multi-function onboard computer (MFA)	"Plus" display	"Plus" display	"Plus" display
Carpet floor covering for front and rear passenger compartment	X	X	X
Fabric floor mats with "Extreme" lettering	-	-	-
Anti-dazzle rear-view mirror	X	X	X
Sunvisor with vanity mirror	Driver and Passenger	Driver and Passenger	Driver and Passenger
Center console storage box with upholstered cover for armrest	X	X	X
Doors with stowage pockets each and integrated bottle holders	X	X	X
Cup holders front (2) and rear (2)	X	X	X
Spectacle storage compartment	X	X	X
Smoking package	X	X	X
Interior lights with front reading lights	X	X	X
Height- and reach-adjustable steering-wheel	X	X	X
Headlight-range adjustment	X	X	X
Light & sight package with auto light and rain sensor	X	X	X

# Amarok Specifications

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 2.0 BiTDI® 132kW Auto Highline PLUS	Amarok Double Cab 2.0 BiTDI® 132kW 4MOTION® Auto Highline PLUS	Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Highline PLUS
<b>Interior Features (continued)</b>			
Cruise control	X	X	X
12V socket in centre console, dashboard and load box (2nd row seats, Highline models)	X	X	X
<b>Exterior Features</b>			
Halogen headlamps with daytime running lights	-	-	-
Bi-xenon headlamps with LED daytime running lights	X	X	X
Darkened tail light cluster	X	X	X
Licence plate light	X	X	X
Fog lights - front static	-	-	-
Fog lights - front with cornering function	X	X	X
Rear fog lights	X	X	X
Chrome strip in upper radiator grille (six vertical chrome ribs on Highline models)	Double	Double	Double
Body-coloured exterior mirror housings (incl. chrome application on Highline models)	X	X	X
Front bumper in body colour	-	-	-
Front bumper in body colour with chrome applications	X	X	X
Rear bumper with integrated step, black	-	-	-
Rear bumper with integrated step, chrome-plated	X	X	X
Flared wheel arches	X	X	X
Front and rear mudflaps	X	X	X
B-column covered with black film	X	X	X
Side "4MOTION®" decal	-	-	-
Trailer hitch preparation	X	X	X
Lashing points (x4) in loadbox for load restraint	X	X	X
<b>Options</b>			
Increased GVM from 2.8t to 3.0t (incl. heavy-duty leaf springs)	O	O	O
Electrically foldable exterior mirrors	X	X	X
Bi-xenon headlamps with LED daytime running lights	X	X	X
Climatronic airconditioning system, two zone (fully-automatic)	X	X	X
Front and rear park distance control	-	-	-
Front and rear park distance control with rear-view camera	X	X	X
Light & sight package with auto light and rain sensor	X	X	X
Multi-function steering wheel	X	X	X
Leather-wrapped* multi-function steering wheel, 3-spoke with shifting paddles	-	-	O
Rubber floor covering for front and rear passenger compartment	O	O	O
Sports Bar in body colour	-	-	-
'Albany' 17" alloy wheels	O	O	O
'Cantera' 19" alloy wheels	O	O	O

# Amarok Specifications

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 2.0 BiTDI® 132kW Auto Highline PLUS	Amarok Double Cab 2.0 BiTDI® 132kW 4MOTION® Auto Highline PLUS	Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Highline PLUS
<b>Options (continued)</b>			
'Milford' 19" alloy wheels	O	O	O
<b>Guarantees</b>			
3-year / 100,000 km manufacturer warranty	X	X	X
5-year / 90,000 km Volkswagen EasyDrive Vehicle Service Plan	X	X	X
15,000 km service intervals	X	X	X
6-year anti-corrosion warranty	X	X	X

## Disclaimer

1. Dimensions, capacities and abilities apply to standard vehicles.
2. Actual consumption will vary with vehicle loading, driving style, climatic and road conditions.
3. This information was effective as at 01 January 2020 valid for model year 20 and is subject to change without notice.

All diesel vehicles require low sulphur grade diesel of 50 ppm or lower.

### \*Fuel Consumption and Carbon Dioxide Emission Figures

Fuel consumption and CO<sub>2</sub> emissions values were obtained in accordance with the prescribed uniform measuring standard (SANS 20101: 2006 / ECE R101: 2005 in its currently applicable version). The verified values do not apply to a specific vehicle and do not constitute part of the product offer. They are provided solely for the purposes of comparison between different vehicle models. Because of the need to maintain strict comparability of results achieved by the standard tests, they cannot be fully representative of real-life driving conditions. Variations in driving styles and in road, vehicle and ambient conditions, will have a bearing on the results achieved on the road. For these reasons consumption achieved on the road will not necessarily accord with these verified values. Based on lightest variable (no options) and 90% tank filling. Weight may vary depending on options fitted to vehicle. All measurements listed are based on series vehicles. Because of manufacturing tolerances/tyre sizes/type of chassis, the actual dimensions may differ slightly from the values stated here. The information about the degree of slope angle front and rear as well as the ramp angle each refer to the loaded condition of the vehicle in consideration of the gross vehicle weight.

\*\*A combination of leather and high quality durable materials.

# Amarok Specifications

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Extreme
<b>Engine</b>	
Cylinders	V6
Capacity (cm <sup>3</sup> )	2967
Output (kW @ r/min)	165 @ 3000 - 4500
Torque (Nm @ r/min)	550 @ 1400 -2750
CO <sub>2</sub> emissions (g/km)**	232
<b>Transmission</b>	
6-speed manual	-
8-speed automatic	X
<b>Performance</b>	
Acceleration in seconds (0-100 km/h)	8,0
Top speed (km/h)	197
<b>Fuel Consumption</b>	
Urban cycle (litres/100 km)**	11,3
Extra-urban cycle (litres/100 km)**	8,7
Combined cycle (litres/100 km)**	9,7
<b>Running Gear</b>	
Independent suspension with double triangular wishbone spring and damper, front	X
Multilayer rigid axle with leaf springs, rear	X
Front and rear stabilisers	X
Rear-wheel drive	-
Shiftable 4WD with low range gears	-
Permanent 4WD	X
<b>Brakes</b>	
Hydraulic braking system with ventilated disc brakes, front (16")	-
Hydraulic braking system with ventilated disc brakes, front (17")	X
Brake drum in the rear	-
16-inch brake disc in the rear	X
ESC (Electronic Stabilisation Control) with brake assistant and Hill Start/Hill Descent Assist	X
ABS (Anti-lock Braking System) incl. offroad ABS	X
ASR (Anti-Slip Regulation)	X
TCS (Traction Control System)	X
EDL (Electronic Differential Lock)	X
EBD (Electronic Brake-force Distribution)	X
HVV (maximum rear axle deceleration)	X
MSR (engine drag torque control)	X
Mechanical locking differential, rear	X
<b>Wheelrims / Tyres</b>	
"Posadas" 8J x 17" alloy wheels with 245/65 R17 111T tyres and anti-theft wheel bolts	-
"Manaus" 7.5J x 18" alloy wheels with 255/60 R18 112T tyres and anti-theft wheel bolts	-
"Rawson" 7.5J x 18" alloy wheels with 255/60 R18 112T tyres and anti-theft wheel bolts	-

# Amarok Specifications

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Extreme
<b>Wheelrims / Tyres (continued)</b>	
"Talca" 8J x 20" alloy wheels with 255/50 R20 109H tyres and anti-theft wheel bolts	X
Full-sized spare wheel (alloy)	X
<b>Dimensions / Capacities</b>	
Fuel tank (litres)	80
Vehicle Length (mm)	5254
Vehicle Height (mm)	1834
Vehicle Width excl. mirrors (mm)	1954
Wheelbase (mm)	3097
Turning circle (m)	12,95
Ground Clearance (mm) - measured under the front axle	192
Load compartment length (mm)	1555
Load compartment width (mm)	1620
Load compartment width between wheelhouses (mm)	1222
Load compartment height (mm)	508
Loading sill height (mm)	780
Load compartment area (m <sup>2</sup> )	2,52
Gross Vehicle Mass (GVM) (kg)	2920
Gross Vehicle Mass (GVM) (kg) with heavy-duty leaf springs (3+2) (Optional)	3080
Gross Combined Mass (GCM) (kg)	6000
Axle load limit front/rear (kg)	1445/1630
Trailer weight braked/unbraked, 12% gradient (kg)	3500/750
Payload without driver (kg)	867
Payload without driver (kg) with heavy-duty leaf springs (3+2)	1010
Unladen Mass without driver and fuel (kg)	2053
Unladen Mass without driver and fuel (kg) with heavy-duty leaf springs (3+2)	2070
Roof load limit (kg)	100
Trailer nose weight (kg)	130
Approach/Departure angle (degrees)	28/23.6
Ramp angle (degrees)	21,4
Roll over angle (degrees)	49,7
Wading depth (mm)	500
<b>Seats</b>	
Number of seats	5
Height-adjustable head restraints	2 front and 3 rear
Height-adjustable front seats	X
Lumbar support adjustable front seats (power-adjustable on Extreme)	X
Folding 3-seater rear bench seat	X
Fabric seat coverings "Kemisu"	-
Fabric seat coverings "Salipra"	-

# Amarok Specifications

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Extreme
<b>Seats (continued)</b>	
Leather* seat coverings "Vienna"	-
Special edition "Nappa" leather seat** trim covers	X
Seat heating for driver and front passenger seats	X
"ERGOComfort" driver and front passenger seat with 14-way adjustment	X
Storage drawers under front seats	-
<b>Windows</b>	
Electrically adjustable windows - front and rear	X
Heat-insulating glass all round	X
Heated rear window	X
Privacy glass in rear seat area	X
<b>Mirrors</b>	
Electrically adjustable and heated exterior mirrors	X
Electrically foldable, adjustable and heated exterior mirrors	X
<b>Wiper System</b>	
Intermittent wipers	X
Intermittent wipers with rain sensors	X
<b>Safety</b>	
Driver and front passenger airbag	X
Front passenger airbag deactivation	X
Front head/thorax side airbags	X
High level third LED brake light with load compartment lighting	X
3-point automatic seatbelts	2 front and 3 rear
Height-adjustable seatbelts	Front
Warning buzzer and light for driver and front passenger seatbelt not fastened	X
Anchorage points (2) for ISOFIX child-seat attachment on rear 3-seater bench	X
LED daytime running lights with Bi-Xenon	X
First Aid kit and warning triangle	X
Park distance control, front and rear	-
Park Distance Control, front and rear, with rear-view camera	X
Tyre Pressure Monitoring System	X
<b>Security</b>	
Immobiliser	X
Remote-controlled central locking	X
Anti-theft alarm system with passenger compartment control and towing protection	X
Steering lock, unbreakable	X
Lockable glove box	X
Lockable tailgate	X
<b>Audio and Communication</b>	
Aux-in	X

# Amarok Specifications

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Extreme
<b>Audio and Communication (continued)</b>	
USB interface (iPod/iPhone/iPad capable)	X
App-Connect	X
"Composition Media" infotainment system, 6.33" Touchscreen with voice control	-
"Discover Media" infotainment system, 6.33" Touchscreen with Navigation	X
Bluetooth cellphone interface	X
6 speakers	X
Antenna integrated in exterior mirrors	X
<b>Interior Features</b>	
Climatic® airconditioning system (semi-automatic)	-
Climatronic airconditioning system, two zone (fully-automatic)	X
Black Greenhouse roof lining	X
Power-steering	X
Leather* hand-brake and gear-shift lever	X
Leather-wrapped* multi-function steering wheel, 3-spoke (with shifting paddles on Extreme)	X
Stainless steel appearance pedal caps	X
Multi-function onboard computer (MFA)	"Premium" display
Carpet floor covering for front and rear passenger compartment	X
Fabric floor mats with "Extreme" lettering	X
Anti-dazzle rear-view mirror	X
Sunvisor with vanity mirror	Driver and Passenger
Center console storage box with upholstered cover for armrest	X
Doors with stowage pockets each and integrated bottle holders	X
Cup holders front (2) and rear (2)	X
Spectacle storage compartment	X
Smoking package	X
Interior lights with front reading lights	X
Height- and reach-adjustable steering wheel	X
Headlight-range adjustment	X
Light & sight package with auto light and rain sensor	X
Cruise control	X
12V socket in centre console, dashboard and load box (2nd row seats, Highline models)	X
<b>Exterior Features</b>	
Halogen headlamps with daytime running lights	-
Bi-xenon headlamps with LED daytime running lights	X
Darkened tail light cluster	X
Licence plate light	X
Fog lights - front static	-
Fog lights - front with cornering function	X
Rear fog lights	X
Chrome strip in upper radiator grille (six vertical chrome ribs on Highline models)	Double



# Amarok Specifications

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Extreme
<b>Exterior Features (continued)</b>	
Body-coloured exterior mirror housings (incl. chrome application on Highline models)	X
Front bumper in body colour	-
Front bumper in body colour with chrome applications	X
Rear bumper with integrated step, black	-
Rear bumper with integrated step, chrome-plated	X
Flared wheel arches	X
Front and rear mudflaps	X
B-column covered with black film	X
Side "4MOTION®" decal	X
Trailer hitch preparation	X
Lashing points (x4) in loadbox for load restraint	X
Trailer hitch preparation	X
<b>Options</b>	
Increased GVM from 2.8t to 3.0t (incl. heavy-duty leaf springs)	-
Electrically foldable exterior mirrors	X
Bi-xenon headlamps with LED daytime running lights	X
Climatronic airconditioning system, two zone (fully-automatic)	X
Front and rear park distance control	-
Front and rear park distance control with rear-view camera	X
Light & sight package with auto light and rain sensor	X
Leather-wrapped* multi-function steering wheel (with shifting paddles on Extreme)	X
Rubber floor covering for front and rear passenger compartment	O
Sports Bar in body colour	O
'Albany' 17" alloy wheels	-
'Cantera' 19" alloy wheels	-
'Milford' 19" alloy wheels	-

# Amarok Specifications

X = standard O = optional - = not available

Amarok Specification	Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Extreme
<b>Guarantees</b>	
3-year / 100,000 km manufacturer warranty	X
5-year / 90,000 km Volkswagen EasyDrive Vehicle Service Plan	X
15,000 km service intervals	X
6-year anti-corrosion warranty	X

## Disclaimer

1. Dimensions, capacities and abilities apply to standard vehicles.
2. Actual consumption will vary with vehicle loading, driving style, climatic and road conditions.
3. This information was effective as at 01 January 2020 valid for model year 20 and is subject to change without notice.

All diesel vehicles require low sulphur grade diesel of 50 ppm or lower.

### \*Fuel Consumption and Carbon Dioxide Emission Figures

Fuel consumption and CO<sub>2</sub> emissions values were obtained in accordance with the prescribed uniform measuring standard (SANS 20101: 2006 / ECE R101: 2005 in its currently applicable version). The verified values do not apply to a specific vehicle and do not constitute part of the product offer. They are provided solely for the purposes of comparison between different vehicle models. Because of the need to maintain strict comparability of results achieved by the standard tests, they cannot be fully representative of real-life driving conditions. Variations in driving styles and in road, vehicle and ambient conditions, will have a bearing on the results achieved on the road. For these reasons consumption achieved on the road will not necessarily accord with these verified values. Based on lightest variable (no options) and 90% tank filling. Weight may vary depending on options fitted to vehicle. All measurements listed are based on series vehicles. Because of manufacturing tolerances/tyre sizes/type of chassis, the actual dimensions may differ slightly from the values stated here. The information about the degree of slope angle front and rear as well as the ramp angle each refer to the loaded condition of the vehicle in consideration of the gross vehicle weight.

\*\*A combination of leather and high quality durable materials.

# Amarok Service & Maintenance Plans

<b>Volkswagen EasyDrive Vehicle Maintenance Plans</b>	<b>Amarok Double Cab 2.0 TDI 103kW Comfortline</b>	<b>Amarok Double Cab 2.0 TDI 103kW 4MOTION® Comfortline</b>	<b>Amarok Double Cab 2.0 BiTDI® 132kW 4MOTION® Auto Dark Label</b>	<b>Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Canyon</b>	<b>Amarok Double Cab 2.0 BiTDI® 132kW 4MOTION® Highline</b>	<b>Amarok Double Cab 2.0 BiTDI® 132kW Auto Highline</b>
Maintenance Plan (5-year / 90 000 km)	R8,940					
Maintenance Plan (5-year / 120 000 km)	R29,158					
Maintenance Plan (6-year / 150 000 km)	R43,050					
Maintenance Plan (6-year / 180 000 km)	R57,904					
Maintenance Plan (7-year / 210 000 km)	R71,521					
Maintenance Plan (8-year / 240 000 km)	R91,877					
Maintenance Plan (9-year / 270 000 km)	R106,043					
Maintenance Plan (10-year / 300 000 km)	R121,035					
<b>Subject to an Active Standard Volkswagen warranty or an Active Genuine Volkswagen Maintenance Plan</b>						

<b>Volkswagen EasyDrive Vehicle Service Plans</b>	<b>Amarok Double Cab 2.0 TDI 103kW Comfortline</b>	<b>Amarok Double Cab 2.0 TDI 103kW 4MOTION® Comfortline</b>	<b>Amarok Double Cab 2.0 BiTDI® 132kW 4MOTION® Auto Dark Label</b>	<b>Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Canyon</b>	<b>Amarok Double Cab 2.0 BiTDI® 132kW 4MOTION® Highline</b>	<b>Amarok Double Cab 2.0 BiTDI® 132kW Auto Highline</b>
Service Plan (5-year/ 120 000 km)	R10,487					
Service Plan (6-year/ 150 000 km)	R15,538					
Service Plan (6-year/ 180 000 km)	R21,521					
Service Plan (7-year / 210 000km)	R26,732					
Service Plan (8-year / 240 000km)	R38,849					
Service Plan (9-year / 270 000km)	R43,900					
Service Plan (10-year / 300 000km)	R51,673					

# Amarok Service & Maintenance Plans continued

<b>Volkswagen EasyDrive Vehicle Maintenance Plans</b>	<b>Amarok Double Cab 2.0 BiTDI® 132kW 4MOTION® Auto Highline</b>	<b>Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Highline</b>	<b>Amarok Double Cab 2.0 BiTDI® 132kW Auto Highline PLUS</b>	<b>Amarok Double Cab 2.0 BiTDI® 132kW 4MOTION® Auto Highline PLUS</b>	<b>Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Highline PLUS</b>	<b>Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Extreme</b>
Maintenance Plan (5-year / 90 000 km)						R8,940
Maintenance Plan (5-year / 120 000 km)						R29,158
Maintenance Plan (6-year / 150 000 km)						R43,050
Maintenance Plan (6-year / 180 000 km)						R57,904
Maintenance Plan (7-year / 210 000 km)						R71,521
Maintenance Plan (8-year / 240 000 km)						R91,877
Maintenance Plan (9-year / 270 000 km)						R106,043
Maintenance Plan (10-year / 300 000 km)						R121,035
<b>Subject to an Active Standard Volkswagen warranty or an Active Genuine Volkswagen Maintenance Plan</b>						

<b>Volkswagen EasyDrive Vehicle Service Plans</b>	<b>Amarok Double Cab 2.0 BiTDI® 132kW 4MOTION® Auto Highline</b>	<b>Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Highline</b>	<b>Amarok Double Cab 2.0 BiTDI® 132kW Auto Highline PLUS</b>	<b>Amarok Double Cab 2.0 BiTDI® 132kW 4MOTION® Auto Highline PLUS</b>	<b>Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Highline PLUS</b>	<b>Amarok Double Cab 3.0 TDI 165kW 4MOTION® Auto Extreme</b>
Service Plan (5-year/ 120 000 km)						R10,487
Service Plan (6-year/ 150 000 km)						R15,538
Service Plan (6-year/ 180 000 km)						R21,521
Service Plan (7-year / 210 000km)						R26,732
Service Plan (8-year / 240 000km)						R38,849
Service Plan (9-year / 270 000km)						R43,900
Service Plan (10-year / 300 000km)						R51,673



**Buying a Volkswagen is only the beginning of our journey together**

At Volkswagen, it's our mission to keep you and your family moving forward on life's journey. That's why we have a range of products and services designed to keep your Volkswagen in optimum condition and give you peace of mind. From car services and maintenance plans, to genuine parts and roadside assistance, Volkswagen is with you all the way.



**EasyDrive**  
Vehicle Plans

**You do life,**  
we'll take care of the ride

Volkswagen's EasyDrive Vehicle Plans offer affordable and easy to understand cover on Service and Maintenance Plans. Our plans offer specialist care from qualified Volkswagen experts, ensuring your vehicle maintains its re-sale value. This way you can get back to enjoying the journey.


**Get-Go**

**Service you know straight**  
from the Get-Go

The Get-Go service is available to all Volkswagen drivers with a vehicle that's four years or older, and without a Service or Maintenance Plan. You can get an affordable annual service for your Volkswagen by knowing the rate from the get-go. Get-Go Service includes parts and labour and will help you to maintain your service history.







This information was effective as at 01 January 2020  
valid for model year 20 and is subject to change  
without notice.

Visit us at [vw.co.za](http://vw.co.za)

©Volkswagen South Africa