

Caddy Crew Bus

Commercial Vehicles

AN

Į)

A LANCE AND

Caddy

and the strate the

112

spin(Note: Section of the	Caddy Crew Bus Specification	Caddy Crew Bus 1.6i 81kW SWB 7-Seater	Caddy Crew Bus 2.0 TDI 81kW SWB 7-Seater
Ageny (mp)19881988Depr (hy % mm)198881 (6 420)Braue (hy % mm)181 (6 500)81 (6 420)Braue (hy % mm)181 (6 500)181 (6 420)Braue (hy % mm)181 (6 500)181 (6 420)Common (hy M)181 (6 100)181 (6 100)Separation (hy M)181 (6 100)181 (6 100)Common (hy M)181 (6 100)181 (6 100) <td>Engine</td> <td></td> <td></td>	Engine		
0.0µ0x/d0/i dnmin,81 0 800081 0 4200long at Mm 0 mm)1.5 0 8000-40002.5 0 9100-2000C0_minion (ghm)1.6.41.6.41.6.7Steed man.alXXX6 speed man.alXXXA speed DSG*	Cylinders	4	4
Lange (hing)136 8 900-400020 90 1500 /2500C0, ensisons (p/m)166147Versions (p/m)166147Signed maxileXXAugend f56 ¹⁰ 00Performance10.010.0Performance10.010.0Performance00.0Performance0.00.0Performance0.000.0Performance0.000.0Performance0.000.0Performance0.000.0Performance0.000.0Performance0.000.0Performance0.000.0Performance0.000.0Performance0.000.0Performance0.000.0Performance0.000.0Performance0.000.0Performance0.000.0Performance0.000.0Performance0.000.0Performance0.000.0Performance0.000.0Performance0.000.0Performance0.000.0Performance0.000.0Performance0.000.0Performance0.000.0Performance0.000.0Performance0.000.0Performance0.000.0Performance0.000.0Performance0.000.0Performance0.000.0Perform	Capacity (cm³)	1598	1968
Col, emission sprintly166172FormanulXXA sprent 50%33A sprent 50%33Performanu12212/2Accessation sacods (> 100 km/t)12212/2Ios peed Safkith12/212/2Ios peed Safkith12/212/2Ios peed Safkith12/212/2Ios peed Safkith64.0Extrausion cycle (ires / 100 km/t)0.00.0Extrausion cycle (ires / 100 km/t)0.00.0Extra (ires / 100 km/t)0.00.0Extra (ires / 100 km/t)0.00.0Extra (ires / 100 km/t)0.0	Output (kW @ r/min)	81 @ 5800	81 @ 4200
Teamination5-speed manualXX5-speed manualXX6-seed ISS6*ForformancConstraints (Seconds (D-100 km/s)12,512,2Top speed (rm/s)12,2170Following/0,04.9Constraints (Seconds 10,100 km/s)0,04.9Constraint (Seconds 10,100 km/s)0,03.5Seconds 10,200 km/s)XXXSeconds 10,200 km/s)XXX <td>Torque (Nm @ r/min)</td> <td>155 @ 3800-4000</td> <td>250 @ 1500-2500</td>	Torque (Nm @ r/min)	155 @ 3800-4000	250 @ 1500-2500
Speed manalNN6-yeed 195%000Performance12,512,312,3Ackeration Is accords p-0.00 km/h0,12,30,12,30For speed (m/h)0,12,30,12,30,12,3For speed (m/h)0,0,10,0,10,0,10,0,1Contained cycle (m/s / 10,1 km/h)0,0,10,0,10,0,10,0,1Contained cycle (m/s / 10,1 km/h)0,0,10,0,10,0,10,0,10,0,1Contained cycle (m/s / 10,1 km/h)0,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,10,0,1<	CO ₂ emissions (g/km)*	166	147
Appendix ShallInitial and the second of ShallPerformanceAcceleration in accends (Sh1D0 km/n)12.512.4has get (gin/n)12.512.4has get (gin/n)12.512.4Dara y de (km > 100 km/n)9.16.8Extension on cycle (km > 100 km/n)10.64.9Combined cycle (km > 100 km/n)10.64.9Combined cycle (km > 100 km/n)10.64.9Combined cycle (km > 100 km/n)10.64.9Sharard subgetion and shock assorptionXXBackXXXSharard subgetion and shock assorptionXXSharard subgetion and shock assorptionXXSharard subgetion and shock assorptionXXCit flaction challeng (system)XXCit flaction challeng (system)XXFilse (system)XXCit flaction challeng (system)XXCit flac	Transmission		
PerformanceArceloration is seconds (0-100 km/t)12,512,4Too speed [km/t]172170Too speed [km/t]172170Performance9,16,8Entra unba cycle [km s/ 100 km/t]6,04,49Combined cycle [km s/ 100 km/t]6,04,49Combined cycle [km s/ 100 km/t]7,15,6Entra unba cycle [km s/ 100 km/t]7,15,6Standard surgension and chock alsongtionXXPartXXXEntra unba cycle [km s/ 100 km/t]XXCombined cycle [km s/ 100 km/t]XXStandard surgension and chock alsongtionXXEntra unba cycle [km s/ 100 km/t]XXEntra (km chord System)XXEntra (km chord System)XX <td< td=""><td>5-speed manual</td><td>х</td><td>Х</td></td<>	5-speed manual	х	Х
Acceleration in seconds (0:100 km/h)12.512.4Ispsped (un/t)1.171.170Fed consumption0.121.170Fed consumption0.1120.68Enrands (right (100 km/h)0.600.67Comband cycle (lites / 100 km/h)0.600.67Comband cycle (lites / 100 km/h)0.600.67Comband cycle (lites / 100 km/h)0.600.67Remore Cycle (lites / 100 km/h)0.600.67Comband cycle (lites / 100 km/h)0.600.71Stands taspension and shock absorptionNNPostNNStands failing System)NNESP (lactoric Asality Pogramong)NNESP (lactoric Asality Pog	6-speed DSG®	-	-
Tap speed (m/m)122170Fet Consumption9.16.0Extra-ution cycle (litres / 100 km)*6.04.49Combine cycle (litres / 100 km)*7.16.0Running Car7.15.6Standard subgension and shock absorptionXXRunning CarXXStandard subgension and shock absorptionXXBacketXXBelle Carcia (Stability Programma)XXESP Electronic Stability Programma)XXED Electronic Stability Programma)XXESP Electronic Stability Programma)XXElectronic Stability Programma)XXElectronic Stability Programma)XXElectronic Stability Programma)XXElectronic Stability ProgrammaXXElectronic Stability ProgrammaXXElectronic Stability ProgrammaXXElectronic Stability Programma	Performance		
Peter ConsumptionUnbain cycle (itters / 100 km)*9,16,8Erra-urbain cycle (itters / 100 km)*6,04,9Combined cycle (itters / 100 km)*7,16,6Runing GarXXStandard subjension and shock absorptionXXBaseXXAS (Ant-lock fixing System)XXCSP (Cick rook Subility Programme)XXESP (Cick rook System)XXESP (Sick Risk rook System)XXESP (Sick Risk rook System) <td>Acceleration in seconds (0-100 km/h)</td> <td>12,5</td> <td>12,4</td>	Acceleration in seconds (0-100 km/h)	12,5	12,4
Uhan çole (kites / 100 km)*6,8Exta-urban çole (kites / 100 km)*6,04,9Combined çole (kites / 100 km)*7,15,6Runing GerXXStandst suspension and shock absorptionXXBrakerXXXBrakerXXXBraker Socialis (kites / 100 km)*XXXES (Anti-loc Braking System)XXXES (Patconic Stability Programme)XXXED (Ectoratic Differential Lock)XXXED (Ectoratic Differential Lock)XXXItil-Ibid ControlSt steel wheelsXXXItil-Ibid Control System)XXXItil-Ibid Control System)XXXItil-Ibid Control System)XXXItil-Ibid Control System)XXXItil-Ibid Control System)XXXItil-Ibid Control System)XXXItil-Ibid Control SystemXXXItil-Ibid Control SystemXXXItil-Ibid Control SystemXXXItil-Ibid Control SystemXXXIbid Seel WheelsXXXIbid Seel WheelsXXXIbid Seel WheelsSisteel MarcoXXIbid Seel WheelsSisteel MarcoXXIbid Seel Ship TiSisteel MarcoX </td <td>Top speed (km/h)</td> <td>172</td> <td>170</td>	Top speed (km/h)	172	170
Uhan çole (kites / 100 km)*6,8Exta-urban çole (kites / 100 km)*6,04,9Combined çole (kites / 100 km)*7,15,6Runing GerXXStandst suspension and shock absorptionXXBrakerXXXBrakerXXXBraker Socialis (kites / 100 km)*XXXES (Anti-loc Braking System)XXXES (Patconic Stability Programme)XXXED (Ectoratic Differential Lock)XXXED (Ectoratic Differential Lock)XXXItil-Ibid ControlSt steel wheelsXXXItil-Ibid Control System)XXXItil-Ibid Control System)XXXItil-Ibid Control System)XXXItil-Ibid Control System)XXXItil-Ibid Control System)XXXItil-Ibid Control System)XXXItil-Ibid Control SystemXXXItil-Ibid Control SystemXXXItil-Ibid Control SystemXXXItil-Ibid Control SystemXXXIbid Seel WheelsXXXIbid Seel WheelsXXXIbid Seel WheelsSisteel MarcoXXIbid Seel WheelsSisteel MarcoXXIbid Seel Ship TiSisteel MarcoX </td <td></td> <td>1</td> <td></td>		1	
Combined cycle (litres / 100 km)*5,6Runing GarStandard suspension and shock absorptionXXBarkArksAffarti-lock Raking System)XXMCB (Automatic Post-collision Braking System)XXESP (Electronic Stability Programme)XXEDE (Electronic Stability Programme)XXEDE (Electronic System)XXEDE (Electronic System)XXElectronic SystemXXElectronic SystemXXSystem SystemXXSystem SystemXXSystem System SystemXXSystem System System System SystemXXSystem System Sy	Urban cycle (litres / 100 km)*	9,1	6,8
Combined cycle (litres / 100 km)*5,6Runing GarStandard suspension and shock absorptionXXBarkArksAffarti-lock Raking System)XXMCB (Automatic Post-collision Braking System)XXESP (Electronic Stability Programme)XXEDE (Electronic Stability Programme)XXEDE (Electronic System)XXEDE (Electronic System)XXElectronic SystemXXElectronic SystemXXSystem SystemXXSystem SystemXXSystem System SystemXXSystem System System System SystemXXSystem System Sy		6,0	4,9
Runing GarStandard suspension and shock absorptionXXBrakesABS (Anti-lock Braking System)XXABS (Anti-lock Braking System)XXCBS (Electronic Stability Programme)XXESP (Electronic Stability Programme)XXEDI, [Electronic Stability Programme)XXEDI, [Electronic Stability Programme)XXEDI, [Electronic Differential Lock)XXTCS (Traction Control System)XXHil-hold controlWetrims / YresXXIS* steel wheelsIs* steel wheelsTyres 195/dS RIS 91TXXYres 205/SS R16 94T00Full-Is/Red System)5555Length (Irres)5555Length (Irres)10179310793With incl. mirors (mm)1082210825Height excit roor frails (mm)1182211822Height excit roor frails (mm)118381858Wheelbase (mm)26822682Orehang - trear (mm)847847		7,1	5,6
Parker Number of the strengt system ABS (And-lock Braking System) X X ABS (And-lock Braking System) X X ESP (Electronic Stability Programme) X X ESP (Electronic Stability Programme) X X EDL (Electronic Differential Lock) X X TCS (fraction Control System) X X Hil-hold control Veterims / Types X X 15° steel wheels X X 16° steel wheels 15° steel wheels X X 16° steel wheels X X 16° steel wheels Types 195/65 R15 91T X X Types 205/55 R16 94T 0 0 Fueltank (itree) 5 5 Ength (mm) 4408 4408 Widh incl. mirors (mm) 1793 1793 Widh incl. mirors (mm) 1858 1858 Height wheelse (mm) 2682 2682			
ASA And-lock Braking System)XXMC2 (Automatic Post-collision Braking System)XXESP (Electronic Stability Programme)XXESP (Electronic Stability Programme)XXEDL (Electronic Differential Lock)XXTCS (Traction Control System)GXHil-hold controlVeretimer Vyres15° steel wheelsAX15° steel wheelsAX15° steel wheels15° steel wheels16° steel wheels16° steel wheels	Standard suspension and shock absorption	X	X
MCB (Automatic Post-collision Braking System)XXESP (Electronic Stability Programme)XXEDL (Electronic Stability Programme)XXEDL (Electronic Differential Lock)XXTCS (Traction Control System)XXHill-hold controlWeblins / TyresXX15" steel wheelsXX16" steel wheelsXX16" steel wheelsTyres 105'/65 R15 91TXXTyres 205/55 R16 94T00Full-steed spare wheel (steel)XXDiemsions / CapacitiesFull-tark (ittres)5555Length (mm)44084408With excl. mirrors (mm)19201022Height excl. molor fails (mm)18581658Height excl. molor fails (mm)18581658Wheelbase (mm)6879879Orehang - Foro (mm)847847	Brakes		
MCB (Automatic Post-collision Braking System)XXESP (Electronic Stability Programme)XXEDL (Electronic Differential Lock)XXTCS (Traction Control System)XXIll-hold controlStrest WeelsXX15° steel wheelsXX16° steel wheelsXX170 steel	ABS (Anti-lock Braking System)	Х	X
ESP (Electronic Stability Programme)XXEDL (Electronic Differential Lock)XXTCS (Traction Control System)XXHilt-hold controlWeberins / TyresXX15' steel wheelsXX16' steel wheelsXX16' steel wheelsXX16' steel wheelsXX17yes 159/SS R15 91TXXTyres 205/SS R16 94T00Ful-steel spare wheel (steel)XXDifferential (itres)5555Length (mm)44084408With exct. mirrors (mm)16253625Helpt exct. root raits (mm)1625216252Helpt exct. root raits (mm)162623625Helpt inct. root raits (mm)26822682Orehang - fort (mm)26876879Orehang - fort (mm)8179847		X	X
L (Electronic Differential Lock)XXTCS (Traction Control System)XXHill-hold controlHill-hold controlWeetins / TypesXXTS* steel wheelsXX16* steel wheels16* steel wheelsXX16* steel wheelsXX17*se 195/65 R16 91TXXTypes 205/55 R16 94T00Full-sized spare wheel (steel)XXDienstors / CapacitiesFuel tank (litres)5555Length (mn)44084408Vidth ext. mirrors (mn)17931793Width numrors (mn)18221822Height ext. roof rails (mm)18581858Wheebase (mm)26622662Orchang - front (mm)879379Overhang - fort (mm)847847		X	X
Hill-hold control		X	X
Hill-hold control	TCS (Traction Control System)	X	X
15* steel wheels X X 16* steel wheels - - 16* steel wheels - - Tyres 195/65 R15 91T X X Tyres 205/55 R16 94T 0 0 Full-sized spare wheel (steel) X X Full-sized spare wheel (steel) X X Fueltank (litres) 55 55 Length (mn) 4408 4408 Width excl. mirrors (mn) 1793 1793 Width incl. mirrors (mn) 1822 1822 Height incl. roof rails (mn) 1858 1858 Vheebase (mn) 2662 2662 Overhang - front (mn) 879 879			-
15" steel wheels X X 16" steel wheels - - 16" steel wheels - - Tyres 195/65 R15 91T X X Tyres 205/55 R16 94T 0 0 Full-sized spare wheel (steel) X X Fuelstacd spare wheel (steel) 4408 4408 With incl. mirors (mm) 1793 1793 With incl. norif rails (mm) 1822 1822 Height incl. roof rails (mm) 1858 1858 Wheelbase (mm) 2682 2682	Wheelrims / Tyres		
16* steel wheels - 16* steel wheels - Tyres 195/65 R15 91T X Tyres 205/55 R16 94T 0 Full-sized spare wheel (steel) X Full-sized spare wheel (steel) X Full-sized spare wheel (steel) X Fuel tank (litres) 55 Length (mm) 4408 Vidth excl. mirrors (mm) 1793 Vidth incl. mirrors (mm) 1822 Height excl. roof rails (mm) 1858 Videbase (mm) 2682 Vierbang - front (mm) 2682 Overhang - front (mm) 847	-	x	Х
Tyres 205/55 R16 94TOFull-sized spare wheel (steel)XXFull-sized spare wheel (steel)XXDimensions / Capacities5555Length (titres)5555Length (mm)44084408Width excl. mirrors (mm)20652065Height excl. roof rails (mm)18221822Height excl. roof rails (mm)26822682Videbase (mm)26822682Overhang - front (mm)879879	16" steel wheels	-	-
Tyres 205/55 R16 94TOFull-sized spare wheel (steel)XXFull-sized spare wheel (steel)XXDimensions / Capacities5555Length (litres)5555Length (mm)44084408Width excl. mirrors (mm)17931793Vidth incl. mirrors (mm)20652065Height excl. roof rails (mm)18221822Vidte kex (mm)26822682Vidte (mm)26822682Overhang - front (mm)879879	Tyres 195/65 R15 91T	X	X
Full-sized spare wheel (steel)XXFuel-sized spare wheel (steel)XFuel tank (litres)5555Length (mm)44084408Width excl. mirrors (mm)17931793Width incl. mirrors (mm)20652065Height excl. roof rails (mm)18221822Viebelase (mm)26822682Overhang - front (mm)879879Overhang - rear (mm)847847		0	0
Dimensions / CapacitiesFuel tank (litres)5555Length (mm)44084408Width excl. mirrors (mm)17931793Width incl. mirrors (mm)20652065Height excl. roof rails (mm)18221822Height incl. roof rails (mm)26822682Vheebbase (mm)26822682Overhang - front (mm)879879Overhang - rear (mm)847847		X	Х
Fuel tank (litres)5555Length (mm)44084408Width excl. mirrors (mm)17931793Width incl. mirrors (mm)20652065Height excl. roof rails (mm)18221822Height incl. roof rails (mm)18581858Vheelbase (mm)26822682Overhang - front (mm)879879Overhang - rear (mm)847847			
Length (mm) 4408 4408 Width excl. mirrors (mm) 1793 1793 Width incl. mirrors (mm) 2065 2065 Height excl. roof rails (mm) 1822 1822 Wheebase (mm) 2682 2682 Overhang - front (mm) 879 879		55	55
Width excl. mirrors (mm) 1793 1793 Width incl. mirrors (mm) 2065 2065 Height excl. roof rails (mm) 1822 1822 Height incl. roof rails (mm) 1858 1858 Wheelbase (mm) 2682 2682 Overhang - front (mm) 879 879			
Width incl. mirrors (mm)20652065Height excl. roof rails (mm)18221822Height incl. roof rails (mm)18581858Wheelbase (mm)26822682Overhang - front (mm)879879Overhang - rear (mm)847847			
Height excl. roof rails (mm) 1822 1822 Height incl. roof rails (mm) 1858 1858 Wheelbase (mm) 2682 2682 Overhang - front (mm) 879 879 Overhang - rear (mm) 847 847			
Height incl. roof rails (mm) 1858 1858 Wheelbase (mm) 2682 2682 Overhang - front (mm) 879 879 Overhang - rear (mm) 847 847			
Wheelbase (mm) 2682 2682 Overhang - front (mm) 879 879 Overhang - rear (mm) 847 847			
Overhang - front (mm) 879 879 Overhang - rear (mm) 847 847			
Overhang - rear (mm) 847			
NUMBER AND A DEALER AND	Ground clearance (measured underneath the engine guard in mm)	155	155

Caddy Crew Bus Specification	Caddy Crew Bus 1.6i 81kW SWB 7-Seater	Caddy Crew Bus 2.0 TDI 81kW SWB 7-Seater
Dimensions / Capacities (continued)		
Loading sill over stationary level (mm)	575	575
Loading height (mm)	1230	1230
Approach angle (degrees)	15,7	15,7
Ramp angle (degrees)	13,5	13,5
Departure angle (degrees)	17,5	17,5
Turning circle (m)	11,1	11,1
Load compartment width, min. / max. (mm)	1168 / 1190	1168 / 1190
Load compartment floor length behind 1st / 2nd / 3rd row of seats (mm)	1781 / 1095 / 224	1781 / 1095 / 224
Load / passenger compartment volume, for 2- / 5- / 7-seater (m ³)	3.2 / 0.9 / 0.2	3.2 / 0.9 / 0.2
Load / passenger compartment volume, for 2- / 5- / 7-seater (litres)	3200 / 918 / 190	3200 / 918 / 190
Side sliding doors, width x height (mm)	701 x 1086	701 x 1086
Tailgate, width x height (mm)	1183 x 1134	1183 x 1134
Gross Vehicle Mass (GVM) (kg)	2170	2250
Unladen weight, minimum (kg)	1375	1468
Payload, maximum (kg)	795	782
Axle load limit - Front / Rear (kg)	1000 / 1200	1100 / 1200
Trailer weight, 12% gradient - Braked / Unbraked (kg)	1200 / 680	1500 / 730
Gross train weight (kg), 12% gradient	3300	3650
Roof load limit (kg)	100	100
Trailer nose weight (kg)	75	75
Seats		
Number of seats	7	7
3-seater bench (separately folding and removable) in 2nd row of seats	X	Х
'Austin' fabric seat trim covers	Х	Х
Backrest release for driver and front passenger seat	X	Х
Driver and front passenger seats with drawer preparation	×	Х
Windows		
Manual windows	×	Х
Heated rear window	X	Х
Heat-insulating glass (green)	X	Х
Heat-insulating windshield made of laminated glass	×	Х
Mirrors		
Exterior mirrors - adjustable from outside	Х	Х
Wiper System		
Windshield wiper with intermittent control	Х	Х
Rear window wiper and washer system with intermittent control	Х	Х
Safety		
Driver and front passenger airbags (incl. front passenger deactivation)	Х	Х
Rest Assist (fatigue detection)	0	0
3-point seatbelts, front	Х	Х

Caddy Crew Bus Specification	Caddy Crew Bus 1.6i 81kW SWB 7-Seater	Caddy Crew Bus 2.0 TDI 81kW SWB 7-Seater
Safety (continued)		
Seatbelts in 2nd and 3rd row of seats	×	Х
Warning buzzer and light for driver seatbelt not fastened	Х	Х
First Aid kit and warning triangle	X	Х
Security		·
Remote-controlled central locking with SAFELOCK	X	Х
Anti-theft alarm system with back-up horn, towing protection, interior monitoring and central locking (separate unlocking for driver's door)	X	Х
Audio and Communication		
'Composition Audio' radio with LCD screen and intregrated USB	X	Х
2 speakers	X	Х
Cellphone interface	X	Х
Interior Features		
Climatic® airconditioning system	x	Х
Servotronic® power steering (speed-sensitive)	X	Х
Height adjustment for driver's seat	X	Х
Multi-function display ('Plus')	0	0
Dust and pollen filter	X	Х
Centre console with 4 cup holders (2 front, 2 rear)	X	Х
Plastic door trim panel and armrest	×	Х
Sunvisors for driver and front passenger (w/o vanity mirror)	X	Х
Glove compartment (illuminated) with lockable lid	X	Х
Rubber floor covering in cab	X	Х
Rubber floor covering in passenger compartment / load area	X	Х
Comfort roof headlining in cab with hardboard in load compartment	X	Х
12V socket in dashboard	X	Х
Smokers' package: 12V socket with cigarette lighter and ashtray	X	Х
Interior lighting	X	Х
Lashing rings	4	4
Exterior Features		
Grey bumpers	X	Х
Sliding doors - left and right	X	Х
Protective side moulding (black)	X	Х
Exterior mirror housings, door and tailgate handles in black	X	Х
Roof rail preparation	X	Х
Rear wing doors with windows	Х	Х
Radiator grille (grained) with 1 chrome moulding	Х	Х
Large side turn signal lights	Х	Х
Tow bar preparation (incl. trailer stabilisation)	Х	Х
Halogen headlights	X	Х
Separate daytime running lights (permanently switched on during driving)	Х	Х

X = standard O = optional - = not available

Caddy Crew Bus Specification	Caddy Crew Bus 1.6i 81kW SWB 7-Seater	Caddy Crew Bus 2.0 TDI 81kW SWB 7-Seater
Exterior Features (continued)		
Sliding windows in passenger area, front (left and right)	Х	Х
Side windows (rigid) in load compartment / passenger area, rear (left and right)	Х	Х
Options		
15" 'Caloundra' alloy wheels	0	0
16" 'Bendigo' alloy wheels	0	0
'Mesh' leatherette seat trim covers and armrests	0	0
7-seater package (3-seater bench in 2nd row and 2-seater bench in 3rd row of seats)	Х	Х
Side and curtain airbags for driver and front passenger	0	0
Park Distance Control - rear only	0	0
'Composition Media' radio with multi-function leather** steering wheel, Bluetooth, USB interface (iPod, iPad and iPhone capable), multi-function display and Rest Assist (fatigue detection)	0	0
Luggage compartment cover, folding and removable (Not avail. with 7-seater package)	-	-
Fixed towbar (incl. trailer stabilisation)	0	0
Tailgate with window	0	0
Comfort Package: Cruise control and front foglights	0	0
Electric windows and exterior mirrors	0	0
Guarantees		
2-year / unlimited km manufacturer warranty	Х	Х
3-year / 60,000 km Volkswagen EasyDrive Vehicle Service Plan	0	Х
15,000 km service intervals	Х	Х
12-year anti-corrosion warranty	×	Х

Disclaimer

1. Dimensions, capacities and abilities apply to standard vehicles.

2. Actual consumption will vary with vehicle loading, driving style, climatic and road conditions.

3. This information was effective as at 01 January 2020 valid for model year 20 and is subject to change without notice.

Vehicle Tare mass given at 90% tank filling without driver (75kg). Selected optional extras increase the unloaded weight of the vehicle.

*Fuel Consumption and Carbon Dioxide Emission Figures

The figures reflected were obtained in accordance with prescribed uniform measuring standards (SANS 20101: 2006 / ECE R101: 2005 in their currently applicable versions) under laboratory type conditions. The measuring standards are stipulated by law. They do not apply to a specific vehicle and are provided to enable comparison between different vehicle models tested using the same uniform measuring standard. The values are accordingly not necessarily representative of real-life driving conditions. Factors such as driving style, vehicle load, road conditions, tyre size, traffic and ambient conditions may result in different fuel consumption and carbon dioxide emission levels to those achieved under the test parameters referred to above. More details are contained in the owner's manual.

**A combination of leather and high quality durable materials.

Caddy Crew Bus Specification	Caddy Maxi Crew Bus 2.0 TDI 81kW LWB	Caddy Maxi Crew Bus 2.0 TDI 103kW DSG® LWB
Engine		
Cylinders	4	4
Capacity (cm³)	1968	1968
Output (kW @ r/min)	81 @ 4200	103 @ 4200
Torque (Nm @ r/min)	250 @ 1500-2500	320 @ 1750-2500
CO ₂ emissions (g/km)*	149	166
Transmission		
5-speed manual	Х	-
6-speed DSG [®]	-	Х
Performance		
Acceleration in seconds (0-100 km/h)	12,8	10,9
Top speed (km/h)	170	186
Fuel Consumption		
Urban cycle (litres / 100 km)*	6,8	7,5
Extra-urban cycle (litres / 100 km)*	4,9	5,4
Combined cycle (litres / 100 km)*	5,6	6,2
Running Gear		
Standard suspension and shock absorption	X	Х
Brakes		
ABS (Anti-lock Braking System)	Х	Х
MCB (Automatic Post-collision Braking System)	Х	Х
ESP (Electronic Stability Programme)	Х	Х
EDL (Electronic Differential Lock)	Х	Х
TCS (Traction Control System)	X X	
Hill-hold control	-	Х
Wheelrims / Tyres		
15" steel wheels	-	-
16" steel wheels	Х	Х
Tyres 195/65 R15 91T	-	-
Tyres 205/55 R16 94T	Х	Х
Full-sized spare wheel (steel)	X	Х
Dimensions / Capacities		
Fuel tank (litres)	55	55
Length (mm)	4878	4878
Width excl. mirrors (mm)	1793 1793	
Width incl. mirrors (mm)	2065 2065	
Height excl. roof rails (mm)	1831 1831	
Height incl. roof rails (mm)	1868 1868	
Wheelbase (mm)	3006	3006
Overhang - front (mm)	879	879
Overhang - rear (mm)	993	993

Caddy Crew Bus Specification	Caddy Maxi Crew Bus 2.0 TDI 81kW LWB	Caddy Maxi Crew Bus 2.0 TDI 103kW DSG [®] LWB
Dimensions / Capacities (continued)		
Ground clearance (measured underneath the engine guard in mm)	158	158
Loading sill over stationary level (mm)	581	581
Loading height (mm)	1240	1240
Approach angle (degrees)	15,9	15,9
Ramp angle (degrees)	12,1	12,1
Departure angle (degrees)	15,3	15,3
Turning circle (m)	12,2	12,2
Load compartment width, min. / max. (mm)	1168 / 1190	1168 / 1190
Load compartment floor length behind 1st / 2nd / 3rd row of seats (mm)	2250 / 1566 / 644	2250 / 1566 / 644
Load / passenger compartment volume, for 2- / 5- / 7-seater (m3)	4.1 / 1.6 / 0.5	4.1 / 1.6 / 0.5
Load / passenger compartment volume, for 2- / 5- / 7-seater (litres)	4130 / 1650 / 530	4130 / 1650 / 530
Side sliding doors, width x height (mm)	701 x 1084	701 × 1084
Tailgate, width x height (mm)	1183 x 1134	1183 x 1134
Gross Vehicle Mass (GVM) (kg)	2280	2380
Unladen weight, minimum (kg)	1531	1582
Payload, maximum (kg)	749	798
Axle load limit - Front / Rear (kg)	1150 / 1230	1751 / 1250
Trailer weight, 12% gradient - Braked / Unbraked (kg)	1450 / 750	1500 / 750
Gross train weight (kg), 12% gradient	3650	3800
Roof load limit (kg)	100	100
Trailer nose weight (kg)	75	75
Seats		
Number of seats	5	5
3-seater bench (separately folding and removable) in 2nd row of seats	Х	Х
'Austin' fabric seat trim covers	Х	Х
Backrest release for driver and front passenger seat	Х	Х
Driver and front passenger seats with drawer preparation	Х	Х
Windows		
Manual windows	Х	Х
Heated rear window	Х	Х
Heat-insulating glass (green)	Х	Х
Heat-insulating windshield made of laminated glass	X X	
Mirrors		
Exterior mirrors - adjustable from outside	Х	Х
Wiper System		
Windshield wiper with intermittent control	Х	Х
Rear window wiper and washer system with intermittent control	Х	X
Safety		
Driver and front passenger airbags (incl. front passenger deactivation)	Х	Х

Caddy Crew Bus Specification	Caddy Maxi Crew Bus 2.0 TDI 81kW LWB	Caddy Maxi Crew Bus 2.0 TDI 103kW DSG [®] LWB				
Safety (continued)						
Rest Assist (fatigue detection)	0	Х				
3-point seatbelts, front	Х	Х				
Seatbelts in 2nd and 3rd row of seats	Х	Х				
Warning buzzer and light for driver seatbelt not fastened	Х	Х				
First aid kit and warning triangle	Х	Х				
Security						
Remote-controlled central locking with SAFELOCK	Х	Х				
Anti-theft alarm system with back-up horn, towing protection, interior monitoring and central locking (separate unlocking for driver's door)	Х	Х				
Audio and Communication						
'Composition Audio' radio with LCD screen and intregrated USB	X	Х				
2 speakers	Х	Х				
Cellphone interface	Х	Х				
Interior Features						
Climatic [®] airconditioning system	Х	Х				
Servotronic® power steering (speed-sensitive)	Х	Х				
Height adjustment for driver's seat	Х	Х				
Multi-function display ('Plus')	0	Х				
Dust and pollen filter	Х	Х				
Centre console with 4 cup holders (2 front, 2 rear)	Х	Х				
Plastic door trim panel and armrest	Х	Х				
Sunvisors for driver and front passenger (w/o vanity mirror)	Х	Х				
Glove compartment (illuminated) with lockable lid	Х	Х				
Rubber floor covering in cab	Х	Х				
Rubber floor covering in passenger compartment / load area	Х	Х				
Comfort roof headlining in cab with hardboard in load compartment	Х	Х				
12V socket in dashboard	Х	Х				
Smokers' package: 12V socket with cigarette lighter and ashtray	X	Х				
Interior lighting	Х	Х				
Lashing rings	6	6				
Exterior Features						
Grey bumpers	Х	Х				
Sliding doors - left and right	Х	X				
Protective side moulding (black)	Х	Х				
Exterior mirror housings, door and tailgate handles in black	Х	Х				
Roof rail preparation	Х	Х				
Rear wing doors with windows	Х	Х				
Radiator grille (grained) with 1 chrome moulding	Х	Х				
Large side turn signal lights	X	Х				

X = standard O = optional - = not available

Caddy Crew Bus Specification	Caddy Maxi Crew Bus 2.0 TDI 81kW LWB	Caddy Maxi Crew Bus 2.0 TDI 103kW DSG [®] LWB			
Exterior Features (continued)					
Tow bar preparation (incl. trailer stabilisation)	Х	Х			
Halogen headlights	Х	Х			
Separate daytime running lights (permanently switched on during driving)	Х	Х			
Sliding windows in passenger area, front (left and right)	Х	Х			
Side windows (rigid) in load compartment / passenger area, rear (left and right)	0	0			
Options					
15" 'Caloundra' alloy wheels	-	-			
16" 'Bendigo' alloy wheels	0	0			
'Mesh' leatherette seat trim covers and armrests	0	0			
7-seater package (3-seater bench in 2nd row and 2-seater bench in 3rd row of seats)	0	0			
Side and curtain airbags for driver and front passenger	0	0			
Park Distance Control - rear only	0	0			
'Composition Media' radio with multi-function leather** steering wheel, Bluetooth, USB interface (iPod, iPad and iPhone capable), multi-function display and Rest Assist (fatigue detection)	0	0			
Luggage compartment cover, folding and removable (Not avail. with 7-seater package)	0	0			
Fixed towbar (incl. trailer stabilisation)	0	0			
Tailgate with window	0	0			
Comfort Package: Cruise control and front foglights	0	0			
Electric windows and exterior mirrors	0	0			
Guarantees					
2-year / unlimited km manufacturer warranty	Х	Х			
3-year / 60,000 km Volkswagen EasyDrive Vehicle Service Plan	Х	Х			
15,000 km service intervals	Х	Х			
12-year anti-corrosion warranty	Х	Х			

Disclaimer

1. Dimensions, capacities and abilities apply to standard vehicles.

2. Actual consumption will vary with vehicle loading, driving style, climatic and road conditions.

3. This information was effective as at 01 January 2020 valid for model year 20 and is subject to change without notice.

Vehicle Tare mass given at 90% tank filling without driver (75kg). Selected optional extras increase the unloaded weight of the vehicle.

*Fuel Consumption and Carbon Dioxide Emission Figures

The figures reflected were obtained in accordance with prescribed uniform measuring standards (SANS 20101: 2006 / ECE R101: 2005 in their currently applicable versions) under laboratory type conditions. The measuring standards are stipulated by law. They do not apply to a specific vehicle and are provided to enable comparison between different vehicle models tested using the same uniform measuring standard. The values are accordingly not necessarily representative of real-life driving conditions. Factors such as driving style, vehicle load, road conditions, tyre size, traffic and ambient conditions may result in different fuel consumption and carbon dioxide emission levels to those achieved under the test parameters referred to above. More details are contained in the owner's manual.

**A combination of leather and high quality durable materials.

Caddy Crew Bus Service & Maintenance Plans

Volkswagen EasyDrive Vehicle Maintenance Plans	Caddy Crew Bus 1.6i 81kW SWB 7-Seater	Caddy Crew Bus 2.0 TDI 81kW SWB 7-Seater	Caddy Maxi Crew Bus 2.0 TDI 81kW LWB	Caddy Maxi Crew Bus 2.0 TDI 103kW DSG [®] LWB	
Maintenance Plan (4-year / 60 000 km)		R4	497		
Maintenance Plan (5-year / 90 000 km)		R14	,944		
Maintenance Plan (5-year / 120 000 km)		R27	,905		
Maintenance Plan (6-year / 150 000 km)		R42,717			
Maintenance Plan (6-year / 180 000 km)		R55,413			
Maintenance Plan (7-year / 210 000 km)		R69,960			
Maintenance Plan (8-year / 240 000 km)		R86,624			
Maintenance Plan (9-year / 270 000 km)	R101,436				
Maintenance Plan (10-year / 300 000 km)	R117,967				
Subject to an Active Standard Volkswagen warranty or an Active Genuir	e Volkswagen Maintenan	ice Plan			

Volkswagen EasyDrive Vehicle Service Plans	Caddy Crew Bus 1.6i 81kW SWB 7-Seater	Caddy Crew Bus 2.0 TDI 81kW SWB 7-Seater	Caddy Maxi Crew Bus 2.0 TDI 81kW LWB	Caddy Maxi Crew Bus 2.0 TDI 103kW DSG® LWB
Service Plan (4-year / 60 000 km)	_	R1,	842	
Service Plan (5-year/ 90 000 km)		R 8	,116	
Service Plan (5-year/ 120 000 km)		R13,087		
Service Plan (6-year/ 150 000 km)		R18,038		
Service Plan (6-year/ 180 000 km)		R23,455		
Service Plan (7-year / 210 000km)	R28,951			
Service Plan (8-year / 240 000km)	R35,391			
Service Plan (9-year / 270 000km)	R40,343			
Service Plan (10-year / 300 000km)	R47,773			



Caddy

This information was effective as at 01 January 2020 valid for model year 20 and is subject to change without notice.

Visit us at vw.co.za ©Volkswagen South Africa

